For KCC Use: Effective Date: 10-20-07 District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot
month day year	NW NE NW Sec. 32 Twp. 15 S. R. 21 West
OPERATOR: License# 32834	4800 feet from N / V S Line of Section
Name: JTC Oil, Inc.	3430 feet from VE / W Line of Section
Address: P.O. Box 910	is SECTION Regular irregular?
City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tom Cain	County: Franklin <
Phone: 913-208-7914	Lease Name: Moldenhauer / Well #: W-17 /
	Field Name: Paola-Rantoul
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel
Mall Dellard For Mall Class. The Continues to	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Denth to bottom of fresh water: 100 '
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 7 7 ,
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
MAG BUT "	
KCC DKT #:	Will Cores be taken? Yes ✓ No
RCC DK1 #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone: RECEIVED
	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFI	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DAVIT Upging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi	DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT CONSERVATION DIVISION WICHITA, KS a by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set of the set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	DAVIT CONSERVATION DIVISION WICHITA, KS the drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an approved all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the completed within 30 days of the spud date or the well shall be	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION th drilling rig; WICHITA, KS the underlying formation. In the set of the set of the set of the set of the underlying formation. In the set of the set o
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION th drilling rig; WICHITA, KS the underlying formation. In the set of the set of the set of the set of the underlying formation. In the set of the set o
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fit the well is dry hole, an agreement between the operator and the fit. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The proposed in all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an approved all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the completed within 30 days of the spud date or the well shall be	It Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION th drilling rig; WICHITA, KS the underlying formation. In the set of the set of the set of the set of the underlying formation. In the set of the set o
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shaft be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the total surface pipe as specified before well is either pluging. 4. If the well is dry hole, an agreement between the operator and the description of the specific strict office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plate: 10-10-07 Signature of Operator or Agent:	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set If the underlying formation. Strict office on plug length and placement is necessary prior to plugging; Ged or production casing is cemented in; If the complete of the compl
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted of the posted on each and the posted into the post of the appropriate district office prior and the post of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugically in the propriate district office will be notified before well is either plugically in the propriate district office will be notified before well is either plugically in the propriate district office will be notified before well is either plugically in the propriate district office will be notified before well in the plugically in the propriate district office will be notified before well in the plugical propriate district office will be notified before well in the plugical propriate district office will be notified before well in the plugical plugically in the propriate district office will be notified before well in the plugical plug	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 10-10-07 Signature of Operator or Agent: 10-10-07 For KCC Use ONLY API # 15 - 059-253 45-0000	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 10-10-07 Signature of Operator or Agent: 10-10-07 For KCC Use ONLY API # 15 - 059-253 45-0000	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the drill set through all unconsolidated materials plus a minimum of 20 feet into the drill set through all unconsolidated materials plus a minimum of 20 feet into the drill set through a complete with the drill set were as the complete within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: \(\int O - 10 - 0.7 \) Signature of Operator or Agent: \(\int O \)	DAVIT KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: \(\int D - 10 - 07 \) Signature of Operator or Agent: \(\int OS9 - 253 \frac{45000}{250000} \) For KCC Use ONLY API # 15 - \(\frac{059 - 253 \frac{450000}{250000000000000000000000000000000	DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHITA, WICHITA, KS WICHITA, WILLIAM, WICHITA, WILLIAM, WILLIAM, WICHITA, WILLIAM, WI
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet per Alt. **Conductor pipe required **None feet per Alt. **Conducto	DAVIT CONSERVATION COMMISSION CONSERVATION DIVISION MICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set is underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements and the district office will be notified before well is either plug. 6. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: \(\int D - 10 - 07 \) Signature of Operator or Agent: \(\int \text{Signature} \) For KCC Use ONLY API # 15 - \(\text{OS9} - 253 \) Conductor pipe required \(\text{NONE} \) Feet per Alt. \(\text{COMPLETION} \) This authorization expires: \(\text{COMPLETION} \)	DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. OCT 1 2 2007 CONSERVATION DIVISION WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHITA, WICHITA, WICHITA, KS WICHITA, WILLIAM, WICHITA, WILLIAM, WICHITA, WILLIAM, WI
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet per Alt. **Conductor pipe required **None feet per Alt. **Conducto	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION MICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing pe plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements and the district office will be notified before well is either plug. 6. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: \(\int D - 10 - 07 \) Signature of Operator or Agent: \(\int \text{Signature} \) For KCC Use ONLY API # 15 - \(\text{OS9} - 253 \) Conductor pipe required \(\text{NONE} \) Feet per Alt. \(\text{COMPLETION} \) This authorization expires: \(\text{COMPLETION} \)	DAVIT KANSAS CORPORATION COMMISSION CONSERVATION DIVISION MICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25245-0000	Location of Well: County: Franklin
Operator: JTC Oil, Inc.	
Lease: Moldenhauer	4800 feet from N / S Line of Section 3430 feet from Z E / W Line of Section
Well Number: W-17	Sec. 32 Twp. 15 S. R. 21 Vest Wes
Field: Paola-Rantoul	
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NW - NE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; KERSASCORROGRATION COMMISSION CG-8 for gas wells).

OCT 1 2 2007


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.		License Number: 32834		
Operator Address: P.O. Box 910 Louisburg, KS. 66053				
Contact Person: Tom Cain		Phone Number: (913) 208 - 7914		
Lease Name & Well No.: Moldenhauer W-17		Pit Location (QQQQ): さど		
Type of Pit:	Pit is:		NW NE NW	
Emergency Plt Burn Pit	✓ Proposed Existing		Sec. 32 Twp. 15 R. 21	
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		4800 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			3430 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	/hhie)	Franklin	
			County	
Is the pit located in a Sensitive Ground Water Area? Tyes No		Chloride concentration: mg/li (For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes ✓	No	Pits not lined unless not holding fluid	
Pit dimensions (all but working pits):	8 Length (fe	eet) 12	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Source of info		(A)		
3239feet			redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		}	over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Fresh Water		
		king pits to be utilized: 2 procedure: Pits filled as soon as well is completed		
Barrels of fluid produced daily: Abandonment		procedure: 1 to filled as soon as work is completed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
10-10-07 Son Duskell Date Signature of Applicant of Agent				
KCC OFFICE USE ONLY				
Date Received: 10 12 67 Permit Num	ber:	Perm	it Date: LO/12/07 Lease Inspection: Yes 🗘 No	





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.