For KCC Use:	10.20
Effective Date:	10-20-07
District #	<u> </u>
SGA? Yes X N	0

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot ✓ East
month day year	SE - SW - SW Sec. 29 Twp. 15 S. R. 21 West
PERATOR: License# 32834	480feet from N / ✓ S Line of Section
lame: JTC Oil, Inc.	3990
ddress: P.O. Box 910	Is SECTION ✓ Regularirregular?
ity/State/Zip: Louisburg, KS. 66053	
Contact Person: Torn Cain	(Note: Locate well on the Section Plat on reverse side) County: Franklin
hone: 913-208-7914	Lease Name: MoidenhauerWell #: W-50
	Field Name: Paola-Rantoul
ONTRACTOR: License# 33715	
ame: Town Oilfield Service, Inc.	Is this a Prorated / Spaced Field? Yes V Notarget Formation(s): Squirrel
	Nearest Lease or unit boundary: 330' -
Well Drilled For: Well Class: Type Equipment:	
Oil 🗸 Enh Rec 🗸 Infield Mud Rotary	Ground Surface Elevation: feet MSL
Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo*
Seismic; # of Holes Other	Depth to bottom of fresh water: 100 -
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 800' -
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel_
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Tamirold Odles
Yes, true vertical depth:	OWN CHINA TO
ottom Hole Location:	(Mates Apply for Doymit with DMD
	(Note: Apply for Fernit Wat DVA)
	(Note: Apply for Fernit With DVA)
	(Note: Apply for Fernit Wat DVA)
CC DKT #:	Will Cores be taken? If Yes, proposed zone: FIDAVIT
CC DKT #:	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing 11 be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing 11 be plugged. In all cases, NOTIFY district office prior to any cementing.
AFi the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing 11 be plugged. In all cases, NOTIFY district office prior to any cementing.
AFi the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; neted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing if be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFi the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: \(\int D - \int O - \int	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent
AFine undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best hate: **D**/O** O**7* **Signature of Operator or Agent: **For KCC Use ONLY**	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing 11 be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to:
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best sate: \(\int \int \int \int \int \int \int \int	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: \(\int D \cdot \int O \cdot \) Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required \(\int D \in	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
AFine undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: \(\int D - \int O - \int	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: \(\begin{align*} \text{-10 - 07} \) Signature of Operator or Agent: \(Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set The underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFine undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: \(\int D - \int O - \int	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. Far #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFi the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: \(\int D - \int O - \int O - \int \) For KCC Use ONLY API # 15 - Conductor pipe required Approved by: \(\int D - \int O - \i	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set The underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing If be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFine undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the statements district office will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: Approved by: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25348 - OOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. Far #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing 18 be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25248-0000	Location of Well: County: Franklin
Operator: JTC Oil, Inc.	1eet fromN / 🗸 S Line of Section
Lease: Moldenhauer	
Well Number: W-50	Sec. 29 Twp. 15 S. R. 21 Fast West
Field: Paola-Rantoul	<u> </u>
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE - SW - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		: :		
	·	·		
	·	·	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·			
				EXAMPLE
	•	: 		198
	·			3390'
	·	·		
- - -				SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

6167

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: RECEIVED CG-8 for gas wells).

 KANSAS CORPORATION COMMISSION

OCT 12 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	·· · · · · · · · · · · · · · · · · · ·				
Operator Name: JTC Oil, Inc.	W		License Number: 32834		
Operator Address: P.O. Box 910 Louisburg, KS. 66053					
Contact Person: Tom Cain		Phone Number: (913) 208 - 7914			
Lease Name & Well No.: Moldenha	uer W-50		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE SE SW SW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 15 R. 21 📝 East 🗌 West		
Settling Pit	If Existing, date constructed:		480 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3990 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	100	(bbls)	Franklin County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/l		
	T		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?		
			Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):		_	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 5	(feet)		
If the pit is lined give a brief description of the		·	dures for periodic maintenance and determining		
material, thickness and installation procedure	l.	liner integrity, ii	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water			
Source of		Source of infor			
<u>メンピフ</u> feet Depth of water well			ricastruct well owner creationog NOWN		
Producing Formation:		_	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water		
.			king pits to be utilized: 2		
i i		1	procedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to					
flow into the pit? Yes No Drill pits must t		pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10.10-07 Jou Driskell					
Date Signature of Applicant (Agent)					
KCC OFFICE USE ONLY					
Date Received: 10/12/67 Permit Number: Permit Date: 10/12/07 Lease Inspection: Yes 🗷 No					
Date Received: 1/4/07 Permit Number: Permit Date: 10/12/07 Lease Inspection: Yes K No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67793AS CORPORATION COMMISSION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.