For KCC Use:	16 70 20
Effective Date:	10-20-07
District #	<u> </u>
SGA2 TVac	₹ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

xpected Spud Date	Spot ✓ East
month day year	SE SW Sec. 29 Twp. 15 S. R. 21 West
PERATOR: License# 32834	480 feet from N / S Line of Section
ime: JTC Oil, Inc.	4530 feet from F E / W Line of Section
Ideas: P.O. Box 910	ls SECTION RegularIrregular?
y/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Tom Cain	County: Franklin
none: 913-208-7914	Lease Name: Moldenhauer Weil #: W-52
22715	Field Name: Paola-Rantoul
ONTRACTOR: License# 33715/	Is this a Prorated / Spaced Field?
ime: Town Officia Service, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Selsmic; # of Holes Other	Depth to bottom of fresh water: 100
Other Other	Depth to bottom of usable water: 200
	Surface Pipe by Alternate: 1 2
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required; None
Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
rectional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other X
Yes, true vertical depth:	
	DWR Permit #;
ottom, Hole 1 ocation:	
•	(Note: Apply for Permit with DWR)
•	Will Cores be taken? Yes ✓ No
CC DKT #: AFF ne undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the control of	Will Cores be taken? If Yes, proposed zone: IDAVIT Hugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the control of the set of the well is dry hole, an agreement between the operator and the control of the control of the well is either plus of the appropriate district office will be notified before well is either plus of the ALTERNATE II COMPLETION, production pipe shall be cament. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the control of the control of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the control of the	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the proposed zone is all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be comen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete	Will Cores be taken? If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In good or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Italian Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the firm of the well is dry hole, an agreement between the operator and the construction of the surface pipe as surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the surface pipe required to the surfa	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Italian Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plug to the set of the set of the well is either plug to the set of the well shall be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the set of the	Will Cores be taken? If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ithe: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25250-0000	Location of Well: County: Franklin
Operator: JTC Oil, Inc.	
Lease: Moldenhauer	480 feet from N / ✓ S Line of Section 4530 feet from ✓ E / W Line of Section
Well Number: W-52	Sec. 29 Twp. 15 S. R. 21 VEsst West
Field: Paola-Rantoul	<u> </u>
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	• •	
` ` `		
	:	
	: : :	
		EXAMPLE
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	 1980
		 3390'
	• • •	
	· •	11:25
	• !	 SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

 RECEIVED

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.			License Number: 32834	
Operator Address: P.O. Box 910 Louisburg, KS. 66053				
Contact Person: Tom Cain		Phone Number: (913) 208 - 7914		
Lease Name & Well No.: Moldenhauer W-52			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW SE SW SW	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 29 Twp. 15 R. 21	
Settling Pit	If Existing, date constructed:		480 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit			4530 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Franklin County	
	100	(bbls)	County County	
Is the pit located in a Sensitive Ground Water	Area? Yes	-No	Chloride concentration:mg/l	
is the bottom below ground level?	Artificial Liner?	J	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes VI	No	Pits not lined unless not holding fluid	
<u>, , , , , , , , , , , , , , , , , , , </u>			<u> </u>	
Pit dimensions (all but working pits):	8 Length (fe	et) 12	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point: 5	(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		_ I		
	GØ feet	measu	iredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh Water	
Number of producing wells on lease:			king pits to be utilized: 2	
· · · · · · · · · · · · · · · · · · ·			procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
10-10-07 Date Signature of Applicant or Agent)				
KCC OFFICE USE ONLY				
Date Received: 10/12/07 Permit Number: Permit Date: 10/12/07 Lease Inspection: Yes (No				

Mail to: KCC - Conservation Division, 136 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.