For KCC Use:	16 20 61
Effective Date:	10-20-09
District #	
SGA? Yes X No	,

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed Ali blanks must be Filled

Expected Spud Date			Spot	✓ East
	month	day year	NW SW SW Sec. 29 Twp. 15	S. R. 21 West
OPERATOR: License# 3283	4 /		790 feet from N /	
_{Vame:} JTC Oil, ≴nc.			5025feet from	W Line of Section
P.O. Box 910			is SECTION ✓ Regularirregular?	
City/State/Zip: Louisburg, KS	S. 66053		(Note: Locate well on the Section Plat of	n reverse side)
Contact Person. Tom Cain			County: Franklin	
hone: 913-208-7914			Lease Name. Moldenhauer	Well #: W-54
	715		Field Name: Paola-Rantoul -	
CONTRACTOR: License# 33	01 10		Is this a Prorated / Spaced Field?	Yes 🗸 No
Name: Town Oilfield Service	ce, inc.		Target Formation(s): Squirrel -	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary: 330'	· · · · · · · · · · · · · · · · · · ·
			Ground Surface Elevation:	feet MSL
Oil Finh Rec	بخب	Mud Rotary	Water well within one-quarter mile:	Yes ✓ No´
Gas Storage	Pool Ext.	✓ Air Retary Cable	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal	Wildcat	Cable	Depth to bottom of fresh water: 100 -	
Seismic;# of Ho	les Other		Depth to bottom of usable water: 200	
Other	- · · · · · · · · · · · · · · · · · · ·		Surface Pipe by Alternate: ☐ 1 🗸 2	
f OWWO: old well information	n as follows:		Length of Surface Pipe Planned to be set: 20'	
			Length of Conductor Pipe required: None	
			Projected Total Depth: 800'	
		inal Total Depth:	Formation at Total Depth: Squirrel	
		•	Water Source for Drilling Operations:	
Directional, Deviated or Horiza	ontal wellbore?	Yes ✓ No	Well Farm Pond Other X	
f Yes true vertical denth-				
			DWR Permit #:	
Bottom Hole Location:			DWR Permit #:	R [])
·				
Bottom Hole Location:			(Note: Apply for Permit with DW	Yes ✓ No
Bottom Hole Location: KCC DKT #:	rms that the drilling	AFF g, completion and eventual p	(Note: Apply for Permit with DW: Will Cores be taken? If Yes, proposed zone:	Yes V No
Sottom Hole Location: KCC DKT #: The undersigned hereby affirit is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appending the completed with the complete completed with the complete completed with the complete complete complete completed with the complete comple	rms that the drilling a minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bet office will be notice office will be setten in 30 days of the	AFF g, completion and eventual p ments will be met; r to spudding of well; o drill shall be posted on ea s specified below shall be se s a minimum of 20 feet into t ween the operator and the c fied before well is either plug duction pipe shall be cement cansas surface casing order e spud date or the well shall	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of the sequence of this well will comply with K.S.A. 55 et. sequence of the sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of the sequence of this well will comply with K.S.A. 55 et. sequence of the sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will comply with K.S.A. 55 et. sequence of this well will be with K.S.A. 55 et. sequence of this well will be with K.S.A. 55 et. sequence of this well will be will	Yes No No Ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
Bottom Hole Location: KCC DKT #: The undersigned hereby affir It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Compute the well I hereby certify that the state	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bethat office will be notice office will be noticed with the content of the ments made here	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s pecified below shall be se s a minimum of 20 feet into to ween the operator and the co- fied before well is either plug duction pipe shall be cement cansas surface casing order e spud date or the well shall in are true and to the best o	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of drilling rig; In def by circulating cement to the top; in all cases surfact the underlying formation. Indistrict office on plug length and placement is necessinged or production casing is cemented in; Ited from below any usable water to surface within fix #133,891-C, which applies to the KCC District 3 and be plugged. In all cases, NOTIFY district office put from the low and belief.	Yes VNo No Ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
Bottom Hole Location: KCC DKT #: The undersigned hereby affir It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Compute the well I hereby certify that the state	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bethat office will be notice office will be noticed with the content of the ments made here	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s pecified below shall be se s a minimum of 20 feet into to ween the operator and the co- fied before well is either plug duction pipe shall be cement cansas surface casing order e spud date or the well shall in are true and to the best o	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of the comply with K.S.A. 55 et. sequence of the comply in all cases surface to the underlying formation. Idistrict office on plug length and placement is necessing of the complete of	Yes No No No Property No
Bottom Hole Location: KCC DKT #: The undersigned hereby affir it is agreed that the following 1. Notify the appropriate 2. A copy of the approver 3. The minimum amount through all unconsolida 4. If the well is dry hole, 5. The appropriate districe 6. If an ALTERNATE II C Or pursuant to Appendent	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bet office will be notice office will be noticed with the content of the ments made here	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s pecified below shall be se s a minimum of 20 feet into to ween the operator and the co- fied before well is either plug duction pipe shall be cement cansas surface casing order e spud date or the well shall in are true and to the best o	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of the comply with K.S.A. 55 et. sequence of the comply in all cases surface to the underlying formation. Idistrict office on plug length and placement is necessing of the complete of	Yes No No Ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereby affire the sagreed that the following 1. Notify the appropriate 2. A copy of the approver 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate districe 6. If an ALTERNATE II C Or pursuant to Appendent be completed with the hereby certify that the state Date: D - D - D 7	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bet office will be noticed. OMPLETION, prodix "B" - Eastern within 30 days of the ements made here. Signature of Open NONE	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s specified below shall be se s a minimum of 20 feet into t ween the operator and the c ified before well is either plug duction pipe shall be cement (ansas surface casing order e spud date or the well shall in are true and to the best of erator or Agent:	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of the comply of this well will comply with K.S.A. 55 et. sequence of the complying of this well will comply with K.S.A. 55 et. sequence of the complex of th	Yes No The pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. To Drill; spud date; oration orders; workover or re-entry; completed;
Bottom Hole Location: KCC DKT #: The undersigned hereby affir it is agreed that the following 1. Notify the appropriate 2. A copy of the approver 3. The minimum amount through all unconsolid. 4. If the well is dry hole, 5. The appropriate districe 6. If an ALTERNATE II C Or pursuant to Appendent to Appendent by Computed with the state 1. Date: Date: O - /O - O 7	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bet office will be notice. OMPLETION, prodix "B" - Eastern within 30 days of the ements made here. Signature of Ope NONE ired 20 10-15-0 4-15-0	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s a minimum of 20 feet into t ween the operator and the c diffied before well is either plug duction pipe shall be cement (ansas surface casing order e spud date or the well shall in are true and to the best of erator or Agent: feet feet per Att. X(2)	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. sequence of the complex of the complex of the complex of the complex of the underlying formation. Idistrict office on plug length and placement is necessaged or production casing is cemented in; the form below any usable water to surface within 1: #133,891-C, which applies to the KCC District 3 and be plugged. In all cases, NOTIFY district office point of the completion form ACO-1 within 120 days of the File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field proposed in the case of the completion of the comple	Yes No Ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water. tion date) please
Bottom Hole Location: KCC DKT #: The undersigned hereby affir It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendent to App	rms that the drilling minimum required district office priod notice of intent to of surface pipe as ated materials plus an agreement bet office will be notice. OMPLETION, prodix "B" - Eastern within 30 days of the ements made here. Signature of Ope NONE ired 20 10-15-0 4-15-0	AFF g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ea s a minimum of 20 feet into t ween the operator and the c diffied before well is either plug duction pipe shall be cement (ansas surface casing order e spud date or the well shall in are true and to the best of erator or Agent: feet feet per Att. X(2)	(Note: Apply for Permit with DW.) Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. sequence of the comply of this well will comply with K.S.A. 55 et. sequence of the complying formation. It is the complete of the c	Yes No Ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water. tion date) please

KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25252-0000	Location of Well: County: Franklin
Operator: JTC Oil, Inc.	
Lease: Moldenhauer	790 feet from N / S Line of Section 5025 feet from E / E / W Line of Section
Well Number: W-54	Sec. 29 Twp. 15 S. R. 21 ✓ East Wes
Field: Paola-Rantoul	
Number of Acres attributable to well: QTR / QTR of acreage: NW - SW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show tootage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

 CG-8 for gas wells).

 KANSAS COPPORATION OF

KANSAS CORPORATION COMMISSION

OCT 12 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed


APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.			License Number: 32834	
Operator Address: P.O. Box 910	Louisburg	, KS. 66	053	
Contact Person: Tom Cain			Phone Number: (913) 208 - 7914	
Lease Name & Well No.: Moldenhauer W-54		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW NW SW SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 15 R. 21	
Settling Pit	If Existing, date constructed:		790 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			5025 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbla)	Franklin	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water	Area? Yes ✔	∫ No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Pits not lined unless not holding fluid	
Pit dimensions (all but working pits):	8 Length (fe	et) 12	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	_	(feet)	
material, thickness and installation procedure) .	liner integrity, i	ncluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water	
15 22 feet Depth of water well	<u>රෙ</u> feet	measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh Water	
		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment procedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
/0-10-07 Date		ignature of Applicant of Agent)		
KCC OFFICE USE ONLY				
Date Received: 10/12/07 Permit Num	ber:	Permi	it Date: 10/12/07 Lease Inspection: Yes (No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
KANSAS CORPORATION COMMISSION





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.