For KCC Use: 10-20-07

Effective Date: 3

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date October 17, 2007 | | |
|--|--|-------------------------------------|
| | Spot | √ East |
| month day year | <u>NW</u> - <u>SE</u> <u>Sec. 30</u> Twp. <u>28</u> S. R. <u>20</u> | West |
| OPERATOR: License# 33344 | 1980 feet fromN / ✓S Line of Se | |
| Name: Quest Cherokee LLC | 1980 feet from E / W Line of Se | ction |
| 9520 North May Avenue, Suite 300 | Is SECTION Regular Irregular? | |
| City/State/Zip: Oklahoma City, Oklahoma 73120 | (Note: Locate well on the Section Plat on reverse side) | |
| Contact Person. Richard Marlin | County: Neosho | |
| Phone: (405) 463-6880 | Lease Name: Strange, Everett G. Well #: 30-1 | |
| CONTRACTOR: License# Will be licensed by the KCC / | Field Name: Cherokee Basin CBM | |
| Name: Will advise on the ACO-1 | | . ✓ No |
| Name: | Target Formation(s): Cherokee Coals | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 660 | |
| Oil Finh Rec Infield Mud Rotary | | eet MSL √No |
| Gas Storage Pool Ext. Air Rotary | · <u>=</u> | |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Depth to bottom of fresh water: 100 | ✓ No |
| Seismic;# of Holes Other | Depth to bottom of usable water: 200 | |
| ✓ Other Coalbed Methane | Surface Pipe by Alternate: 1 2 | |
| If CMANO, and well information on fellows: | Length of Surface Pipe Planned to be set: 25 | |
| If OWWO: old well information as follows: | Length of Conductor Pipe required: | |
| Operator: | Projected Total Depth: 1300 | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Cherokee Coals | |
| / | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other Air | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #: | Will Cores be taken? | √ No |
| | If Yes, proposed zone: | |
| AFF | DAVIT | |
| The undersigned hereby affirms that the drilling, completion and eventual pl | ugging of this well will comply with K.S.A. 55 ANSESCORPORATION CO | MISSION |
| It is agreed that the following minimum requirements will be met: | | |
| | | |
| 1. Notify the appropriate district office prior to spudding of well; | nct 15 200 | , |
| 2. A copy of the approved notice of intent to drill shall be posted on each | h drilling rig; | |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set | h drilling rig; t by circulating cement to the top; in all cases surface pine final by a windstring to marking. | SN |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set | h drilling rig; t by circulating cement to the top; in all cases surface pine final by a windstring to marking. | SN |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug | h drilling rig; t by circulating cement to the top; in all cases suffering pinks of the top; in all cases suffering pinks e underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; | od Iging; |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement | th drilling rig; It by circulating cement to the top; in all cases surface pink file of the condition. WICHITA KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of the condition o | SCN gging; late. |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | In drilling rig; It by circulating cement to the top; in all cases suffered to the top; in all cases suffered to the top; in all cases suffered to the enderlying formation. WICHITA, KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of the top | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall lead to the surface case. | In drilling rig; It by circulating cement to the top; in all cases surface pine file to be e underlying formation. WICHITA, KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of \$133,891-C, which applies to the KCC District 3 area, alternate If ce plugged. In all cases, NOTIFY district office prior to any cementer | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | In drilling rig; It by circulating cement to the top; in all cases surface pine file to be e underlying formation. WICHITA, KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of \$133,891-C, which applies to the KCC District 3 area, alternate If ce plugged. In all cases, NOTIFY district office prior to any cementer | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the statements. | In drilling rig; It by circulating cement to the top; in all cases surface pine file to be e underlying formation. WICHITA, KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of \$133,891-C, which applies to the KCC District 3 area, alternate If ce plugged. In all cases, NOTIFY district office prior to any cementer | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall lead to the surface case. | h drilling rig; t by circulating cement to the top; in all cases surjance pine shall be e underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cemen my knowledge and belief. Title: VP | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the seth through all unconsolidated materials plus a minimum of 20 feet into the sether plus is either plus of the appropriate district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 10, 2007 Signature of Operator or Agent: Date: October 10, 2007 | h drilling rig; t by circulating cement to the top; in all cases surface pipe five like of the content of the top; in all cases surface pipe five like of the content of th | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lifeth that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the complete within 30 days of the spud date. October 10, 2007 For KCC Use ONLY | h drilling rig; t by circulating cement to the top; in all cases surject prior to the top; in all cases surject prior to the top; in all cases surject prior to plus e underlying formation. WICHITA KS WICHITA KS strict office on plug length and placement is necessary prior to plus ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of \$\frac{4}{133,891-C}\$, which applies to the KCC District 3 area, alternate If ce the plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; | Set gging; late. menting |
| A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the seth through all unconsolidated materials plus a minimum of 20 feet into the seth through all unconsolidated materials plus a minimum of 20 feet into the sether plus and the well is dry hole, an agreement between the operator and the description of the sether plus and the sether plus of the sether well is either plus and the sether plus of the sether well shall be completed within 30 days of the spud date or the well shall be the sether through the sether well shall be completed within 30 days of the spud date or the well shall be the sether well shall be completed within 30 days of the spud date or the wel | h drilling rig; t by circulating cement to the top; in all cases surface pipe five like of the content of the top; in all cases surface pipe five like of the content of th | Set gging; late. menting |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be dement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 10, 2007 Signature of Operator or Agent: Declaration of Conductor pipe required None feet | h drilling rig; t by circulating cement to the top; in all cases surface pine shall be e underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of the first surface. Wichita KS strict office on plug length and placement is necessary prior to plugged from below any usable water to surface within 120 days of spud of the first surface within 120 days of spud date; Wichita KS surface within 120 days of spud date; | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug of the specified before the specified before the specified before the specified before the specified be | h drilling rig; t by circulating cement to the top; in all cases surface pipe that he e underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of \$\frac{4}{133,891-C}\$, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en- Submit plugging report (CP-4) after plugging is completed; | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet per Alt. 1. If the well is dry hole, an agreement between the operator and the definition of the specific plus shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed as a surface casing order must be completed within 30 days of the spud date or the well shall be completed. 1. If the well is dry hole, an agreement between the operator and the definition of the second shall be seen that the statement of the well shall be completed. 1. If the well is dry hole, an agreement between the operator and the definition of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of the second shall be seen that the statement of | th drilling rig; the circulating cement to the top; in all cases suffered in the complete to the top; in all cases suffered in the complete confice on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of the first spud of the | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug of the specified before the specified before the specified before the specified before the specified be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be a underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of the first of | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud date of the well shall be conducted by the statements of the spud date of the well shall be conducted by the statements of the spud date of the well shall be conducted by the statements of the spud date of the well shall be completed. For KCC Use ONLY API # 15 - 133 - 27250-000 Conductor pipe required | h drilling rig; t by circulating cement to the top; in all cases suffere pipe in the circulating cement to the top; in all cases suffere pipe in the complete of the underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and form below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ensured submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the description of the seed of the seed of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the seed of the specified of the specified of the specified of the well shall be completed within 30 days of the spud date or the well shall be the seed of the spud date or the well shall be the seed of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the well shall be determined best of the spud date or the spud date or the well shall be determined best of the spud date or the spud date o | h drilling rig; t by circulating cement to the top; in all cases surface pine that he e underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and form below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ensuming submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired | aging; late. menting ting. |
| 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud date of the well shall be conducted by the statements of the spud date of the well shall be conducted by the statements of the spud date of the well shall be conducted by the spud date of the well shall be completed. For KCC Use ONLY API # 15 - 133 - 27250-000 Conductor pipe required | h drilling rig; t by circulating cement to the top; in all cases suffere pipe in the circulating cement to the top; in all cases suffere pipe in the complete of the underlying formation. WICHITA KS strict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and form below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ensured submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | aging; late. menting ting. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 133-27250-0000 | Location of Well: County: Neosho |
|--|--|
| Operator: Quest Cherokee LLC | 1980 feet from N / V S Line of Section |
| Lease: Strange, Everett G. | 1980 feet from 🗸 E / W Line of Section |
| Well Number: 30-1 | Sec. 30 Twp. 28 S. R. 20 |
| Field: Cherokee Basin CBM | |
| Number of Acres attributable to well: QTR / QTR / QTR of acreage: | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. |
| - | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Ougst Charokee I | | | |
|--|-------------------------|--|--|
| Operator Name: Quest Cherokee LLC | | License Number: 33344 | |
| Operator Address: 9520 North Ma | y Avenue, Su | ite 300 Ok | lahoma City, Oklahoma 73120 |
| Contact Person: Richard Marlin | | | Phone Number: (405) 463 - 6880 |
| Lease Name & Well No.: Strange, Everett G. #30-1 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | <u>NW</u> - <u>SE</u> |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 30 Twp. 28 R. 20 ✓ East West |
| Settling Pit | If Existing, date of | onstructed: | 1980 Feet from North / V South Line of Section |
| Workover Pit Haul-Off Pit | | | 1980 |
| (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from 🗸 East / West Line of Section |
| | 300 | (bbls) | County |
| Is the pit located in a Sensitive Ground Water | r Area? 🛂 Yes 📝 | No | Chloride concentration:mg/l |
| is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? |
| Yes V No | ☐ Yes ✓ | No | |
| Pit dimensions (all but working nits): | 30 Length (fe | eet) 10 | Width (feet)N/A: Steel Pits |
| | from ground level to de | | |
| If the pit is lined give a brief description of th material, thickness and installation procedure | e liner re. | liner integrity, in | edures for periodic maintenance and determining notation in the notation of the notation and security and sec |
| | | | OCT 15 2007 |
| Distance to nearest water well within one-mi | ile of pit | Depth to shallo Source of infor | west fresh waterfeet, CONSERVATION DIVISION WICHITA, KS |
| feet Depth of water well | feet | measu | redwell owner electric logKDWR |
| Emergency, Settling and Burn Pits ONLY | / : | 1 | over and Haul-Off Pits ONLY: |
| Producing Formation: | | Type of materia | |
| | | | al utilized in drilling/workover: Air Drilled |
| Number of producing wells on lease: | | | king pits to be utilized: One |
| Number of producing wells on lease: Barrels of fluid produced daily: | | | |
| | | Abandonment | king pits to be utilized: One |
| Barrels of fluid produced daily: Does the slope from the tank battery allow a | all spilled fluids to | Abandonment Drill pits must l | procedure: Air Dry, Back Fill and Cover be closed within 365 days of spud date. |
| Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No | all spilled fluids to | Abandonment Drill pits must I correct to the bes | king plts to be utilized: One procedure: Air Dry, Back Fill and Cover be closed within 365 days of spud date. |
| Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above sta | all spilled fluids to | Abandonment Drill pits must I correct to the bes | king pits to be utilized: One procedure: Air Dry, Back Fill and Cover be closed within 365 days of spud date. t of my knowledge and belief. Market Grant Gr |