| For KCC Use: | 10-20-07 |
|-------------------|----------|
| Effective Date: _ | |
| District # | <i></i> |
| rT2 | ☐ No. |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Must be approved by KCC | five (5) days prior to commencing well |
|--|---|
| Expected Spud Date 7 September 15 , 2007 month day year | Spot SW SW Sec28 Twp.30 S R16 West |
| OPERATOR: License# 3830 | 60leet fromN / X S Line of Section |
| Name: AX&P, Inc. | |
| Address 2.0147 CR 200 | Is SECTION XRegularIrregular? |
| City/State/Zip: Neodesha, KS 66757 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: J J Hanke | County: Wilson |
| 620 325-5212 | Lease Name: Unit 1 - Sutherland 37S-N |
| Phone: OZO SZS-SZIZ | Field Name: Neodesha |
| CONTRACTOR: License#33079 | ─ Is this a Prorated / Spaced Field? Yes 🗓 No |
| Name: Patrick Tubbs (| Target Information(s): 800+ Neodesha Sd. |
| | Nearest Lease or unit bounday |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 615' feet MSL |
| X Oil / Enh Rec X Infield X Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: |
| OWO Disposal Wildcat Cable | Depth to bottom of fresh water: 100'+ |
| Seismic: # of Holes Other | Depth to bottom of usable water: 150 + |
| Other | Surface Pine by Alternate: 1 1 2 |
| of County County in Company on the County | Length of Surface Pipe Planned to be set: 35' |
| If OWWO: old well information as follows: | |
| Operator: | Projected Total Depth: 840. |
| Well Name: | Formation at Total Depth: Neodesha Sd. |
| Original Completion Date: Original Total Depth: | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | |
| If Yes, true vertical depth: | |
| | — DWR Permit #: |
| | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| Bottom Hole Location: KCC DKT #: Lease Bandary Map on file | (Note: Apply for Permit with DWR Yes X No If Yes, proposed zone: |
| Bottom Hole Location: KCC DKT #: Lease Bundary map on file The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted of the minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either if an ALTERNATE II COMPLETION, production pipe shall be cefor gursuant to Appendix "B" - Eastern Kansas surface casing of the control of th | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Lat plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; Let set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; Toplugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. Index #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. |
| Bottom Hole Location: KCC DKT #: Lease Bondary Map on file The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted of 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is it hereby certify that the statements made herein are true and to the interest of the spud date or the well is interest. | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT That plugging of this well will comply with K.S.A. 55 et. seq. The set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. The intermediate in the plugged. The plugged in all passes, NOTIFY district office prior to any cementing. |
| Bottom Hole Location: KCC DKT #: Lease Bondary map on file The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted of 3. The minimum amount of surface pipe as specified below shall in through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and the specified district office will be notified before well is either the appropriate district office will be notified before well is either the operator and the specified before well is either the specified before well in the specified before well is either the specified before well in the specifi | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Usai plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; In plugged or production casing is cemented in; In mented from below any usable water to surface within 120 days of spud date. In all plugged. In all passes, NOTIFY district office prior to any cementing. Title: Title: Title: Title: Title: |
| Bottom Hole Location: KCC DKT #: Lease Bondary Map on file The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted of the minimum amount of surface pipe as specified below shall in through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the major of the specific prior well is either than ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well is in the production to the well in the production of the spud date or the well is increase. | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; inplugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. Index #133,891-C, which applies to the KCC District 3 area, alternate II cementing that be plugged. In the passes, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| Bottom Hole Location: KCC DKT #: Lease Bondary Map on file The undersigned hereby affirms that the drilling, completion and events is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted of 3. The minimum amount of surface pipe as specified below shall in through all unconsolidated materials plus a minimum of 20 feet if the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either if an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is it hereby certify that the statements made herein are true and to the police. For KCC Use ONLY API # 15 - 205 - 27338-0000 Conductor pipe required NOM feet per Alt. Minimum surface pipe required feet per Alt. Approved by: Minimum surface pipe required feet per Alt. This authorization expires: 4-15-00 | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Data plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; De set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; Toplugged or production casing is cemented in; Menented from below any usable water to surface within 120 days of spud date. The district office on plug length and placement is necessary prior to plugging; The plugged or production casing is cemented in; Menented from below any usable water to surface within 120 days of spud date. The plugged of production and plugses, NOTIFY district office prior to any cementing. Title: Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

OCT 0 9 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 205-27328-0000 | Location of Well: County: Wilson |
|---|---|
| Operator: AX&P, Inc. Lease: Unit 1 - Sutherland | |
| Well Number: Sutherland# 37 S-N · Field: Neodesha | Sec. 28m - ritiwp. 30 S. R. 16 X East West |
| Number of Acres attributable to well: 5 | Is Section: Regular or Irregular . |
| QTR / QTR / QTR of acreage:SWSWSW | If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| 1 | | | • | | | | |
|-------|---------------------------------------|----|---------|---|---|---|---|
| į | - | | | l . | | | |
| i | | | • | | | | • |
| 1 | | • | • | | | | • |
| i | | | | | | | |
| | | | | | | | |
| 1 | | | | | | | |
| 1 | | | | ١, | | | |
| | | | | 1 | | | |
| | • | • | • | | | | • |
| 1 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 1 | • | | • | 1 . | | | |
| | | - | | | | | |
| | | | • | ! . | • | | • |
| | • | ٠. | • | | | | |
| | | | | 1 | | | |
| | | | · · · · | 1 | | | |
| | | | | | | | |
| | | | | Ι. | | | |
| | | | | | | | |
| } | • | • | • | ٠. | • | | • |
| į | • | | | | | | - |
| | | | | 28 <u>·</u> | | | |
| | | | | | | | |
| | | | | | | | |
| | ٠ . | | | • | | • | • |
| } | ٠. | | | Ι. | | | |
| | | | | | | | |
| | | | | | • | • | |
| 1 | | | | | | | |
| | | | | ٠.,٠ | | | |
| • • • | | | | ٠.,٠ | | | |
| . , , | | | | بر | | | |
| . , , | | | | بر | | | |
| . , . | | | | بر | | | |
| . , , | | | | بر | | | |
| | · · · · · | | | · · · , , | | | |
| | | | | · · · , , | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · · · , , | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · · · , , | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |
| | · · · · · · · · · · · · · · · · · · · | | | · • • • • • • • • • • • • • • • • • • • | | | |

| EXAMPLE | • | | • | | |
|---------|---|---|-----------|---------------|---|
| | 1 | | | -1980 | |
| • | | | 90' - | | |
| | | | • | | ٠ |
| • | | | • | | |
| • | | • | • | | |
| | | • | • | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: AX&P, Inc. | | | License Number: 3830 |
|--|--------------------------------|---|--|
| Operator Address: 20147 CR | 200 Neod | esha, Ks | |
| Contact Person: J.J. Hanke | <u> </u> | | Phone Number: (620) 325-5212 |
| Lease Name & Well No .: Swherland | 375 vI | 13-21 | Pit Location (QQQQ): |
| Type of Pit: | 9(3-1) On + (| | SW SW SW |
| Emergency Pit Burn Pit | X Proposed | Existing | Sec. 28 Twp. 30 R16 X East West |
| Settling Pit | If Existing, date constructed: | | 60 Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit | *** | | O.S. |
| (If WP Supply API No. or Year Drilled) | Pit capacity: 100 | (bbla) | Feet from East / West Line of Section |
| | A 6 D vs. 6= | (bbls) | Wilson County |
| Is the pit located in a Sensitive Ground Water | Area? Tes X | No | Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? X Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): 20 | i enoth (fe | et) 10 | Width (feet) N/A; Steel Pits |
| | om ground level to de | | 5 (feet) |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | liner integrity, in | dures for periodic maintenance and determining icluding any special monitoring. |
| Distance to nearest water well within one-mile | of pit | Depth to shallow | west fresh water 100+feet. |
| 1/2 milet Depth of water well feet Emergency, Settling and Burn Pits ONLY: | | Source of information: | |
| | | measured well owner electric logXKDWR Drilling, Workover and Haul-Off Pits ONLY: | |
| , | | _ | west fresh water 100+feet. mation: redwell ownerelectric log _X KDWR rver and Haul-Off Pits ONLY: utilized in drilling/workover: _fresh water |
| | | | ing pits to be utilized: One |
| Barrels of fluid produced daily: | | Abandonment procedure: backfill w topsoil | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must b | e closed within 365 days of spud date. |
| I hereby certify that the above states | ments are true and co | orrect to the best | of rpy knowledge and belief. |
| 10/2/07 Date | <u> </u> | Jufu | may re of Applicant or Agent |
| | KCC O | OFFICE USE ON | II V |
| | 7000 | ATTOL USE OR | , |
| Date Received: 10/9/07 Permit Numb | er: | Permit | Date: 10 q 07 Lease Inspection: Yes No |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202