For KCC Use:	10-21 .
Effective Date:	10-21-07
District #	
SGA? Ye	s 💢 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-t
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	SpotSE NW East
month day year	SW Sec. 32 Twp. 15 S. R. 21 West
OPERATOR: License# 32218	1805feet fromN / 🗸 S _ Line of Section
Name: TDR Construction, Inc.	4125 feet from VE / W Line of Section
Address: 1207 N. 1st Street East	Is SECTION Regular Irregular?
Address: 1207 N. 1st Street East City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Edit Briskell	County: Franklin
Phone: 913-406-4236	Lease Name: Duffy Well # 23
22745	Field Name: Paola-Rantoul
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990'
	Ground Surface Elevation:feet MSL
✓ Oil Enh Rec ✓ Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 750'
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
·	
Bottom Hole Location:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No
KCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either place. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluce. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS9 - 25250 DDD Conductor pipe required NoN feet Minimum surface pipe required 20 feet per Alt. Approved by: Put 10 - 16 - 07 This authorization expires: #/6 OS	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS9 - 25250 DDD Conductor pipe required NoN feet Minimum surface pipe required 20 feet per Alt. Approved by: 14 10 - 16 - 07	Will Cores be taken? If Yes, proposed zone: PIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluce. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS9 - 25250 DDD Conductor pipe required NoN feet Minimum surface pipe required 20 feet per Alt. Approved by: Put 10 - 16 - 07 This authorization expires: #/6 OS	Will Cores be taken? If Yes, proposed zone: PIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25256-0000	Location of Well: County: Franklin
Operator: TDR Construction, Inc.	
Lease: Duffy	1805 feet from N / S Line of Section 4125 feet from N / N / N Line of Section
Well Number: 23	Sec. 32 Twp. 15 S. R. 21 Fast Wes
Field: Paola-Rantoul	_
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW _ NE _ SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

 	EXAMPLE
 • • • • • • • • • • • • • • • • • • •	1980
	3390'
	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

1405

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO FIGURE):

 KANSAS CORPORATION COMMISSION

 CG-8 for gas wells).

OCT 15 2007

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.			License Number: 32218		
Operator Address: 1207 N. 1st Street East Louisburg, KS. 66053					
Contact Person: Lori Driskell			Phone Number: (913) 406 - 4236		
Lease Name & Well No.: Duffy #23			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SE NW SW		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 32 Twp. 15 R. 21		
Settling Pit	If Existing, date constructed:		1805 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		4125 Feet from 🗸 East / 🔲 West Line of Section		
	100	(bbls)	Franklin County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 💆	4 No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	No	Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):	B Length (f	eet) 12	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to d	eepest point: 5	(feet)		
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh waterfeet.		
N/A feet Depth of water wellfeet		Source of infor	mation: redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		 	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh water			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment procedure: Pits filled as soon as well is completed			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10/12/07 Date Signature of Applicant of Agent					
KCC OFFICE USE ONLY					
Date Received: 10/15/02 Permit Number: Permit Date: 10/15/07 Lease Inspection: Yes K No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas (A7202) CORPORATION COMMISSION