For KCC Use:	10-21-07
Effective Date:	102101
District #	<u> </u>
SGA? Yes	No No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ East
month day year	NE NW SW Sec. 32 Twp. 15 S. R. 21 West
OPERATOR: License# 32218	2135teet fromN / 🗸 S Line of Section
Name: TDR Construction, Inc.	4125 feet from F W Line of Section
Address: 1207 N. 1st Street East	Is SECTION RegularIrregular?
Address: 1207 N. 1st Street East City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip: Contact Person: Lori Driskell	County: Franklin
Phone: 913-406-4236	Lease Name: Duffy Well #; 26
	Field Name: Paola-Rantoul
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field? Yes V No
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel
	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pine by Alternate: 1 2 2
W CHANG and a supplied on the News	Length of Surface Pipe Planned to be set:
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 750'
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
Original Completion DateOriginal total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	- Will Cores be taken? Yes ✓ No.
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #:AF	The state of the s
AF	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventua	If Yes, proposed zone:
Af The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shaft be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the figure of the specified before well is either p. 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cern. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. de district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shaft be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the figure of the specified before well is either p. 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cern. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the strength of the surface of the spuddies of the spuddate or the well is either proportion of the surface of the surface casing order to the surface of the well is the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either price of an ALTERNATE II COMPLETION, production pipe shall be composed to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired to the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the statements are true and to the sta	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. a district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either price of an ALTERNATE II COMPLETION, production pipe shall be composed to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired to the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the beside that the statements made herein are true and to the statements are true and to the sta	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: 1. Notify the appropriate district office will be notified before well is either p. 3. The well is dry hole, an agreement between the operator or hall be commust be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator or he well is either p. 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spu	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the statements between the operator and the comportant of the district office will be notified before well is either properties of the spuddate of the well shall be comported within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be returned to the best post of the spuddate or the well shall be completed. For KCC Use ONLY API # 15 - OS9-253500000000000000000000000000000000000	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the state of the state of the state of the surface that the state of the surface casing or must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poster; 1. Notify the appropriate district office will be notified before well: 2. The appropriate district office will be notified before well is either propriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the we	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either properties of the properties of the spuddate of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best pate: Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9-25258-0000 Conductor pipe required feet per Alt. 10/12/07 This authorization expires: 4-/16-03	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the properties of the strict office will be notified before well is either properties of the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSG-25258-0000 Conductor pipe required feet per Alt. 10 feet per Alt.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either properties of the properties of the spuddate of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best pate: Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9-25258-0000 Conductor pipe required feet per Alt. 10/12/07 This authorization expires: 4-/16-03	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will comply with K.S.A. 55 et. seq. plugging of this well will k.S.A. 55 et. seq. plugging of this well will k.S.A. 55 et. seq. plugging of this well will k.S.A. 55 et. seq. plugging report completed in the top; in all cases surface pipe shall be set of the set of plugging; seq. plugging; seq. plugging in completed; plugging of plugging in completed; plugging shall water. plugging shall w

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-059-25258-0000	Location of Well: County: Franklin
Operator: TDR Construction, Inc.	
Lease: Duffy	2135 feet from N / ✓ S Line of Section 4125 feet from ✓ E / W Line of Section
Well Number: 26	Sec. 32 Twp. 15 S. R. 21 Vest West
Field: Paola-Rantoul	· · · · · · · · · · · · · · · · · · ·
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE - NW - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

0		EXAMPLE 1980
		3390'

NOTE: In all cases locate the spot of the proposed drilling locaton.

7130

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- The distance to trie hearest lease or this poundary mile.
 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; RECEIVEL)
 CG-8 for gas wells).

OCT 15 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.			License Number: 32218	
Operator Address: 1207 N. 1st Street East Louisburg, KS. 66053				
Contact Person: Lori Driskell			Phone Number: (913) 406 - 4236	
Lease Name & Well No.: Duffy #26			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE NE NW SW	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec32_Twp15_R21	
Settling Pit	If Existing, date constructed:		2135 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			4125 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	/hhla\	Franklin	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	u*	How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes 🗸 I	No	Pits not lined unless not holding fluid	
Pit dimensions (all but working pits):	Length (fe	et) 12	Width (feet) N/A: Steel Pits	
	om ground level to de	_	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		,	edures for periodic maintenance and determining nicluding any special monitoring.	
		Depth to shallo Source of infor	_ 1	
5060 feet Depth of water well	S3 feet	measu	redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		F	over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: Fresh water	
Number of producing wells on lease:			king pits to be utilized: 2	
Barrels of fluid produced daily: Aband		Abandonment	procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.	
10/12/07 X O		Lon s	Duskell ignature of Applicant (Agent)	
KCC OFFICE USE ONLY				
Date Received: 10/15/07 Permit Number: Permit Date: 10/15/07 Lease Inspection: Yes 1 No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas KANSAS CORPORATION COMMISSION