For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

_L

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot	✓ East
	"N2 NE Sw Sec. 32 Twp. 15	
DPERATOR: License# 32218		S Line of Section
Name: TDR Construction, Inc.	3300 feet from	W Line of Section
Address: 1207 N. 1st Street East	Is SECTION _✓ RegularIrregular?	
City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on re-	verse side)
Contact Person: Lori Driskell	County: Franklin	
Phone: 913-406-4236	Lease Name: Duffy	Well #: W-2
	Field Name: Paola-Rantoul	
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel	
Matt Different From A Matt Olemen Time Ferrimments	Nearest Lease or unit boundary: 990'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:	feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other	Surface Pine by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 750'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
Original Completion Date: Original Total Deptil.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	٦, /
KCC DKT #:	Will Cores be taken?	Yes No
	If Vas proposed zone:	RECEIVED
	KAN	SAS CORPORATION COMMIS
	FIDAVIT	_
The undersigned hereby affirms that the drilling, completion and eventual p	plugging of this well will comply with K.S.A. 55 et. seq.	OCT 15 2007
t is agreed that the following minimum requirements will be met:		
1. Notify the appropriate district office prior to spudding of well;		CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on ea	ach drilling rig;	WICHITA, KS
it-es at the abbition of the control of the cont		
3. The minimum amount of surface pipe as specified below shall be s		pipe shall be set
The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	the underlying formation. district office on plug length and placement is necessary	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu 	the underlying formation. district office on plug length and placement is necessary igged or production casing is cemented in;	prior to plugging;
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary igged or production casing is cemented in;	prior to plugging;
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary igged or production casing is cemented in; nted from below any usable water to surface within 120 of	prior to plugging; days of spud date. alternate II cementing
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary tigged or production casing is cemented in; the from below any usable water to surface within 120 companion of the interest of the	prior to plugging; days of spud date. alternate II cementing
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary tigged or production casing is cemented in; nited from below any usable water to surface within 120 of the inich applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief.	prior to plugging; days of spud date. alternate II cementing
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; nted from below any usable water to surface within 120 of the inch applies to the KCC District 3 area, all cases, NOTIFY district office prior	prior to plugging; days of spud date. alternate II cementing
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer 	the underlying formation. district office on plug length and placement is necessary to a production casing is cemented in; the from below any usable water to surface within 120 of the ich applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent	prior to plugging; days of spud date. alternate II cementing
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent	prior to plugging; days of spud date. alternate II cementing to any cementing.
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to E	prior to plugging; days of spud date. alternate II cementing to any cementing.
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: Date: 10/12/07 Signature of Operator or Agent: 10/12/07	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent	prior to plugging; days of spud date. alternate II cementing to any cementing.
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25259000 Conductor pipe required None feet	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spu	days of spud date. alternate II cementing to any cementing. brill; d date; tion orders;
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: OS9-25259000 Conductor pipe required Nove feet per Alt. V2	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorate	days of spud date. alternate II cementing to any cementing. prill; d date; tion orders; rkover or re-entry;
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059-25259000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. V2	the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; the from below any usable water to surface within 120 of the ich applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spuths of the product of the prior of the product of the product of the product of the prior to wo	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; d date; tion orders; rkover or re-entry; pleted;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 059 - 25259 0000 [feet Minimum surface pipe required None feet per Alt. Approved by: Latter 10 - 10 - 07	the underlying formation. district office on plug length and placement is necessary igged or production casing is cemented in; ted from below any usable water to surface within 120 dich applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Description of the prior is prior and belief. File acreage attribution plat according to field proration in the plugging report (CP-4) after plugging is communication.	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; id date; tion orders; rkover or re-entry; pleted; g salt water.
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 059 - 25259 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: full 10-10-07 This authorization expires: 410-09	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. File Drill Pit Application (form CDP-1) with Intent to Elemented in File Completion Form ACO-1 within 120 days of sputh in File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work in Submit plugging report (CP-4) after plugging is come. Obtain written approval before disposing or injecting	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; d date; tion orders; rkover or re-entry; pleted; g salt water. date) please
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Date: 10/12/07 Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 059 - 25259 0000 [feet Minimum surface pipe required None feet per Alt. Approved by: Latter 10 - 10 - 07	the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; the from below any usable water to surface within 120 of inch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of sputh File acreage attribution plat according to field prorate Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration)	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; d date; tion orders; rkover or re-entry; pleted; g salt water. date) please
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer considered by the complete shall be completed. For KCC Use ONLY API # 15 - 059-25259000 Conductor pipe required None feet minimum surface pipe required feet per Alt. (2) Approved by: full 10-07 This authorization expires: 410-09 (This authorization void if drilling not started within 6 months of approval date.)	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 of itch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Die File acreage attribution plat according to field prorated in Notify appropriate district office 48 hours prior to work in Submit plugging report (CP-4) after plugging is comediated. If this permit has expired (See: authorized expiration check the box below and return to the address below	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; dd date; tion orders; rkover or re-entry; pleted; g salt water. date) please bw.
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer contact to the state of the stat	the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 of itch applies to the KCC District 3 area, all cases, NOTIFY district office prior and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile acreage attribution plat according to field prorated in Notify appropriate district office 48 hours prior to word in Submit plugging report (CP-4) after plugging is comediated in the completion of the c	prior to plugging; days of spud date. alternate II cementing to any cementing. prill; dd date; tion orders; rkover or re-entry; pleted; g salt water. date) please bw.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25259-0000	Location of Well: County: Franklin
Operator: TDR Construction, Inc.	2300 feet from N/VS Line of Section
Lease: Duffy	2300 feet from N / S Line of Section 3300 feet from F E / W Line of Section
Well Number: W-2	Sec. 32 Twp. 15 S. R. 21
Field: Paola-Rantoul	
Number of Acres attributable to well: OTP / OTP of paragraph CN2 NE SW	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: CN2 - NE - SW -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	EXAMPLE
	33/(1) 1980
	3390' :

In plotting the proposed location of the well, you must show:

2300

RECEIVED

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surKANSASCORRIGORATION COMMISSION 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

OCT 15 2007

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CASE ATTACTION CG-8 for gas wells).

 WICHITA, KS

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.		License Number: 32218			
Operator Address: 1207 N. 1st Street East Louisburg, KS. 66053					
Contact Person: Lori Driskell		Phone Number: (913) 406 - 4236			
Lease Name & Well No.: Duffy W-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		CN2 _ NE _ SW		
Emergency Pit Burn Pit	✓ Proposed		Sec. 32 Twp. 15 R. 21		
Settling Pit	If Existing, date constructed:		2300 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3300 Feet from 🗹 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)			Franklin County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	∤No	Chloride concentration:mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):	8 Length (fe	eet) 12	Width (feet) N/A: Steel Pits		
Depth fi	rom ground level to de	eepest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
1 '		Depth to shallo Source of infor	west fresh waterfeet.		
1		1	rredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
		1	Type of material utilized in drilling/workover: Fresh water		
			lumber of working pits to be utilized: 2		
Barrels of fluid produced daily: Abo		Abandonment	Abandonment procedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must I	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED . KANSAS CORPORATION COMMISSION					
10/12/07 Date Signature of Applicant of App					
CONSERVATION DIVISION KCC OFFICE USE ONLY WICHITA, KS					
Date Received: 10/15/67 Permit Number: Permit Date: 10/15/67 Lease Inspection: Yes 🗷 No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.