For KCC Use:	10-21 50
Effective Date:	10-21-07
District # #	
0040 🗆 🗠	▽ N.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002
Form must be Typed

SGA? Yes No				NTENT TO DRILL e (5) days prior to commencing well	Form must be Signed All blanks must be Filled
Expected Spud Date	DECEMBER	02	2007	Spot	☐ East
Expected Spud Date	month	day	уваг	SE - SW - SE Sec. 35 Twp. 14	
	6039			330 feet from N	
OPERATOR: License#_ Name: L. D. DRILLING,	INC			1640 feet from ✓ E	
7 SW 26 AVE				Is SECTION ✓ Regular Irregular?	,
Address: GREAT B	END, KS 67530			(Note: Locate well on the Section Plat	an reversa side)
Contact Person: L. D. D.	AVIS			County: GOVE	on reverse side)
Phone: 620-793-30-51				Lease Name: HAYES 'C'	Well #.1
	2000			Field Name:	
CONTRACTOR: License	e# 6039			Is this a Prorated / Spaced Field?	Yes ✓ No
Name: L. D. DRILLING	3, INC.			Target Formation(s): MISSISSIPPI	
Well Drilled For:	Well Class:	Tima	Equipment:	Nearest Lease or unit boundary: 330'	
	Rec 1 Infield	-		Ground Surface Elevation: 2691'	feet MSL
	- =		tud Rotary	Water well within one-quarter mile:	☐ Yes ✓ No
	osal Wildcat		ir Rotary able	Public water supply well within one mile:	☐ Yes 🗸 No
Seismic;#	<u> </u>		able	Depth to bottom of fresh water:	
Other	of floles [] Other			Depth to bottom of usable water: 1100'	
				Surface Pipe by Alternate:	/
OWWO: old well infor	mation as follows:			Length of Surface Pipe Planned to be set: 250'	
Operator:				Length of Conductor Pipe required:	Salari and Alan Articles of Control of Contr
Well Name:				Projected Total Depth: 4300' MISSISSIPPI	
Original Completion	Date:	Original Total	Depth:	Torritation at Total Deptils.	
Directional, Deviated or I	Horizontal wellbore?		Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other HAUL	
Yes, true vertical depth				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with D	NO [1]
CC DKT #:				(Note: Apply for Permit with Div	VA □) Yes VNo
				If Yes, proposed zone:	
The undersigned hereby t is agreed that the follo			etion and eventual	FIDAVIT plugging of this well will comply with K.S.A. 55 et. se	RECEIVED Ansas corporation commiss
•					OOT 4 E 2007
 Notify the appropriate. A copy of the appropriate. 	round nation of into	nt to drill eh	all he poeted on a	ach drilling rig:	OCT 15 2007
4. If the well is dry h 5. The appropriate d 6. If an ALTERNATE Or pursuant to Ap	solidated materials nole, an agreement listrict office will be Ell COMPLETION, opendix "B" - Easter	pids a minim between the notified befo production p rn Kansas s	e operator and the re well is either plu ipe shall be cemen urface casing orde	set by circulating cement to the top; in all cases surf the underlying formation. district office on plug length and placement is neces agged or production casing is cemented in; need from below any usable water to surface within a r #133,891-C, which applies to the KCC District 3 at I be plugged. In all cases, NOTIFY district office	ssary <i>prior to plugging;</i> 120 days of spud date. Irea, alternate II cementing
hereby certify that the	statements made h	erein are tru	ie and to the best	of my knowledge and belief.	
Date: OCTOBER 12, 2007	Signature of C	Operator of	Agent 1	usen Schrewis Title: CLERK	
				Remember to:	
For KCC Use ONLY	-216910	177		 File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days or 	
API # 15 - // 3	·····/ in			File acreage attribution plat according to field p	
Conductor pipe require	d None	fe	et 🕠	- Notify appropriate district office 48 hours prior to	(L
Minimum surface pipe Approved by:	required 200	, te	et per Alt. 2	 Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injection. 	
This authorization expir	•	ithin 6 months	of approval date.)	If this permit has expired (See: authorized expire check the box below and return to the address.)	
	•			Well Not Drilled - Permit Expired	I n
Spud date:	Agent:			Signature of Operator or Agent:	(A)
				Date:	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21691-0000	Location of Well: County: GOVE
Operator: L. D. DRILLING, INC.	feet from N / ✓ S Line of Section
Lease: HAYES 'C'	feet from N / S Line of Section 1640 feet from E / W Line of Section
Well Number: 1	Sec. 35 Twp. 14 S. R. 30 East ✓ West
Field:	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: SE - SW - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		•	
		•	
·			· · · · · · · · · · · · · · · · · · ·
		· · ·	
	· · · · ·	•	
•	· · ·		· · · ·

RECEIVED KANSAS CORPORATION COMMISSION

OCT 15 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			The state of the s	
Operator Name: L. D. DRILLING, INC.			License Number: 6039	
Operator Address: 7 SW 26 AVE,	GREAT BEN	ND, KS 675	30	
Contact Person: L.D. DAVIS			Phone Number: (620) 793 - 3051	
Lease Name & Well No.: HAYES 'C' #1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE SW SE SE	
Emergency Pit Burn Pit	✓ Proposed		Sec35 _{Twp} _14 _R 30	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ✓ East / West Line of Section	
(ii vvr Supply Artivo of feat Diffied)	3490	(bbls)	GOVE County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
<u> </u>	1		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Y Tes No	l les	No	Bentonite & Solids From Drlg Operation	
Pit dimensions (all but working pits):7			_	
Depth fr	om ground level to d	eepest point:	4 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe procedures for periodic maintenance and deteREGEIVED liner integrity, including any special monitoring KANSAS CORPORATION COMMISSION		
IF REQUIRED 10 MIL PLASTIC LINER EDGE COVERED WITH DIRT		VISUAL CHECK OCT 15 2007		
EDGE COVERED WITH DIRT		100/1201	OCT 15 2007	
EDGE COVERED WITH DIRT			CONSERVATION DIVISION WICHITA, KS	
EDGE COVERED WITH DIRT Distance to nearest water well within one-mile			CONSERVATION DIVISION WICHITA, KS west fresh water	
		Depth to shallo Source of infor	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well	e of pitfeet	Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of work	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of work	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: DRILLING FLUID CUTTINGS	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e of pit 35 feet	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of work Abandonment	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	e of pit 35 feet	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN B	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pit 35 feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN BADTILL PITS MUST BE THEN BADTILL PITS MUST	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: DRILLING FLUID CUTTINGS king pits to be utilized: (3) SUCTION, SHALE, RESERVE procedure: PITS ALLOWED TO EVAPORATE UNTIL ACKFILL WHEN CONDITIONS ALLOW the closed within 365 days of spud date.	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e of pit 35 feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN BADTILL PITS MUST BE THEN BADTILL PITS MUST	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: DRILLING FLUID CUTTINGS king pits to be utilized: (3) SUCTION, SHALE, RESERVE procedure: PITS ALLOWED TO EVAPORATE UNTIL ACKFILL WHEN CONDITIONS ALLOW the closed within 365 days of spud date.	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e of pit 35 feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN By Drill pits must to correct to the best	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile	e of pit 35 feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN By Drill pits must to correct to the best	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state OCTOBER 12, 2007	spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN By Drill pits must to correct to the best	CONSERVATION DIVISION WICHITA, KS west fresh water	
Distance to nearest water well within one-mile 4015 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of work Abandonment DRY THEN By Drill pits must to correct to the best Signature of S	CONSERVATION DIVISION WICHITA, KS west fresh water	