For KCC Use: Effective Date:	10-21-07
District #	4
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Court Data October 25, 2007		
Expected Spud Date October 25, 2007 month day year	Spot NW NE SW - SE Sec. 8 Twp. 15	East
•	4040 ±	
OPERATOR: License#	1007 IV / V	
Name: Tengasco Inc. Address: P.O. Box 458	1827feet from Is SECTION Regularirregular?	W Line of Section
City/State/Zip: Hays, Ks. 67601	is occitionnegularirregular?	
Contact Person: Rod Tremblay	(Note: Locate well on the Section Plat on re	verse side)
Phone: 402-560-0715	County: Trego Lease Name: Howard	2
_	Field Name: Unnamed	Well #: 2
CONTRACTOR: License# 33493	Is this a Prorated / Spaced Field?	
Name: American Eagle Drilling, LLC	Target Formation(s): Lansing/Mississipplan	Yes [✓]No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1218 south	
	Ground Surface Elevation: 2395 est from topo	feet MSL
Third Totally	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotary OWWO Disposal ✓ Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water: 150 feet	
Other	Depth to bottom of usable water: 900 feet	
	Surface Pipe by Alternate: ☐ 1 🗸 2 💮	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 4600'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other	· · · · · · · · · · · · · · · · · · ·
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	
	If Yes, proposed zone:	Yes √No
AFFID		RECEIVED
AFFID	AVII ~	ANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and greature have	and and the second of the second	
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	00T 4 F 222
It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.	OCT 15 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well:	gging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface of	CONSERVATION DIVIDIO
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface p	CONSERVATION DIVISION tipe shall MIGHIAN, KS
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface punderlying formation.	CONSERVATION DIVISION tipe shall MIGHIAN, KS
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the the state of the the surface price and the surface price and the dist through all unconsolidated materials plus a minimum of 20 feet into the surface properties. It is district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in;	CONSERVATION DIVISION Dipe shall High High. KS prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessary ed or production casing is cemented in; I from below any usable water to surface within 120 d	CONSERVATION DIVISION prior to plugging;
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; I from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior	CONSERVATION DIVISION prior to plugging;
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m 	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; I from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior by knowledge and belief.	CONSERVATION DIVISION prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m 	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; I from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior by knowledge and belief.	CONSERVATION DIVISION prior to plugging; ays of spud date. alternate It cementing to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the surface of the statements made herein are true and to the best of minimum or the surface of t	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; I from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior by knowledge and belief.	CONSERVATION DIVISION prior to plugging; ays of spud date. alternate It cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of motion. Date: October 11, 2007 Signature of Operator or Agent: Production of the spud Signature of	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. Incit office on plug length and placement is necessary ed or production casing is cemented in; If from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geological Remember to:	CONSERVATION DIVISION prior to plugging; lays of spud date. alternate It cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of materials. Date: October 11, 2007 Signature of Operator or Agent: Pod Jac. For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. Interconflice on plug length and placement is necessaryed or production casing is cemented in; If from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geologies Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drive the knowledge and belief.	CONSERVATION DIVISION prior to plugging; lays of spud date. alternate If cementing to any cementing. gist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more content of the	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. Interest office on plug length and placement is necessaryed or production casing is cemented in; If from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geologies Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drive File Completion Form ACO-1 within 120 days of spuce	CONSERVATION DIVISION prior to plugging; lays of spud date. alternate if cementing to any cementing. gist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of materials. Date: October 11, 2007 Signature of Operator or Agent: Pod Jac. For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; if from below any usable water to surface within 120 d plugged. In all cases, NOTIFY district office prior in the plugged. In all cases, NOTIFY district office prior in the plugged. Title: Senior Geology Remember to: File Drill Pit Application (form CDP-1) with Intent to Drive File Completion Form ACO-1 within 120 days of spucifice acreage attribution plat according to field proration.	CONSERVATION DIVISION pipe shall be sha
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Poate: October 11, 2007 Signature of Operator or Agent: Poat Inc. For KCC Use ONLY API # 15 - 195 - 22500 - 0000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; if from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geological Price Completion Form ACO-1 within 120 days of spuce File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is comp	CONSERVATION DIVISION pipe shall His His A, KS prior to plugging; lays of spud date. alternate II cementing to any cementing. gist ill; if date; on orders; cover or re-entry; leted;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of materials. Poate: October 11, 2007 Signature of Operator or Agent: Poate: October 11, 2007 Signature of Operator or Agent: October 11, 2007 Signature Operator or Agent: October 11, 2007 Signature Operator Operator or Agent: October 11, 2007 Signature Operator Operat	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; if from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the Notifice and belief. Title: Senior Geological Remember to: File Drill Pit Application (form CDP-1) with Intent to Drive File Completion Form ACO-1 within 120 days of spucific acreage attribution plat according to field proration.	CONSERVATION DIVISION pipe shall His His A, KS prior to plugging; lays of spud date. alternate II cementing to any cementing. gist ill; if date; on orders; cover or re-entry; leted;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be all hereby certify that the statements made herein are true and to the best of materials. Date: October 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 22500 - ODOO Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessaryed or production casing is cemented in; If from below any usable water to surface within 120 d plugged. In all cases, NOTIFY district office prior in the plugged. In all cases, NOTIFY district office prior in the plugged of the plugged. Title: Senior Geology Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spucing a plugging and plugging report (CP-4) after plugging is completed obtain written approval before disposing or injecting a promit has expired (See: authorized expiration of the plugging is semination of the promit has expired (See: authorized expiration of the plugging in the plugging of the plugg	CONSERVATION DIVISION pipe shail "ISSIEM", KS prior to plugging; lays of spud date. alternate If cementing to any cementing. gist ill; d date; on orders; cover or re-entry; leted; salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be all hereby certify that the statements made herein are true and to the best of materials. Date: October 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 22500 - ODO Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. Incit office on plug length and placement is necessary and or production casing is cemented in; a from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geology Remember to: File Drill Pit Application (form CDP-1) with Intent to Drief in Exercise and Supplies are a file acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is composited in this permit has expired (See: authorized expiration of check the box below and return to the address below	CONSERVATION DIVISION pipe shail "ISSIEM", KS prior to plugging; lays of spud date. alternate If cementing to any cementing. gist ill; d date; on orders; cover or re-entry; leted; salt water. date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of motion of the complete of the com	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessary and or production casing is cemented in; if from below any usable water to surface within 120 dr. if from below any usable water to surface within 120 dr. if it is plugged. In all cases, NOTIFY district office prior to make the top in the	CONSERVATION DIVISION pipe shail "ISSIEM", KS prior to plugging; lays of spud date. alternate If cementing to any cementing. gist ill; d date; on orders; cover or re-entry; leted; salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be all hereby certify that the statements made herein are true and to the best of materials. Date: October 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 22500 - ODOO Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. trict office on plug length and placement is necessary and or production casing is cemented in; if from below any usable water to surface within 120 dr. if it is applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior to make the interest of the interest of it is prior in the	CONSERVATION DIVISION pipe shail "ISSIEM", KS prior to plugging; lays of spud date. alternate If cementing to any cementing. gist ill; d date; on orders; cover or re-entry; leted; salt water. date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of months. Date: October 11, 2007 Signature of Operator or Agent: Pock Signature of Operator or Agent: Pock Signature of Operator or Agent: The Approved by: For KCC Use ONLY API # 15 - 195 - 22500 - 0000 feet per Alt. (2) Approved by: For Initial authorization expires: 1960 -	drilling rig; by circulating cement to the top; in all cases surface punderlying formation. Incit office on plug length and placement is necessary and or production casing is cemented in; if from below any usable water to surface within 120 d 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in the knowledge and belief. Title: Senior Geology Title: Senior Title:	CONSERVATION DIVISION pipe shail "ISSIEM", KS prior to plugging; lays of spud date. alternate If cementing to any cementing. gist ill; d date; on orders; cover or re-entry; leted; salt water. date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22500-0000	Location of Well: County: Trego
Operator: Tengasco Inc.	1218 feet fromN / / S Line of Section
Lease: Howard	feet from V E / W Line of Section
Well Number: 2	Sec. 8 Twp. 15 S. R. 25 East ✓ West
Field: Unnamed	
Number of Acres attributable to well: 10	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW NE - SW - SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

				,		
		•	•			RECEIVED KANSAS CORPORATION COMMISSIO
						 OCT 15 2007
		· ·		·		 CONSERVATION DIVISION
	. :			:	: : :	 WICHITA KS
	•			:		EVALUE E
	•	•	· ·	<u>.</u>	·	 EXAMPLE
					·	 1980
					•	 /g21 : 3390':
			, , ,			 fet.
	•			:		 SEWARD CO.
L	•		•	•	12/8 FS	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Tengasco Inc.			License Number: 32278		
Operator Address: P.O. Box 458; I	Hays, KS 676	501			
Contact Person: Rod Tremblay			Phone Number: (402) 560 - 0715		
Lease Name & Well No.: Howard #2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NW - NE - SW - SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 8 Twp. 15 R. 25 East 🗸 West		
Settling Pit	If Existing, date constructed:		1218 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3000 (bbls)		Feet from ✓ East / ☐ West Line of Section Trego County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes No	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used?		
	Pit dimensions (all but working pits): 80' Length (feet) 80' Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet)				
			OCT 15 2007 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile of pit 4501 no well feet Depth of water well 35 feet		Source of infor	west fresh water 20 28 feet. mation: iredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water/Drilling Mud			
Number of producing wells on lease:		Number of working pits to be utilized: Three			
Barrels of fluid produced daily:		Abandonment procedure: Evaporite and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.		
October 11, 2007 Date	Ros	1 Trust	Agriature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
Date Received: 10/15/07 Permit Nur	nber:	Perm	it Date: 10/15/07 Lease Inspection: Yes \ No		