For KCC Use: 10-21-07 Effective Date: _ District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Transland Court Dodg - Colonol 10, 2001	Spot Approx.	East
xpected Spud Date October 18, 2007	NW - NE - SW Sec. 20 Twp. 17 S	11
04705	2270' feet from N / V	
PERATOR: License# 31725	1500' feet from E / V	
ame: Shelby Resources, LLC	is SECTION ✓ RegularIrregular?	AA TILLE OF SECTION
Idress: P.O. Box 1213	is SECTION negular irregular?	
ty/State/Zip: Hays, Kansas 67601	(Note: Locate well on the Section Plat on rev	erse side)
ontact Person: Brian Karlin	County: Barton	1.20
none: ⁷⁸⁵⁻⁶²³⁻³²⁹⁰	Lease Name: Lacey Field Name: Hoisington Southwest	_Well #: 1-20
ONTRACTOR: License# 5142		
me: Sterling Drilling Company	Is this a Prorated / Spaced Field?	Yes ✓ No
	Target Formation(s): Arbuckle Nearest Lease or unit boundary: 370'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1927	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200'	☐ 169 A INO
Seismic;# of Holes Other	Depth to bottom of usable water: 380'	
Other	Surface Pine by Alternate: 1 1 2	
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 800'	,
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: +/- 3500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore? Yes ✓ No	4	
res, true vertical depth:	DWR Permit #:	
ttom Hole Location:	(Note: Apply for Permit with DWR	J
DC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
A F 1		DECENTED.
	FIDAVIT	RECEIVED CORPORATION COMMIS
e undersigned hereby affirms that the drilling, completion and eventual i	nlugging of this well will comply with K.S.A. 55 et & MSAS	
	plugging of this well will comply with K.S.A. 55 et. set SA	
s agreed that the following minimum requirements will be met:		. .
		OCT 15 2007
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ach drilling rig;	OCT 15 2007
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation.	OCT 15 2007 DEFENIATION DEVISION WICHITA, KS
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary	OCT 15 2007 DEFENDATION PLANSION WICHITA, KS prior to plugging;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	ach drilling rig; we't by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary ligged or production casing is cemented in;	OCT 15 2007 PUBLINATION BAUSION WICHITA, KS prior to plugging;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 di	OCT 15 2007 DEFENDATION PLANSION WICHITA, KS prior to plugging; sys of spud date.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	ach drilling rig; wet by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 d. r #133,891-C, which applies to the KCC District 3 area, a	OCT 15 2007 DESCRIPTION BELISION WICHITA, KS prior to plugging; ays of spud date. liternate It cementing
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 	ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior the	OCT 15 2007 DESCRIPTION BELISION WICHITA, KS prior to plugging; ays of spud date. liternate It cementing
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date. 	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	OCT 15 2007 WICHITA, KS prior to plugging; ays of spud date. liternate It cementing o any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud date.	ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; nted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior the	OCT 15 2007 WICHITA, KS prior to plugging; ays of spud date. liternate It cementing o any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud date.	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 dr. #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to my knowledge and belief.	OCT 15 2007 WICHITA, KS prior to plugging; ays of spud date. liternate It cementing o any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the pest of the statements. Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 d r #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Operations M.	OCT 15 2007 WICHITA, KS prior to plugging; eys of spud date. liternate It cementing o any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the complete of the complete of the spud date. Signature of Operator or Agent: 10-11-2007 Signature of Operator or Agent: 10-11-2007	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 d. r #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to from knowledge and belief. Title: Operations M. Remember to:	OCT 15 2007 WICHITA, KS prior to plugging; ays of spud date. liternate It cementing or any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be been completed within 30 days of the spud date or the well shall be series the completed within 30 days of the spud date or the well shall be series to the complete of Operator or Agent: 10-11-2007 Signature of Operator or Agent: 10-11-2007 Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 dir #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. **Title:** Operations Machine Properties** **Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Dried Completion Form ACO-1 within 120 days of spud-	OCT 15 2007 DISCREMATION BEAUSION WICHITA, KS prior to plugging; ays of spud date. liternate It cementing or any cementing. anager III; I date; on orders;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete of the compl	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 dir #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Operations M. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	OCT 15 2007 DISCREMATION BUILSION WICHITA, KS prior to plugging; ays of spud date. Ilternate It cementing or any cementing. anager III; I date; on orders; cover or re-entry;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the statements. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete to the co	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 district of from below any usable water to surface within 120 district 3 area, at be plugged. In all cases, NOTIFY district office prior to from knowledge and belief. Title: Operations M. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dried Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp	OCT 15 2007 CHISTANATION BRAISION WICHITA, KS prior to plugging; ays of spud date. Ilternate It cementing or any cementing. anager III; I date; on orders; cover or re-entry; leted;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete states are the complete of Operator or Agent: Signature of Operator or Agent: When the complete states are the perfect of the conductor pipe required feet per Alt 1 Approved by: Minimum surface pipe required feet per Alt 1	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 dir #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Operations M. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	OCT 15 2007 CHISTANATION BRAISION WICHITA, KS prior to plugging; ays of spud date. Ilternate It cementing or any cementing. anager III; I date; on orders; cover or re-entry; leted;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete of the compl	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 de r #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Operations M Remember to: - File Drill Pit Application (form CDP-1) with Intent to Dri - File Completion Form ACO-1 within 120 days of spud - Notify appropriate district office 48 hours prior to work - Submit plugging report (CP-4) after plugging is comp - Obtain written approval before disposing or injecting - If this permit has expired (See: authorized expiration of	OCT 15 2007 CHISTOWATION BAJISION WICHITA, KS prior to plugging; Bys of spud date. Internate It cementing or any cementing. Banager III; I date; In orders; Internate it cementry; I date; I dat
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best of the statements of Operator or Agent: Signature of Operator or Agent: When the complete of the period	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; need from below any usable water to surface within 120 de r #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Operations M Remember to: - File Drill Pit Application (form CDP-1) with Intent to Dri - File completion Form ACO-1 within 120 days of spud - Notify appropriate district office 48 hours prior to work - Submit plugging report (CP-4) after plugging is comp - Obtain written approval before disposing or injecting	OCT 15 2007 CHISTOWATION BAJISION WICHITA, KS prior to plugging; Bys of spud date. Internate It cementing or any cementing. Banager III; I date; In orders; Internate it cementry; I date; I dat
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the interval of the inte	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary igged or production casing is cemented in; inted from below any usable water to surface within 120 district of the transplant of the tra	OCT 15 2007 CHISTOWATION BAJISION WICHITA, KS prior to plugging; Bys of spud date. Internate It cementing or any cementing. Banager III; I date; In orders; Internate it cementry; I date; I dat
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the interval o	ach drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary to respect to recessary in the production casing is cemented in; the from below any usable water to surface within 120 de respectively. The respective respectively. Title: Operations Memember to: File Drill Pit Application (form CDP-1) with Intent to Drive respectively. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration of check the box below and return to the address below.	OCT 15 2007 CHISTOWATION BANISION WICHITA, KS prior to plugging; ays of spud date. Internate It cementing or any cementing. anager III; I date; In orders; I cover or re-entry; I deted; I sait water. Itate) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Barton

Operator: Shelby Resources, LLC	feet fromN / 🗸 S Line of Section
Lease: Lacey	feet from E / W Line of Section
Well Number: 1-20	Sec20Twp17 S. R13 East ✓ Wes
Field: Hoisington Southwest	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔝 Irregular
QTR / QTR / QTR of acreage: NW - NE - SW	M. Constant Indiana and Anna a
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section contains used
	PLAT
	attributable acreage for prorated or spaced wells.)
	earest lease or unit boundary line.)
Barton	
	RECEIVED
· · · ·	KANSAS CORPORATION COMMISSION
	OCT 15 2007
	CONSERVATION DIVISION WICHITA, KS
	•
	EXAMPLE
15-1	
<u>1500′</u> •	
· · · · · · · · · · · · · · · · · · ·	· · · · · · · ·
	2000
22721	
: : 2270	
	SEWARD CO.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The distance to the nearest lease or unit boundary line.

API No. 15 - 009-25/13-0000

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Shelby Resources, LLC		License Number: 31725		
Operator Address: P.O. Box 1213	, Hays, Kansa	as 67601		
Contact Person: Brian Karlin		Phone Number: (785) 623 - 3290		
Lease Name & Well No.: Lacey #1-20		Pit Location (QQQQ):		
Type of Pit:	Pit is:		app. NW NE SW	
Emergency Pit Bum Pit	✓ Proposed Existing		Sec. 20 Twp. 17S R. 13 ☐ East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2270' Feet from North / ✓ South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1500' Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	3000	(bbls)	Barton County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Artificial Liner?			How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	Lined with soil and drilling mud.	
TR GITTOTOTO (GIT DOL HOTRING PICO).	70' Length (fe	•	Width (feet)N/A: Steel Pits	
			CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit Depth to shallor Source of infon		owest fresh water 105 feet.		
2372 feet Depth of water well 193 feet		measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling mud.		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Drilling mud.		
Number of producing wells on lease: Number		Number of wor	Number of working pits to be utilized: 3	
Barrels of fluid produced daily: Abandonment		rking pits to be utilized: 3 procedure: Allow liquid to evaporate. Let the cuttings dry		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		and then backfill. Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and o	correct to the best	t of my knowledge and belief.	
10-11-2007 Date		Brian	Hallow ignature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	
Date Received: 10/15/07 Permit Num	nber:	Permi	it Date: 10/15/07 Lease Inspection: Yes < No	