

For KCC Use:	10 21.07
Effective Date: _	10-21-07
District #1	
SGA? XYes	s □No

KANSAS CORPORATION COMMISSION 1012482 OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
November 2005
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five	(b) days prior to commonaing non
Expected Spud Date: 10/10/2007	Spot Description:
month day year	E2 - SW - NW - SW Sec. 23 Twp. 32 S. R. 37 EXW
5278	(0/0/0/0) 1,620 feet from N / X S Line of Section
OPERATOR: License#	500 feet from E / X W Line of Section
Address 1: 3817 NW EXPRESSWAY STE 500	Is SECTION: Regular Irregular?
Address 2:	
City: OKLAHOMA CITY State: OK Zip: 73112 + 1483	(Note: Locate well on the Section Plat on reverse side) County: Stevens
Contact Person: Melissa Sturm	Lease Name: UPC Well #: 23 #2
Phone: 405-246-3234	Lease Name: UPC Well #: 23 #2 Field Name: Wildcat
CONTRACTOR: License#34000	Is this a Prorated / Spaced Field?
Name: Kenai Mid-Continent, Inc.	Target Formation(s): St. Louis
	Nearest Lease or unit boundary line (in footage): 500
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3112feet MSL
⊠Oil Enh Rec Infield ⊠Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 600
Seismic; # of Holes Other Other:	Depth to bottom of usable water: 600
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700
Operator:	Length of Conductor Pipe (if any): 40
Well Name:	Projected Total Depth: 6450
Original Completion Date: Original Total Depth:	Formation at Total Depth: St. Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KOO DICT II.	
KCC DKT #:	Will Cores be taken?
PRORATED & SPACED: HUGOTON-PANOMA	
PRORATED & SPACED: HUGOTON-PANOMA	Will Cores be taken? If Yes, proposed zone: St. Louis PECEIVED
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe signal part of the second
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe sharp in the complex of the co
PRORATED & SPACED: HUGOTON-PANOMA PUPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shartlen by circulating formation. ict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in;
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shart is proposed in the surface or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe specific production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe system to plug length and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe specifies and provided in: from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shart long. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe specification. In the original complete to the property of the pro
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements me	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shartles by circulating formation. ict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Yes No KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS 103,891-C pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Yes No Title: Sr. Operations Assistance Remember to:
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements me	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe share to sunderlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of soud date:
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 9-27-07. Signature of Operator or Agent: Well For KCC Use ONLY API # 15 - 189-22618-DDDD	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe specified by circulating cement to the top; in all cases surface pipe specified by circulating cement and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of meaning the statements of the production of the plugge. For KCC Use ONLY API # 15 - 189 - 22618-DDDD Conductor pipe required 0 feet	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe specified by circulating formation. In the complete state of the complete sta
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minuments of the production pipe required of the product	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe sold life. CONSERVATION DIVISION underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 9-29-2018-DDDD For KCC Use ONLY API # 15 - 189-2018-DDDD Conductor pipe required 620 feet per ALT. II III Approved by: Putt-10-16-07	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe significant of the pipe significant of p
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 9-29-2018-DDDD Conductor pipe required 0 feet Minimum surface pipe required 620 feet per ALT. II III Approved by: 44-10-16-07 This authorization expires: 44-10-08	Will Cores be taken? If Yes, proposed zone: St. Louis RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shift has been underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 9-29-2018-DDDD Conductor pipe required 0 feet Minimum surface pipe required 620 feet per ALT. II III Approved by: Putt 10-16-07	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe surface or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
PRORATED & SPACED: HUGOTON-PANOMA PVPA 090707 AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 9-29-2018-DDDD Conductor pipe required 0 feet Minimum surface pipe required 620 feet per ALT. II III Approved by: 44-10-16-07 This authorization expires: 4-10-08	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 8 2007 drilling rig; y circulating cement to the top; in all cases surface pipe surface pip

Side Two



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 189-22618-0000	
Operator: EOG Resources, Inc.	Location of Well: County: Stevens
Lease: UPC	1,620 feet from N / X S Line of Section
Well Number: 23 #2	500 feet from E / X W Line of Section
Field: Wildcat	Sec. 23 Twp. 32 S. R. 37 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				,		, —	. ——.	
	,		,	, I	١ .			
	1	:		: 1	1	:		
	1	: :	;	:	1		: :	
	1	:		: 1	1	:	: :	
	1	: :	;	:	1	•	: :	
	l							
	*******				*******			
		_		. 1	1			
	1		;	; l	1	•		
	1	:	:	; 1	1	:	: :	
	1			· I	1	•	: :	•
	1	:	:	;	1	:	: :	
	1			•	1	•		,
				المحمد وووور				
			,		1			
				. 1	1 .			
	1	:		: 1	1	:	:	,
	1	;	;				:	
	1	:	:	; 1	1	:	: :	•
	1	•		. 1	1 .			
	l	:	:	; 1	1	:	:	•
	I		· ·		1		•	
		******				******		
	k			. 1	1	:	•	
	1	:	:	; 1	1	:	:	;
	1	•	•	:	1 .	:		:
	1	:	:	;	1 :		:	;
	1	•		:	•	:	•	•
	1	:	:	:		:	:	;
	1	•			•	•		,
				<u>.</u> 2	.5			
	1 '	• 1	; i	_	- 1		; :	5
	1	; :	;	7	1	;	; :	;
	1	•	,			:	: :	•
	1	: :	;				; :	;
	1 :	:	:	; 1	1 :	:	:	;
	1	•	- !	:	l '		- :	
	1							
	1	;	;	;	1	;	: :	
	1	•	•			:	•	•
500 4	\sim	;	,	;	1 3	:	; :	:
500 ft	-0	•	,			:	•	,
		: :	;	;			; ;	,
					!			
			*******	*******		••••••		
	ı I			,				
	1 1 3	•	:	: 1		:	<u>.</u>	•
	j (f.)	;	:	;		;	: :	:
	[]	:		•	!	:	:	•
		:	;	i		,	:	
	1 1	: :	:	:		:	:	•
	1 1		- '	•			·	
			*******	*********			********	
	I			. 1	1			
	1 1:	:	;	;		;	: :	;
	1 1	•		<u>.</u>		:		,
	1 1	;	;	;		;	:	;
		:	•	:		:	: :	•
	J	:	;			•		,
		•	•	•		•		•
	·							
	MOTE.	-11		_				



SEP 2 8 2007

CONSERVATION DIVISION

WICHITA, KS

in plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,

- 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012482

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.			License Number: 5278		
Operator Address: 3817 NW EXPRESSWAY STE 500			OKLAHOMA CITY OK 73112		
Contact Person: Melissa Sturm			Phone Number: 405-246-3234		
Lease Name & Well No.: UPC	23	#2	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>E2 SW NW SW</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 23 Twp. 32 R. 37 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,620 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		500 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	12,500	(bbls)	Stevens County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
		_	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Soil compaction		
	25 Langeth (fa	125	· · · · · · · · · · · · · · · · · · ·		
Pit dimensions (all but working pits):	Length (le	et)	Width (feet) N/A: Steel Pits 5 (feet) No Pit		
	om ground level to de	· · ·			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
			llowest fresh water120feet.		
Source of info 2968 feet Depth of water well 285 feet meas			sured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	· · · · · · · · · · · · · · · · · · ·	Drilling, Work	rkover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	rial utilized in drilling/workover: Gel		
			working pits to be utilized:		
			donment procedure: Evaporation / dewater and backfilling of		
Does the slope from the tank battery allow all spilled fluids to		reserve pit			
flow into the pit? Yes No Drill pits must			must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION					
SEP 2 8 2007					
9-27-07 Date Melissa Sturm Signature of Applicant or Agent CONSERVATION DIVISION					
WICHITA, KS					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 9/28/07 Permit Num	ber:	Perm	it Date: 9/28/07 Lease Inspection: Yes XNo		

PVPA 090707 Form VPA-1

KANSAS CORPORATION COMMISSION CONSERVATION DIVISION 130 S. Market – Room 2078 Wichita, Kansas 67202

VERIFIED AFFIDAVIT FOR USE OF MUD AS AN ALTERNATIVE TO THE CEMENTING REQUIREMENT IN (18(D) OF THE PANOMA COUNCIL GROVE B.P.O.

FORM MUST BE TYPED

Submit in Duplicate
Attach to Drilling Permi

							Attach to Drilling Per
Operator Nama	EOG Resour	rces, Inc.				KCC License No.	5278
Operator Address	3817 NW	Expressway	Suite	#500 C	klahoma	City, OK	73112
Contact Person	Melissa Sturm					Telephone No. (4 0	5)246-3234
Lesse Name & No.	UPC 23 #2		API No.	5-189-22418	-0000	KCC Lease Code N	D.
Location Quarter SW/4	Section 23	Township 32S	Range 37	E/W/(circle one)	1620 500	Ft. from N /(S)(circle Ft. from E /(W)(circle	
County Stevens	Field Name Wildcat		Producir St. Lo	ng Formation Group UIS	•	Mud Weight 8	.7

AFFIDAVIT CERTIFICATE OF SERVICE

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have ben fully compiled with and the statements here are complete and correct to the best of my knowledge. The well subscribed to in this Affidavit will be completed in accordance with all applicable rules and regulations of the KCC. However, applicant intends to use drilling mud of sufficient weight across the interval between the base of the Council Grove Group and the top of the Chase Group as an alternative to the cementing requirements found in paragraph 18(D) of the Panoma Council Grove B.P.O. unless an objection is filled within 15 days of service of this Affidavit. I hereby certify that I caused a true and correct copy of the foregoing Affidavit and any attachments of said Affidavit to be served by placing the same in the United States mail, postage prepaid, to the following parties, which represent all of the operators or lessees of record and the owners of record of unlessed acreage within a one mile radius of the well, including operators and working interest owners having interests in the lands covered by the unit on which the well is to be drilled:

Signature	Melissa Stur	Date 9/26/07	
Title	Sr. Operations Assistant		
	nd sworm to before me this	September 20 07	
Date Commi	ssion Expires (SEAL)	Notary Public State of Oklahoma # 04009575 Expires 10/21/08	RECEIVED KANSAS CORPORATION COMMISSION

SEP 2 8 2007

15-189-22418-0000 PVPA 090707

Exhibit "A"
UPC 23 #2
Section 23-32S-37W
Stevens County, Kansas
Page 1 of 1

1. ExxonMobil Production Company P.O. Box 4610 Houston, TX 77210-4610

End of Exhibit "A"

RECEIVED KANSAS CORPORATION COMMISSION

SEP 2 8 2007

CONSERVATION DIVISION WICHITALKS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

October 16, 2007

Melissa Sturm EOG Resources, Inc. 3817 NW Expressway, Suite 500 Oklahoma City, OK 73112

Re: UPC 23 #2 API #15-189-22618-0000 Docket # PVPA 090707 SW Sec.23-T32S-R37W Stevens County, Kansas

Dear Ms. Sturm,

The form VPA-1 affidavit filed for the above-referenced well stated that service of the affidavit was mailed on September 26, 2007. The fifteen (15) day protest period has expired and we have not received any protests. Therefore, we are advising you that the drilling of this well may commence and, in lieu of cement, drilling mud of the weight specified in your affidavit may be used across the interval between the base of the Council Grove group and the top of the Chase group.

Sincerely,

Rick Hestermann Production Department