

For KCC Use: Effective Date: . \_Yes ⊠No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

5 d Od Date: 11/20/2007	Cost Description:
Expected Spud Date: 1112012001 month day year	Spot Description:
	NE - NW - NW Sec. 5 Twp. 10 S. R. 20 EXW
OPERATOR: License# 4058	feet from  X N /  S Line of Section
Name: American Warrior, Inc.	leet from Le / W Line of Section
Address 1: PO BOX 399	Is SECTION: 🔀 Regular 🔲 Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: GARDEN CITY State: KS Zip: 67846 + 0399	County: Rooks
Contact Person: Cecil O'Brate	Lease Name: Bedford Well #: 1-5
Phone: 620-275-7461	COOPER
	Field Name:
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling	Target Formation(s): LKC & Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
	Ground Surface Elevation: 2265 feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
	Depth to bottom of fresh water: 150
Seismic; # of Holes Other	Depth to bottom of usable water: 1050
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any): 0
Operator:	
Well Name:	Projected Total Depth: 3900 Arbuckle
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	Will Cores be taken?
AFI	If Yes, proposed zone:RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order-#"	FIDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig; by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION WICHITA, KS enderlying formation.  WICHITA, KS with the complete of the plugging; and the case of the complete of the plugging; and the case of the complete of the case of
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	FIDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig; by circulating cement to the top; in all cases surface pipe Silas BYASION DIVISION  will underlying formation.  WICHITA, KS  rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; differ of the complete of the KCC District 3 area, alternate II cementing  pollugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order with the completed within 30 days of the spud date or the well shall be a three by certify that the statements made herein are true and to the best of the control of the statements made herein are true and to the best of the statements of the sta	FIDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig; by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  we underlying formation.  WICHITA, KS  rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  pollugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order with the completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and to the best of the complete of the complet	FIDAVIT  In A STATE STAT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an information amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order woust be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements of the operator of Agent:  Date: Locate Too Too Too Too Too Too Too Too Too To	FIDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSIO  OCT 1 7 2007  In drilling rig; by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION with the underlying formation.  Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of the plate:    Date:	If Yes, proposed zone:  PEDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  we underlying formation.  WICHITA, KS  trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  dd from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In the completion form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the intention of the in	If Yes, proposed zone:  PIDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  we underlying formation.  WICHITA, KS  rict office on plug length and placement is necessary prior to plugging;  yed or production casing is cemented in;  d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an individual and the intention of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the intention of the in	FIDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSIO  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  we underlying formation.  WICHITA, KS  rict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  differ on below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order when must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and to the best of the part of the production pipe required the prior production pipe required the production pipe required to prior production pipe required the prior production pipe required to prior production pipe required the prior prior production pipe required to prior prior prior production pipe required to prior prior prior production pipe required to prior p	If Yes, proposed zone:  PEDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  In underlying formation.  WICHITA, KS  In this of plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  did from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In the completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the place.  For KCC Use ONLY  API # 15 - 103 - 23050-0000  Conductor pipe required	FIDAVIT  RECEIVED  Ugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe SNSFBVATION DIVISION  e underlying formation.  WICHITA, KS  trict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing ablugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and below.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set into the set of the set	FIDAVIT  RECEIVED  Ingging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe Shaffby JUNISION WICHITA, KS et underlying formation.  WICHITA, KS et underlying formation.  WICHITA, KS et underlying formation witch the production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing by blugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. This authorization expires:  A copy of the appropriate district office prior to specified before well;  5 The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. This authorization expires:  A copy of the appropriate district office prior to specified before well;  5 The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger.  5 The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger.  5 The appropriate district office will be notified before well is either plugger.  6 If an ALTERNATE II COMPLETION, production pipe shall be cemented to the dis	FIDAVIT  RECEIVED  Ugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION  OCT 1 7 2007  In drilling rig;  by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION  e underlying formation.  WICHITA, KS  underlying formation.  WICHITA, KS  WICHITA, KS  In all cases surface pipe CONSERVATION DIVISION  WICHITA, KS  WICHITA, KS  In all cases prior to plugging;  yed or production casing is cemented in;  d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing ablugged. In all cases, NOTIFY district office prior to any cementing.  In this permit pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23656-000	
Operator: American Warrior, Inc.	Location of Well: County: Rooks
Lease: Bedford	feet from N / S Line of Section
Well Number: 1-5	850 feet from E / X W Line of Section
Field: COOPER	Sec. 5 Twp. 10 S. R. 20 E X W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines,
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012885

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name: American Warrior, Inc.		License Number: 4058		
Operator Address: PO BOX 399		GARDEN CITY KS 67846		
Contact Person: Cecil O'Brate		Phone Number: 620-275-7461		
Lease Name & Well No.: Bedford 1-5		Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?	Pit is:    Proposed   Existing     If Existing, date constructed:   Pit capacity:   3,000   (bbls)     Artificial Liner?		Sec. 5 Twp. 10 R. 20 East West  330 Feet from North / South Line of Section  850 Feet from East / West Line of Section  Rooks County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Lined with clay soil, native and fresh mud.	
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 5				
		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor 1946 feet Depth of water well 24 feet measurements.				
Emergency, Settling and Burn Pits ONLY: Drilling, Wo		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover: Fresh Mud		
Number of producing wells on lease: Number of wor		king pits to be utilized:3		
Barrels of fluid produced daily: Abandonment		procedure: Allow liquid contents to evaporate, let		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		cuttings dry and backfill.  pe closed within 365 days of spud date.  RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION				
October 15 7007 Date		1 homes 7	OCT 1 7 2007  CONSERVATION DIVISION WICHITA KS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 10/17/c? Permit Numl	ber:	Perm	it Date: 10/17/07 Lease Inspection: Yes XNo	