For KCC Use:

Effective Date: 10-23-07

District # 4

SGA? X Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

t he approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved	f by KCC five (5) days prior to commencing well
Expected Spud Date October 21, 2007 month day y	Spot East East East East
9971	990feet from N / ✓ S Line of Section
OPERATOR: License# 9971	330 feet from VE / W Line of Section
Name: Kodiak Petroleum, Inc.	Is SECTION RegularIrregular?
Address: P.O. 4677 City/State/Zip: Engelwood, Colorado 80155-4677	
City/State/Zip.	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kent Johnson Phone: (303) 790-7550	County: Rooks Lease Name: McReynolds Well #: 10-16
Phone: (000) 730-7300	
CONTRACTOR: License# 33237	Field Name:
Name: Anderson Drilling	Is this a Prorated / Spaced Field?
ranio.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipm	nent: Nearest Lease of unit boundary.
Oil C Enh Rec Infield Mud Ro	tary L
Gas Storage Pool Ext. Air Rota	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'
Other	Depth to bottom of usable water:
Outo	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none 13 3/8 through unconsolided + 2
Well Name:	Projected Total Depth: 4,000' Min-40"
Original Completion Date: Original Total Depth	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations: Yes ✓ No
	To the transfer of the transfe
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
Casing/conductor requirements attache	d, If Yes, proposed zone:RECEIVED
Casing / conductor 10701111111111111111111111111111111111	AFFIDAVIT KANSAS CORPORATION COMMISSION
	7.1.1.27.17.
•	nd eventual plugging of this well will comply with K.S.A. 55 et. seq. OCT 1 6 2007
It is agreed that the following minimum requirements will be rr	
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the open 5. The appropriate district office will be notified before wel 6. If an ALTERNATE II COMPLETION, production pipe sh Or pursuant to Appendix "B" - Eastern Kansas surface	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
hereby certify that the statements made herein are true and Date: October 16, 2007 Signature of Operator or Agent:	
Date: October 16, 2007 Signature of Operator or Agent:	TRIE.
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-23657-0000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required 40'-13% feet	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required 40 feet per	- Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
I minutani animo biba iadanaa	- Obtain written approval before disposing or injecting salt water.
Approved by: 2410-18-07	
This authorization expires: 4718-08 (This authorization void if drilling not started within 6 months of app	
	☐ Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23657-0200	Location of Well: County: Rooks
Operator: Kodiak Petroleum, Inc.	
Lease: McReynolds	990 feet from N / S Line of Section 330 feet from E / E / W Line of Section
Well Number: 10-16	Sec. 10 Twp. 7 S. R. 17 East ✓ Wes
Field: Number of Acres attributable to well:	Is Section: 🖌 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE - SE - SE	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

, .			•
	•		*
	•		
			•
1 ' '		· · ·	
		: :	•
	•		•
•			•
	•	, ; ;	
	. •		
	•		
	:		
	,		
		: :	:
:	•		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kodiak Petroleum, Inc.			License Number: 9971		
Operator Address: P.O. Box 4677, Engelwood, CO 80155-4677					
Contact Person: Kent Johnson			Phone Number: (303) 790 - 7550		
Lease Name & Well No.: McReynolds 10-16		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NE . SE . SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec10Twp7R17		
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3,600 (bbls)		Feet from ✓ East / West Line of Section Rooks		
Is the pit located in a Sensitive Ground Water		No	Chloride concentration: mg/l		
is the pictocated in a defisitive Ground viduol			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used? clay type soil		
Pit dimensions (all but working pits):	60 Length (fe	et) 60	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit Depth to Source of		Source of infor	pth to shallowest fresh water 34 feet.		
1981 feet Depth of water well 48 feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:			e of material utilized in drilling/workover: drilling mud		
		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: Let fluid evaporate and fill with excavated dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. October 16, 2007 Date October 16, 2007 Signature of Applicant or Agent OCT 16 2007 CONSERVATION DIVISION WICHITA, KS					
	ксс	OFFICE USE O	NLY RFAL		
Date Received: 10/16/07 Permit Number: Permit Date: 10/16/07 Lease Inspection: 🗓 Yes 🗌 No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 16, 2007

Mr. Kent Johnson Kodiak Petroleum, Inc. PO Box 4677 Engelwood, CO 80155-4677

RE: Drilling Pit Application
McReynolds Lease Well No. 10-16
SE/4 Sec. 10-07S-17W
Rooks County, Kansas

Dear Mr. Johnson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. Be aware of artesian flow if elevations are low. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File

Minimum Surface Casing Requirements

Minimum surface casing requirements for protecting fresh and usable water and to meet alternate #1 on Intent to Drill cards, Form C-1 S=Section, T=Township, R=Range

Rooks County

In T.6S, T.9S and T.10S, cement surface pipe through the Dakota formation plus 20 feet into the underlying formation except where local areas of usable water occur in the Cheyenne sandstone, in which case, protection must be extended 20 feet into the Permian.

The following options are open:

- (a) cement surface pipe through the Dakota plus 20 feet into the underlying formation or
- (b) cement surface pipe through all fresh water and/or unconsolidated material plus 20 feet below the base of the Dakota to the surface.
- If (b) is used and the hole is dry, refer to K.A.R. 82-3-114. In all cases, a minimum of 50 feet of surface pipe is required.

In T.7S and T.8S, protection shall be as outlined above except in the following areas:

- Township 7 South, R.17W, below surface elevation 1860 feet
- Townships 7 and 8 South, R.18W, below surface elevation 1880 feet
- Townships 7 and 8 South, R.19W, below surface elevation 1920 feet
- Townships 7 and 8 South, R.20W, below surface elevation 1960 feet

Within these areas, large surface pipe or 8 5/8 inch surface pipe systems may be used. If the large surface pipe is used, surface pipe of at least 13 3/8 inches in diameter shall be cemented through all unconsolidated material plus a minimum of 20 feet into the underlying formation with a minimum of 40 feet being used. Then the following options are open:

- (a) set intermediate pipe to the Stone Corral (Anhydrite) and cement from the Stone Corral to surface or
- (b) cement the production string from the Anhydrite to surface immediately after it has been set.
- If (b) is used and the hole is dry, plug per K.A.R. 82-3-114.

If 8 5/8 inch surface pipe is used, it will be set and cemented through all unconsolidated material plus a minimum of 20 feet into the underlying formation. A blowout preventor will be installed and maintained on the surface pipe until pipe is set or the hole plugged. If serious flow problems occur, the hole will be plugged per K.A.R. 82-3-114.

If the hole is completed and production pipe installed, cement the production string from the Stone

Corral Anhydrite to surface immediately after it has been set. If the hole is dry, plug the hole per K.A.R. 82-3-114.

If Alternate II is used in the above described special area, follow the procedure outlined in K.A.R. 82-3-106. The option for 120 days to complete cementing is not available and the operator shall cement production casing from Stone Corral (Anhydrite) to surface immediately.