For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 27, 2007	Snot ✓ East
month day year	24 23 24
OPERATOR: License# 4434	1254 feet from N / S Line of Section
Alama. Rogers and State, Inc.	Tiest from F / A M Fine of Section
Address: P.O. Box 274	is SECTION RegularIrregular?
City/State/Zip: Woran, NS 00733	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Dean Rogers, Jr.	County: Allen
Phone: (208) 720-6239	Lease Name: Paul Tholen Well #: 9
<i></i>	Field Name: Tholen
CONTRACTOR: License# 33783	Is this a Prorated / Spaced Field?
Name: Michael Drilling Company	Target Formation(s): Upper and Lower Bartlesville
W (O) You Friday	Nearest Lease or unit boundary: 842'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No /
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'
Seismic;# of Holes Other	Depth to bottom of usable water: 150/00
Other	Surface Pipe by Alternate: ☐ 1 🗸 2
A TANKS AND A STATE OF THE STAT	Length of Surface Pipe Planned to be set: 45'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 1,400'
Well Name:	Formation at Total Depth: Upper and Lower Bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other XX
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
NOC DICT #.	
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	_
Notify the appropriate district office prior to spudding of well;	OCT 2 2 2007
	h drilling rig:
	11 Q11091Q 1Q1
3. The minimum amount of surface pipe as specified below shall be se	by circulating cement to the top; in all cases surface pipe shall be last SION
The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	t by circulating cement to the top; in all cases surface place within the lawsion within the control of the con
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount. 	t by circulating cement to the top; in all cases surface place place of the lawsion with the content of the con
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the set of t	t by circulating cement to the top; in all cases surface place place of the lawson with the content of the cont
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement. 	t by circulating cement to the top; in all cases surface place place in the lawsion with the underlying formation. In the surface of the surface in the surface place in the surface of the surface in the surface of the surface within 120 days of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	t by circulating cement to the top; in all cases surface place place and the law sion is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the state of the state of the state of the set. 	t by circulating cement to the top; in all cases surface place place with the lawsion re underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	t by circulating cement to the top; in all cases surface place place with the lawsion re underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the decoration of the decoration of the decoration of the set of	t by circulating cement to the top; in all cases surface place place of the law sion is underlying formation. Is underlying formation. Is underlying formation. Is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the state of the state of the state of the set. 	t by circulating cement to the top; in all cases surface place place of the law sion is underlying formation. Is underlying formation. Is underlying formation. Is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the decoration of the decoration of the decoration of the set of	t by circulating cement to the top; in all cases surface place place of the law sion is underlying formation. Is underlying formation. Is underlying formation. Is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be coment Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the pest of Date: October 22, 2007 Signature of Operator or Agent: For KCC Use ONLY	t by circulating cement to the top; in all cases surface plate and plate in the top; in all cases surface plate and plate in the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be coment Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the pest of Date: October 22, 2007 Signature of Operator or Agent: For KCC Use ONLY	t by circulating cement to the top; in all cases surface plot in the law sion is underlying formation. It is underlying formation. It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	r by circulating cement to the top; in all cases surface plot in the law sion is underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the pest of the post of the spud date or Agent: Date: October 22, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29 6 6 0 - 000000000000000000000000000000	r by circulating cement to the top; in all cases surface plot in the law sion is underlying formation. It is underlying formation. It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the pest of Date: October 22, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29 6 60 - OOOOO Conductor pipe required None feet Minimum surface pipe required feet per Alt.	r by circulating cement to the top; in all cases surface plot in the law sion is underlying formation. It is underlying for underlying formation. It is underlying for underlying for underl
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement of the or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the well shall be completed within 30 days of the spud date or t	r by circulating cement to the top; in all cases surface plot in the law sion is underlying formation. It is underlying for formation. It is underlying formation. It is underlying for formation. It is underlying for formation. It is underlying formation. It is underlying for formation. It is underlying formation. It is underlying for formation. It is underlying for formation. It is underlyi
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the pest of Date: October 22, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29 6 60 - OOOOO Conductor pipe required None feet Minimum surface pipe required feet per Alt.	r by circulating cement to the top; in all cases surface place of the Law Sion is underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the description of the description of the description of the well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the pest of the post of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29 U U D - OOOO feet per Alt. Minimum surface pipe required feet per Alt. Approved by: Minimum surface pipe required feet per Alt.	r by circulating cement to the top; in all cases surface place of the Law Sion is underlying formation. Is underlying formation. Is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	r by circulating cement to the top; in all cases surface place of the Law Sion is underlying formation. Is underlying formation. Is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	re by circulating cement to the top; in all cases surface plot of the table of the underlying formation. It is underlying for
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the defendence of the well is dry hole, an agreement between the operator and the defendence of the set	to by circulating cement to the top; in all cases surface pipe (International Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-001-29660-000	Location of Welt: County: Allen
Operator: Rogers and Slane, Inc.	1254feet from N / ✓ S Line of Section
Lease: Paul Tholen	1254 feet from N / ✓ S Line of Section 842 feet from E / ✓ W Line of Section
Well Number: 9	Sec. 34 Twp. 23 S. R. 21
Field: Tholen	
Number of Acres attributable to well:	ls Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NWNE SW SW	if Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner usedincinaviSEiSvv

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			• •	
:			•	
	:		•	•
	•		: :	•
				. • • • •
•	•	:	: :	•
•		•	• •	•
	•		•	•
				• •
	 -•e .			
:	•	:	: :	• •
	• • • • • • • • • • • • • • • • • • • •			
	•	:		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Rogers and Slane, Inc.		License Number: 4434		
Operator Address: P.O. Box 275, Moran, KS 66755				
Contact Person: Dean Rogers, Jr.			Phone Number: (208) 720 - 6239	
Lease Name & Well No.: Paul Tholen	9		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NW NE SW SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 23 R. 21	
Settling Pit	If Existing, date constructed:		1254 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			842 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Allen	
Is the pit located in a Sensitive Ground Water	Area? Yes /	No	Chloride concentration:mg/l	
is the pit located in a defisitive crodite visitor	/10d		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	native clay	
Pit dimensions (all but working pits):	20 Length (fe	et)10	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce liner integrity, i	adures for periodic maintenance and CECENTED including any special monitons ASS CORPORATION COMMISSION OCT 2 2 2007	
			CONSERVATION DIVISION WICHITA, KS	
		Depth to shallo Source of info	west fresh waterfeet. mation:	
<i>N</i> /4feet Depth of water well	feet	meası	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:	ŀ	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of		Type of materi	Type of material utilized in drilling/workover: drilling mud	
Number of producing wells on lease:	Number of producing wells on lease: Number of v		umber of working pits to be utilized: 1	
Barrels of fluid produced daily: Ai		Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits i		Drill pits must	Orill pits must be closed within 365 days of spud date.	
l hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
October 22, 2007 Date October 22, 2007 Date October 22, 2007 Donna Ahanda Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 10/22/07 Permit Number: Permit Date: 10/22/07 Lease Inspection: Yes & No				