# For KCC Use: Effective Date: District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

ΑII	blanks	must	be I	Filled
	Form 7	nust b	e Si	gned
	Form	must	be T	yped
		Dece	mber	2002
			FOI	ויט וו

Expected Spud Date		East
month day year	Spot <u>SESWSESec. 26Twp. 4SS</u>	
33629		S Line of Section
OPERATOR: License# 33629  Name: Great Plains Energy, Inc.	1830'	
Address: 429 N Linden PO Box 292	Is SECTION   ✓ Regular Irregular?	•
City/State/Zip: Wahoo, NE 68066	(Note: Locate well on the Section Plat on rev	verse side)
Contact Person: Dan Blankenau	County: Decatur	
Phone: 402-277-5336	Lease Name: Sauvage	Well #:8
	Field Name: Swede Hollow	
	Is this a Prorated / Spaced Field?	Yes √ No
Name: WW Drilling, LLC	Target Formation(s): LKC	
Well Drijlied For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 335'	
	Ground Surface Elevation: 2839	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	✓ YesNo
OWNO Disposal Wildcat Cable	Public water supply well within one mile:	Yes VNo
Seismic:# of Holes Other	Depth to bottom of fresh water:	
Other	Depth to bottom of usable water: 210'	<del></del>
	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260'	···
Operator:	Length of Conductor Pipe required: None Projected Total Depth: 4220'	
Well Name:	Formation at Total Depth: Marmaton	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	V	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	P)
KCC DKT #;	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
AEC	<b>DAVIT</b> KAN	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plants		SAS CORPORATION COMMISSIO
	tigging of this well will comply with K.S.A. 35 et. seq.	OCT 2 2 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;		UC1 Z Z ZUU1
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each		CONSERVATION DIVISION
<ol> <li>A copy of the approved notice of intent to drift shart be posted on each.</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be</li> </ol>	ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area,	pipe shall geneates  prior to plugging;  days of spud date.  alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.</li> </ol>	ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior	pipe shall geneates  prior to plugging;  days of spud date.  alternate II cementing
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a three-by certify that the statements made herein are true and to the best of	ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior	pipe shall geneates  prior to plugging;  days of spud date.  alternate II cementing
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a three-by certify that the statements made herein are true and to the best of	the underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior my knowledge and belief.	pipe shall generalks  prior to plugging;  days of spud date.  alternate II cementing
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of the potential of the potentia	the underlying formation.  istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my knowledge and belief.  Title: Secretary	pipe shall the method prior to plugging; days of spud date. alternate II cementing to any cementing.
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date:  October 19, 2007  Signature of Operator or Agent:  October 19, 2007	ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu	pipe shall generics  If prior to plugging;  days of spud date.  alternate II cementing  to any cementing.
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud d	istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Described File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorate.	pipe shall generics  If prior to plugging;  days of spud date.  alternate II cementing  to any cementing.
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of Date: October 19, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O39 - 2/028 - OOO  Conductor pipe required	istrict office on plug length and placement is necessary ged or production casing is cemented in; ged from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to wo	pipe shall generics  If prior to plugging;  days of spud date. alternate II cementing to any cementing.
3. The minimum amount of surface pipe as specified below <b>shall be se</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete of the spud date or the well shall be completed as a complete or the spud date or the spud date or the spud date or the spud date or the well shall be completed as a complete or the spud date or the spud d	istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Described File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorate.	pipe shall generics  If prior to plugging;  days of spud date.  alternate II cementing  to any cementing.
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud dat	istrict office on plug length and placement is necessary ged or production casing is cemented in; ged from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spuring according to field proration. Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is commodition.	pipe shall generics  I prior to plugging;  days of spud date.  alternate II cementing  to any cementing.   prill;  d date;  ion orders;  rkover or re-entry;  pleted;  salt water.
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the dispersion of the second state of the well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and th	istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorated Notify appropriate district office 48 hours prior to woos Submit plugging report (CP-4) after plugging is com	pripe shall generics  If prior to plugging;  days of spud date. alternate II cementing to any cementing.   priiI; d date; ion orders; rkover or re-entry; pleted; salt water.  date) please
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud dat	istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorated Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is commodition. If this permit has expired (See: authorized expiration)	pipe shall geneeks  If prior to plugging;  days of spud date. alternate II cementing to any cementing.   priiI; d date; ion orders; rkover or re-entry; pleted; salt water.  date) please
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the dispersion of the second state of the well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and the statements made herein are true and to the best of the provided and th	istrict office on plug length and placement is necessary ged or production casing is cemented in; ged from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to District acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is commoditied. Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below	pipe shall geneeks  If prior to plugging;  days of spud date. alternate II cementing to any cementing.   priiI; d date; ion orders; rkover or re-entry; pleted; salt water.  date) please
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the dispersion of the dispersion of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be increased in the statements made herein are true and to the best of the place of the propriate of Operator or Agent:  For KCC Use ONLY  API # 15 - O39 - 2/028 - OOO  Conductor pipe required	istrict office on plug length and placement is necessary ged or production casing is cemented in; ged from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, pe plugged. In all cases, NOTIFY district office prior in my knowledge and belief.  Title: Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to District a prior in the prio	pipe shall geneeks  If prior to plugging;  days of spud date. alternate II cementing to any cementing.   priiI; d date; ion orders; rkover or re-entry; pleted; salt water.  date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 03	39-2	100	186	2200			_ L	ocation of W	Vell: County:
Operator: Great F	Plains Ene	ergy, Inc.						335'	feet from N / S Line of Section
Lease: Sauvage								1830'	feet from F E / W Line of Section
Well Number: 8							_ s	sec. <u>26</u>	Twp4S S. R30 East 🗸 West
Field: Swede Holl	ow						_		
Number of Acres	attributa	able to	well:				ls	s Section:	Regular or Irregular
QTR/QTR/QTF			SE	SV	<u>/</u>	SE		Section is	Irregular, locate well from nearest corner boundary.
								Section corne	
							3	SECTION COME	ar used.   INE   INVV   ISE   ISV
							PLAT		
		(SI	now loca					_	or prorated or spaced wells.)
				(Sho	w footage	to the ne	arest leas	se or unit bo	oundary line.)
									RECEIVED
	•	•		•		•	•	-	KANSAS CORPORATION COMMISSION
									OCT 1 2 2007
	:			:				•	OCT 2 2 2007
				·		•			SONSERVATION DIVISION
		•		•		•	•	•	े साह्य संस्थ
		٠.,							
	•					•	•		
					'		•	•	EXAMPLE
				-		•	•	•	
						•	•		
									1980
								:	
									0000
								•	3390'
								· .	
	-								
		٠				. 6	3	<u> </u>	SEWARD CO.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Great Plains Energ	y, Inc. a NE Co	License Number: 33629			
Operator Address: PO Box 292, W	ahoo, NE 68	3066			
Contact Person: Dan Blankenau		Phone Number: ( 402 ) 277 - 5336			
Lease Name & Well No.: Sauvage #8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE SE SW SE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 26 Twp. 4S R. 30 East		
Settling Pit	If Existing, date constructed:		335' Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗹 East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Decatur County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	JNo	Chloride concentration: mg/l		
Is the hottom below around level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes No	Is the bottom below ground level?  Artificial Liner?  Yes  Yes  Yes		Bentonite & Drilling Solids for Self Seal		
Pit dimensions (all but working pits):	05' 80 Length (fo	eet) 60	Width (feet) N/A: Steel Pits		
	rom ground level to de				
material, thickness and installation procedure	<b>3</b> .	liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMMISSI		
			OCT 2 2 2007  CONSERVATION DIVISION		
Distance to nearest water well within one-mik	e of pit	Source of infor	OCT 2 2 2007  CONSERVATION DIVISION WICHITA, KS  west fresh water		
Distance to nearest water well within one-mile	·	Source of infor	OCT 2 2 2007  CONSERVATION DIVISION WICHITA, KS west fresh water		
	/3 / feet	Drilling, Work	OCT 2 2 2007  CONSERVATION DIVISION WICHITA, KS  west fresh water		
feet Depth of water well	/3 / feet	Drilling, Work  Type of materia	OCT 2 2 2007  CONSERVATION DIVISION WICHITA, KS  west fresh water feet. mation: well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Dclg mod		
feet Depth of water well	/3 / feet	Drilling, Work  Type of materia	CONSERVATION DIVISION WICHITA, KS  west fresh water		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:	/3 / feet	Drilling, Work  Type of materia	OCT 2 2 2007  CONSERVATION DIVISION WICHITA, KS  west fresh water feet. mation: well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Dclg mod		
Emergency, Settling and Burn Pits ONLY: Producing Formation:  Number of producing wells on lease:	/3 / feet	Drilling, Work  Type of materia  Number of wor  Abandonment	CONSERVATION DIVISION WICHITA, KS  west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	/3 / feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	/3 / feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  October 19, 2007	/3 / feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh water feet. mation: well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: electric log KDWR  procedure: Allow to evaporate then cover for farming.  pe closed within 365 days of spud date.  t of my knowledge and belief.		