

For KCC Use:	10 27.07
Effective Date: _	10-27·07
District #3	
SGA? XYes	s □Nio

KANSAS CORPORATION COMMISSION 1013082 Oil & Gas Conservation Division

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 10/25/2007	Spot Description:
month day year	N2 - S2 - N2 - NW Sec. 32 Twp. 33 S. R. 17 XE W
5150	(a/a/a/a) 920 feet from N / S Line of Section
OPERATOR: License#	1,320 feet from E / W Line of Section
Address 1: PO BOX 388	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Address 2:	County: Montgomery
Confact Ferson: Service Newscare	Lease Name: VOTH Well #: 4-32
Phone: 620-365-3111	Field Name: COFFEYVILLE-CHERRYVALE
CONTRACTOR: License#	ts this a Prorated / Spaced Field?
Name: _Advise on ACO-1 -Must be licensed by KCC	Target Formation(s): PENNYSLVANIIA COALS
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 920
	Ground Surface Elevation: 778 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage X Pool Ext. X Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 150
Outes	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1200
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPI
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: PENNYSLVANIA COALS
AFF	DEOCH .
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED KANSAS CORPORATION COMMISSION Training of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED KANSAS CORPORATION COMMISSION Training of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig: CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall by SelfTA, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions are considered in the distriction of	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall by SelfTA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig: conservation division or circulating cement to the top; in all cases surface pipe shall be set to fice on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig: conservation division or circulating cement to the top; in all cases surface pipe shall be set to fice on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be sh
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to flice on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials.	RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. OCT 2 2 2007 drilling rig: conservation division or circulating cement to the top; in all cases surface pipe shall by settra, Ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be Selfa, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Purduction Commission. Conservation commission. Conservation Division To plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials.	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be s
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the complete of the spud date or the well shall be completed. Signature of Operator of Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be shift, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Purduction Clark Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modern to the complete of the complete of the spud date or the well shall be stated by the statements of the spud date or the well shall be stated by the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or conservation division or conservation division or conservation division or circulating cement to the top; in all cases surface pipe shall be set to a sunderlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more places. For KCC Use ONLY API # 15 - 125 - 314/06-00000000000000000000000000000000000	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or conservation division conservation division or conservation division conservation division or conservation division conservation
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials. For KCC Use ONLY API # 15 - 125 - 3/4/06-0000 For KCC Use ONLY API # 15 - 125 - 3/4/06-0000 For KCC Use ONLY API # 15 - 125 - 3/4/06-00000 Feet must be required 0 feet per ALT. I I XIII	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and to the best of module: 1. Por KCC Use ONLY API # 15 - 125 - 314/00-0000 Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. II XIII Approved by: Lutt 10-22-07	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shall by SelfTA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials. For KCC Use ONLY API # 15 - 125 - 3/4/06-0000 For KCC Use ONLY API # 15 - 125 - 3/4/06-0000 For KCC Use ONLY API # 15 - 125 - 3/4/06-00000 Feet must be required 0 feet per ALT. I I XIII	RECEIVED KANSAS CORPORATION COMMISSION OCT 22 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be Schta, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: T
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: 10 - 17 - 0 7 Signature of Operator of Agent: For KCC Use ONLY API # 15 - 125 - 314/Lou- ODD Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I I I I I I I I I I I I I I I I I I I	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be setted. KS or plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: Purduction Orders; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set to the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module: Description of the production of the production pipe required of the production of the production pipe required of the prod	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of model: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. The statements was surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of model. 7. Signature of Operator of Agent: 8. For KCC Use ONLY 8. Approved by: Full 10-33-07 8. This authorization expires: 9. This authorization expires:	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 2 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be setted. KS or plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: Purduction Orders; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31466-0000	
Operator: Colt Energy Inc	Location of Well: County: Montgomery
Lease: VOTH	920 feet from N / S Line of Section
Well Number: 4-32	1,320 feet from E / X W Line of Section
Field: COFFEYVILLE-CHERRYVALE	Sec. 32 Twp. 33 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: N2 - S2 - N2 - NW	Market Ma
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)







NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission Oil & Gas Conservation Division

1013082

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Colt Energy Inc			License Number: 5150		
Operator Address: PO BOX 388			IOLA KS 66749		
Contact Person: DENNIS KERSHNER			Phone Number: 620-365-3111		
Lease Name & Well No.: VOTH	ise Name & Well No.: VOTH 4-32		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>N2 _ S2 _ N2 _ NW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 Twp. 33 R. 17 East West		
Settling Pit	If Existing, date constructed:		920 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:				
(If WP Supply API No. or Year Drilled)	80	(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes No		Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Yes No	Yes X		NATIVE CLAY SOIL		
Pit dimensions (all but working pits): 30 Length (feet) 15 Width (feet) N/A: Steel Pits					
Depth fro	om ground level to de	eepest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION			
			OCT 2 2 2007		
			CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit			west fresh waterfeet.		
N/A feet Depth of water wellfeet		Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: NATIVE SOIL			
Number of producing wells on lease:		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment procedure: PUMP FLUID OUT - PUSH PIT IN			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
CO O CALIDA					
$\frac{10-17-07}{\text{Date}}$ Jhvvley Sign			ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 10/22/07 Permit Num	ber:	Perm	t Date: 10/22/07 Lease Inspection: Yes XNo		