For KCC Use: Effective Date: District #\_ SGA? Yes No

## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well	idika njust be i meu
Expected Spud Date	Spot SW - NW - NE Sec. 31 Twp. 6S S.	East  R. 22
8914		S Line of Section
OPERATOR: License# 8914 Name: H & C Oil Operating, Inc.	2220 feet from	
Address: P.O Box 86	Is SECTION Regular Irregular?	T Line of Cooler
DI 1 W. 1/O 07000		
City/State/Zip: Plainville, RS 6/663 Contact Person: Charles R. Ramsay	(Note: Locate well on the Section Plat on reve	rse side)
Phone: 785-434-7434	County: Graham Lease Name: Fountain Trust	Well #: 31-1
Phone:	Field Name: Mt. Vernon	.weil #:
CONTRACTOR: License# 33493		
Name: American Eagle Drilling, LLC	Is this a Prorated / Spaced Field?  Target Formation(s): Lansing Kansas City	Yes √ No
	Nearest Lease or unit boundary: 420'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2323 est	feet MSL
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary		Yes √ No ✓
Gas Storage ✓ Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water:  120	fes 💆 No
Seismic; # of Holes Other	Depth to bottom of usable water: 1200	
Other	Cuminas Dina bu Altamata. 1 1 7 0	
	Length of Surface Pipe Planned to be set: 300'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 4000'	
Well Name:	Formation at Total Depth: Lansing Kansas City	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes _X No
		RECEIVED
		ANSAS CORPORATION COMMISSI
	DAVIT	OCT 2 2 000**
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	OCT 2 2 2007
It is agreed that the following minimum requirements will be met:		CONSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of</li></ol>	If by circulating cement to the top; in all cases surface pine underlying formation.  istrict office on plug length and placement is necessary ged or production casing is cemented in;  ed from below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a	WICHITA, KS  pe shall be set  prior to plugging;  eys of spud date.  Ilternate II cementing
must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	my knowledge and belief.	
Date: 10/20/07 Signature of Operator or Agent:	WSK Kumsa Title: PRESIDE	ENT
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Dri	
API # 15 - 065-23365-0000	<ul> <li>File Completion Form ACO-1 within 120 days of spud</li> <li>File acreage attribution plat according to field proration</li> </ul>	NO.
Conductor pipe required York feet  Minimum surface pipe required 200 feet per Alt. (2)	<ul> <li>Notify appropriate district office 48 hours prior to work</li> </ul>	_
Minimum surface pipe required 200 feet per Alt. (2)	- Submit plugging report (CP-4) after plugging is compl	• • •
Approved by: Lut 10-23-07	- Obtain written approval before disposing or injecting	t t
Approved by:	Column tritter, approval policio alopeoling of injudition	sait water.
1 21-27-09		E
This authorization expires: 4-23-08	If this permit has expired (See: authorized expiration of check the box below and return to the address below.	fate) please
1 21-27-09	If this permit has expired (See: authorized expiration of check the box below and return to the address below	fate) please
This authorization expires: 4-23-08 (This authorization void if drilling not started within 6 months of approval date.)	- If this permit has expired (See: authorized expiration of	fate) please
This authorization expires: 4-23-08	If this permit has expired (See: authorized expiration of check the box below and return to the address below  Well Not Drilled - Permit Expired	date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23365-000	Location of Well: County: Graham
Operator: H & C Oil Operating, Inc.	1100 feet from VN / S Line of Section
Lease: Fountain Trust	2220 feet from VE / W Line of Section
Well Number: 31-1	Sec. 31 Twp. 6S S. R. 22 East  West
Field: Mt. Vernon	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SW - NW - NE	
ann ann an	if Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
•	Itable acreage for prorated or spaced wells.) It lease or unit boundary line.)  RECEIVED
	KANSAS CORPORATION COMMISSION
	OCT 2 2 2007
· · · · · · · · · · · · · · · · · · ·	
	CONSERVATION DIVISION WICHITA, KS
	• • • • •
	FYAMPLE

1980

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: H& C Oil Operating			
Operator Name: H& C Oil Operating, Inc.		License Number: 8914	
Operator Address: P.O. Box 86 F	Plainville, KS 6	67663	
Contact Person: Charles R. Ramsay			Phone Number: ( 785 ) 434 -7434
Lease Name & Well No.: Fountain Trust #31-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 31 Twp. 6S R. 22 ☐ East 🗸 West
Settling Pit	If Existing, date con-	structed:	1100 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Ditamonitis	<del></del>	2220 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 200	(bbis)	Graham County
s the pit located in a Sensitive Ground Wate			Chloride concentration: mg/l
			(For Emergency Pits and Settling Pits only)
s the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes  No	Yes ✓ No		Natural Gumbo Sealed
Pit dimensions (all but working pits):	30 Length (feet	1)10	Width (feet) N/A: Steel Pits
Depth	from ground level to deep	pest point: 6	(feet)
		Daily inspe	ction while drilling is in progress.
		Periodic in	spection after drilling operations.  OCT 2  CONSERVATION
Distance to nearest water well within one-mi		Periodic in	spection after drilling operations.  OCT 2  CONSERVATION  West fresh water 55 feet.
Distance to nearest water well within one-mi	le of pit	Periodic ins	spection after drilling operations.  OCT 2  CONSERVATION  West fresh water 55 feet.
3190 feet Depth of water well	lle of pit  115 feet	Depth to shallo Source of infor measu	CONSERVATION  West fresh water 55 feet.  mation:  well owner electric log KDWR  west and Haul-Off Pits ONLY:
3190 feet Depth of water well	le of pit  115 feet	Depth to shallo Source of infor measu Drilling, Work	CONSERVATION  West fresh water 55 feet.  WICHIN  Well owner electric log KDWR  Dover and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud and water
3190 feet Depth of water well	le of pit  115 feet	Depth to shallo Source of informeasu  Drilling, Work Type of materia	CONSERVATION  CONSERVATION  West fresh water 55 feet.  mation:  weed well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud and water  king pits to be utilized: 2
3190 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	le of pit  115 feet	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of wor	CONSERVATION  CONSERVATION  West fresh water 55 feet.  mation:  well owner electric log KDWR  by read well owner brilling Mud and water  king pits to be utilized: 2  procedure: Remove mud from drill site, let water evaporate
3190 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	le of pit  115feet  7:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment and backfill wi	CONSERVATION  CONSERVATION  West fresh water 55 feet.  mation:  well owner electric log KDWR  by read well owner brilling Mud and water  king pits to be utilized: 2  procedure: Remove mud from drill site, let water evaporate
3190 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	Ile of pit  115 feet  7:  Ill spilled fluids to	Depth to shallo Source of informeasu  Drilling, Work Type of materia  Number of wor  Abandonment and backfill wi  Drill pits must l	CONSERVATION  CONSERVATION  West fresh water 55 feet.  MICHIN  West fresh water 55 feet.  Wichin  Well owner electric log KDWR  Diver and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Drilling Mud and water  king pits to be utilized: 2  procedure: Remove mud from drill site, let water evaporate  then dry  De closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  Yes No	Ile of pit  115 feet  7:  Ill spilled fluids to	Depth to shallo Source of informeasu  Drilling, Work Type of materia  Number of wor  Abandonment and backfill wi  Drill pits must l	CONSERVATION  CONSERVATION  West fresh water 55 feet.  MICHIN  West fresh water 55 feet.  Wichin  Well owner electric log KDWR  Diver and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Drilling Mud and water  king pits to be utilized: 2  procedure: Remove mud from drill site, let water evaporate  then dry  De closed within 365 days of spud date.
Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  I hereby certify that the above stars.	Ile of pit  115 feet  7:  Ill spilled fluids to	Depth to shallo Source of informeasu  Drilling, Work Type of materia  Number of wor  Abandonment and backfill wi  Drill pits must l	CONSERVATION  CONSERVATION  West fresh water 55 feet.  MICHIN  West fresh water 55 feet.  Wichin  Well owner electric log KDWR  Diver and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Drilling Mud and water  king pits to be utilized: 2  procedure: Remove mud from drill site, let water evaporate  then dry  De closed within 365 days of spud date.