## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Soud Date 10/19/07		21
Expected Spud Date month day year	Spot	East
, , , , , , , , , , , , , , , , , , ,	<u> </u>	West
OPERATOR: License# 33539	leet nom V IV 7 30 Cine of Sec	
Name. Cherokee Wells, LLC	1860 feet from E / W Line of Sec	tion
Address: P.O. Box 296	Is SECTION Regular Irregular?	
City/State/Zip: Fredonia, KS 66736	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Tracy Miller	County: Wilson	
Phone: 620-378-3650	Lease Name: K. White Well #: A-1	
33072	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 33072 V		<b>√</b> No
Name: Well Relified Dilling	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1860'	<del> </del>
	Ground Surface Elevation: Unknownfe	eet MSL
	Water well within one-quarter mile:	V No
	L	<b>√</b> No
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100'	
Seismic;# of Holes   Other	Depth to bottom of usable water: est 200'	
Other	Surface Pipe by Alternate: ☐ 1 🗸 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum	
Operator:	Length of Conductor Pipe required: N/A	
Well Name:	Projected Total Depth: 1350'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
Original Completion DateOriginal total Depth.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	_
KCC DKT #:		No
	It Yes proposed zone:	
	RE	CEIVED
	IDAVIT KANSAS CORPO	RATION COM
		4 7 2007
It is agreed that the following minimum requirements will be met:		1 7 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first than the well is dry hole, an agreement between the operator and the description of the surface of the surface well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe <b>shall be</b> to be underlying formation.  Sistrict office on plug length and placement is necessary <b>prior to plug</b> aged or production casing is cemented in;	vation Division Gigita. KS Inging; ate. menting
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be the shall be the statements made herein are true and to the best of the spud date.</li> </ol>	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  district office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	vation Division Gigita. KS Inging; ate. menting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  listrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II cebe plugged. In all cases, NOTIFY district office prior to any cement	vation Division Gigita. KS Inging; ate. menting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  district office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	vation divisions of the control of t
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each at the second of the approved notice of intent to drill shall be posted on each at the second of the shall be second of the second of the second of the shall be second of the second</li></ol>	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  listrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant	vation division control ks reging; ate. menting
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the description of the surface of the spurious transportate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the entire that the statements made herein are true and to the best of the control of the spud date.  Signature of Operator or Agent:  10/12/07 Signature of Operator or Agent:	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be an enderlying formation.  district office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II celebe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Administrative Assistant  Remember to:	vation division of the control of th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decrease of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug for the statements of the spud date of the second of the spud date.  For KCC Use ONLY  API # 15 - 205-27339-0000	ch drilling rig;  conserved by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. Histrict office on plug length and placement is necessary prior to plug goed or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	vation divisions of the control of t
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the term of the well is dry hole, an agreement between the operator and the decomposition of the surface of the spudding of the spudding order must be completed within 30 days of the spuddate or the well shall be the statements made herein are true and to the best of the spudding o	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  Identifying formation formation and placement is necessary prior to plug great formation.  Identifying formation formation formation formation formation formation formation.  Identifying formation	vation division of the control of th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants.  For KCC Use ONLY  API # 15 - 205-27-339-000  Conductor pipe required feet Minimum surface pipe required feet per Alt.	ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to underlying formation.  Identifying formation formation formation formation formation.  In all cases, NOTIFY district office prior to any coment formation.  In all cases, NOTIFY district office prior to any coment formation.  It is a deministrative Assistant  In all cases and belief.  It is a deministrative Assistant  It is	vation division of the control of th
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  Identifying formation formation and placement is necessary prior to plug great formation.  Identifying formation formation formation formation formation formation formation.  Identifying formation	vation divisions of the control of t
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface of the surface as surface as surface as in gorder must be completed within 30 days of the spud date or the well shall be the later of the statements made herein are true and to the best of the surface of the	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  district office on plug length and placement is necessary prior to plug ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	vation divisions of the control of t
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  Idistrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	vation divisions of the control of t
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through the well is either plug of it an ALTERNATE II COMPLETION, production pipe shall be cement.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best of Date:  For KCC Use ONLY  API # 15 - 205-27339-000  Conductor pipe required	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  district office on plug length and placement is necessary prior to plug ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	vation divisions of the control of t
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the set of	ch drilling rig;  che by circulating cement to the top; in all cases surface pipe shall be to be underlying formation.  Idistrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II celebe plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	vation divisions of the control of t

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27339-0000	Location of Well: County: Wilson
Operator: Cherokee Wells, LLC	2300 feet from VN / S Line of Section
Lease: K. White	2300 feet from VN / S Line of Section  1860 feet from E / V W Line of Section
Well Number: A-1	Sec. 18 Twp. 28 S. R. 14 ✓ East Wes
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: C-SW - SE - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

		17.				
		100				 
	·					 
	·					 
1810	D' FI	:	K_N	72.		
		,	A	1/		
	·			·   ,		 <b>.</b> .
	· ·			-	-	

RECEIVED KANSAS CORPORATION COMMISSION

OCT 17 2007

CONSERVATION DIVISION WICHTALKS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

)N

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC			License Number: 33539			
Operator Address: P.O. Box 296, F	redonia, KS (	66736				
Contact Person: Tracy Miller			Phone Number: ( 620 ) 378 - 3650			
Lease Name & Well No.: K. White A-1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		C _ SW _ SE _ NW			
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 18 Twp. 28 R. 14 ✓ East West			
Settling Pit	If Existing, date cor	nstructed:	2300 Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit			1860 Feet from ☐ East / ✔ West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Wilson			
Is the pit located in a Sensitive Ground Water	Area? Yes	Ńo	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	_	How is the pit lined if a plastic liner is not used?			
[✓] Yes No	Yes ✓ N		Natural Clay & Earth			
Pit dimensions (all but working pits):	Length (fee	ot)40	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to dee	epest point: 6	(feet)			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water est. 100+ /06 feet. Source of information:				
N/A 3646  Peet Depth of water well	/#/ feet		uredwell owner✓ electric log ② KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:		Type of material utilized in drilling/workover: Fresh Water				
						Number of producing wells on lease:  Barrels of fluid produced daily:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and co	orrect to the bes	of my knowledge and belief.			
10/12/07 Date		$\sim$	ARCAA MAIOOO			
		3	Signature of Applicant or Agent			
	KCC C	OFFICE USE O				