Effective Date: 10-28-07
District #____3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

ONTRACTOR: License# 33977 Well Drilled For: Well Class: Type Equipment: Oil	SWSW_SENW_Sec. 8 Twp. 24 S.R. 19 West 2805 feet from N / S Line of Section 1485 feet from E / W Line of Section Is SECTION Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Allen Lease Name: Trester Well #: 8 Field Name: lola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL Water well within one-quarter mile: Yes V No
Ame: Russel Rickerson dba Rickerson Oil Company Iddress: P.O. Box 3 Ity/State/Zip: Iola, KS 66749 Iontact Person: Jim Rickerson Inone: (660) 596-4551 IONTRACTOR: License# IONTRACTOR: License#	SECTION
Ame: Russel Rickerson dba Rickerson Oil Company Iddress: P.O. Box 3 Ity/State/Zip: Iola, KS 66749 Iontact Person: Jim Rickerson Inone: (660) 596-4551 IONTRACTOR: License# IONTRACTOR: License#	Is SECTION Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Allen Lease Name: Trester Well #: 8 Field Name: lola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
ity/State/Zip: Iola, KS b6/49 contact Person: Jim Rickerson chone: (660) 596-4551 ONTRACTOR: License# 33977 ONTRACTOR: License# 33977 Well Dritled For: Well Class: Type Equipment: VOII Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary ONWO Disposal Wildcat Cable	(Note: Locate well on the Section Plat on reverse side) County: Allen Lease Name: Trester Field Name: lola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
ity/State/Zip: Iola, KS b6/49 contact Person: Jim Rickerson chone: (660) 596-4551 ONTRACTOR: License# 33977 ONTRACTOR: License# 33977 Well Dritled For: Well Class: Type Equipment: VOII Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary ONWO Disposal Wildcat Cable	County: Allen Lease Name: Trester Field Name: bla Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
ontact Person: MR Rickerson hone: (660) 596-4551 ONTRACTOR: License# 33977 ONTRACTOR: License# 33977 Well Class: Type Equipment: JOH Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary ONNO Disposal Wildcat Cable	Lease Name: Trester Well #: 8 Field Name: lola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
ONTRACTOR: License# 33977 Well Drilled For: Well Class: Type Equipment: Oil	Field Name: Kola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
ONTRACTOR: License# 33977 Well Drilled For: Well Class: Type Equipment: Oil	Field Name: Kola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
Well Drilled For: Well Class: Type Equipment: ✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary Gas Storage Pool Ext. Air Rotary ONNO Disposal Wildcat Cable	Target Formation(s): Tucker Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
Well Drilled For: Well Class: Type Equipment: ✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary Gas Storage Pool Ext. Air Rotary ONNO Disposal Wildcat Cable	Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Nearest Lease or unit boundary: 165' Ground Surface Elevation: 1,064 est. feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Ground Surface Elevation: 1,064 sst. feet MSL
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	[] []
OWWO Disposal Wildcat Cable	Water went within the cuarter fille.
	Public water supply well within one mile:
0-1	Depth to bottom of fresh water: 50+
Seismic;# of Holes Other	Depth to bottom of usable water: 100+
Other	Surface Pipe by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set: 20'
OWWO: old well information as follows:	Length of Surface ripe rightled to be set.
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1,030' Tucker
Original Completion Date:Original Total Depth:	Formation at total Depth.
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
	FIDAVIT KANSAS CORPORATION COMMI
he undersigned hereby affirms that the drilling, completion and eventual p	
is agreed that the following minimum requirements will be met:	OCT 2 3 2007
1. Notify the appropriate district office prior to spudding of well;	001 2 5 2001
2. A copy of the approved notice of intent to drill shall be posted on ea	ach drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be s	et by circulating cement to the top; in all cases surface pipe, shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	the underlying formation.
4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plu	gged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	atted from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.
[,]	Accent
Date: October 23, 2007 Signature of Operator or Agent:	ra thanka Title: Agent
	Remember to:
	- File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY	
For KCC Use ONLY 001-2964-0000	- File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 001-29661-0000	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15 - 001- 29 to tel-0000 Conductor pipe required None feet	
API # 15 - OOI - 29 lo le I - OOOO feet Conductor pipe required None feet	- File acreage attribution plat according to field proration orders;
API # 15 - OOI - 29 6 6 1 - OOO feet Conductor pipe required feet Minimum surface pipe required feet per Alt. 1/2	File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 001- 29 lo le 1-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: Pub 10-23-07	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
API # 15 - DOI - 29 lo le I - 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Public 23-07 This authorization expires: 4-23-08	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
API # 15 - 001- 29 lo le 1-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Public 23-07	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - DOI - 29 lo le I - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: Public 23-07 This authorization expires: 4-23-08	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29661-0000	Location of Well: County: Allen
Operator: Russel Rickerson dba Rickerson Oil Company	2805 feet from N / ✓ S Line of Section
Lease: Trester	
Well Number: 8	Sec. 8 Twp. 24 S. R. 19 ✓ East Wes
Field: lola	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SWSW SE NW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•			
•	•		•	•	
	•		•	•	•
		.			
•		.	•	•	•
		_	_		
		· l			
			_	_	
1		-		-	
•	•	•	•	•	•
	•	.		•	
	•				
]			
1					
•	•	•	•	•	•
	•	. 1	•	•	•
	•				_
•	· T	•	•	•	-
,					
'		•	•	•	•
		•	•		
	•	. 1			_
	•	•		•	
		}			
	•	.	•	•	•
		·			
i _		i i		-	
	•				
			•	•	
	•	:	:		•
	:		•	•	:
			•		•
			•	•	· · · · · ·
			•	•	•
	• • • • • • • •		•		·
			•	•	· · · · · · · ·
	• • • • • • • •		•		: : :
	• • • • • • • •		•		· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Russel Rickerson dba Rickerson Oil Company		License Number: 30370			
Operator Address: P.O. Box 3, Iola	a, KS 66749				
Contact Person: Jim Rickerson		Phone Number: (660) 596 - 4551			
Lease Name & Well No.: Trester #8		Pit Location (QQQQ):			
Type of Pit:	Pit is: ✓ Proposed Existing If Existing, date constructed:		SW SE NW		
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit			Sec. 8 Twp. 24 R. 19 Feast West 2805 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / 🗸 West Line of Section County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? native clay		
Pit dimensions (all but working pits):	Length (fe	_	Width (feet) N/A: Steel Pits (feet)		
material, thickness and installation procedur			CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.			
N/4 feet Depth of water well	feet	meast	measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:			
			Type of material utilized in drilling/workover: drilling mud		
			umber of working pits to be utilized: 1		
		procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		
October 23, 2007 Date	W	onna	handa ignature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
Date Received: /º/23/07 Permit Nur	mhor.	Do -	it Date: 10/23/07 Lease Inspection: Yes 🖈 No		
Date Received: 10/23/07 Permit Nur	(IDEI		in Date. / 20/01 Lease inspection. Tes X No		