	Correction - Well Number
	ATION COMMISSION Form C-1 CONTROL DIVISION December 2002
JIL UNIO OCITION	ERVATION DIVISION Form must be Typed
District # NOTICE OF IN	TENT TO DRILL JUNE Lattle Temperature Signed
	(5) days prior to commencing well
Expected Spud Date October 17, 2007 month day year OPERATOR: License# 33344 Name: Quest Cherokee LLC Address: 9520 North May Avenue, Sulte 300 City/State/7ip: Okiahoma City, Okiahoma 73120	Spot NW NW Sec. 9 Twp. 28 S. R. 19 West 660 feet from VN / S Line of Section 660 feet from E / W Line of Section Is SECTION Regular Irregular? (Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6881	Lease Name: King Farms Well #: 9-2
CONTRACTOR: License# Will be licensed by the KCC Name: Will advise on the ACO-1 Well Drilled For: Well Class: Type Equipment:	Field Name: Cherokee Basin CBM Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Nearest Lease or unit boundary: 388 (From river); 660 unit boundary Ground Surface Elevation: 897 feet MSL
Oil Enh Rec Inlield Mud Rotary Gas Storage Pool Ext. Air Rotary OWNO Disposal Wildcat Cable Seismic: # of Holes Other Other Coalbed Methane	Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ▼ No
*WAS: Wen #9-1	
	If Yes, proposed zone:RECEIVED
——————————————————————————————————————	IDAVIT KANSAS CORPORATION COMMISSIN
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	OCT 15 2007
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ear The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the desired in the set of the set o	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe stylend, its he underlying formation. listrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing

must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: October 12, 2007 Signature of Operator or Agent: J. Gaw Marlin

/ !	Remember to:
For KCC Use ONLY API # 15 - 133-27346-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Aft. (2) Approved by: [M /015-07 Rufflo34-07 This authorization expires: 4-15-08 (This authorization void if drilling not started within 6 months of approval date.)	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Parmit Expired
Spud date: Agent:	Signature of Operator or Agent:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVES

KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


CORRECTED

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27246-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from VN / S Line of Section
Lease: King Farms	feet from ☐ E / ✓ W Line of Section
Well Number: 9-2	Sec. 9 Twp. 28 S. R. 19 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗀 Irregular
QTR / QTR / QTR of acreage: NW NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NE SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

OCT 15 2007

COMSERVATION DIVISION



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED COMMISSION

OCT 24 2007

Y)NSERVATION DIVISION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		·-·	Phone Number: (405) 463 - 6880
Lease Name & Well No.: King Farms	#9- (, #9-2		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>NW</u> - <u>NW</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 9 Twp. 28 R. 19
Settling Pit	If Existing, date of	onstructed:	660 Feet from 🗸 North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:	<u></u>	660 Feet from East / 🗸 West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
is the bottom below ground level? ☐ Yes ☑ No	Yes V	No	Flow is the pictified if a plastic miss is not acces,
Pit dimensions (all but working pits):	30 Length (fe	et) 10	Width (feet) N/A: Steel Pits
,	rom ground level to de	eepest point:	(feet)
		·	
If the pit is lined give a brief description of the	e liner	Describe proce	edures for periodic maintenance and determining
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	liner integrity, i	ncluding any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	liner integrity, i	edures for periodic maintenance and determining nocluding any special monitoring. Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	liner integrity, i	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO
material, thickness and installation procedur	B.	liner Integrity, i	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO
If the pit is lined give a brief description of the material, thickness and installation procedur Distance to nearest water well within one-mile.	B.	Air Drilling Depth to shallo	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 Overst fresh water
material, thickness and installation procedur	e. e of pit	Depth to shalld Source of information	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO OCT 15 2007 Weest fresh water
Distance to nearest water well within one-mil N/A feet Depth of water well	e of pitfeel	Depth to shallo Source of information. Drilling, Work	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OWEST fresh water
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	e of pitfeel	Depth to shallo Source of informeast Drilling, Work Type of materia	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO OCT 15 2007 Invest fresh waterfeet. CONSERVATION DIVISION Invest mation: WICHITA, KS Inved well owner electric log KDWR Over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Orilled
Distance to nearest water well within one-mil N/A feet Depth of water well	e of pitfeel	Depth to shallo Source of informeasu Drilling, Work Type of materia	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OWEST fresh water
Distance to nearest water well within one-mil	e of pitfeel	Depth to shallo Source of informeasu Drilling, Work Type of materia	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSIO OCT 15 2007 Invest fresh waterfeet. CONSERVATION DIVISION Invest mation: WICHITA, KS Inved well owner electric log KDWR Over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Orilled
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e of pitfeel	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work Abandonment	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OWEST fresh water
Distance to nearest water well within one-mil NA feet Depth of water well	e of pit feel :	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OVERWEST fresh water
Distance to nearest water well within one-mil	e of pit feel :	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OVERWEST Fresh water
Distance to nearest water well within one-mil	e of pit feel :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 Weest fresh water feet. CONSERVATION DIVISION WICHTA, KS wired well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled rking pits to be utilized: One procedure: Air Dry, Back Fill and Cover be closed within 365 days of spud date. It of my knowledge and belief. KANSAS CORPORATION COMMISSION
Distance to nearest water well within one-mil	e of pit feel :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OVERWEST Fresh water
Distance to nearest water well within one-mil	e of pitfeel : Il spilled fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 Weest fresh water
Distance to nearest water well within one-mil	e of pit feet : Il spilled fluids to ements are true and o	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2007 OCT 15 2007 OVERWEST Fresh water