

For KCC Use:	10-20-0-
Effective Date: _	10-30-07
District #1	and the Section
ecas $\square$ Voo	<b>∑</b> No

# Kansas Corporation Commission Oil & Gas Conservation Division

1013200

Form C-1
November 2005
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	(5) days prior to commencing well	lanks must be Filled
Expected Spud Date: 10/30/2007	Spot Description:	
month day year	E2 . W2 . NE . NW Sec. 19 Twp. 34 S. R	11 □E ▼W
33168	(2/2/2/0) 660 feet from N /	
OPERATOR: License#	1,830 feet from E / D	
Name: Woolsey Operating Company, LLC	Is SECTION: Regular Irregular?	Z W Ellie of Section
Address 1: 125 N MARKET STE 1000	is SECTION: Megular Infregular?	
Address 2:	(Note: Locate well on the Section Plat on revers	e side)
City: WICHITA State: KS Zip: 67202 + 1729	County: Barber	
Contact Person: DEAN PATTISSON Phone: 316-267-4379	Lease Name: LOGAN	Nell #: 5-X
	Field Name: STRANATHAN	
CONTRACTOR: License#33843	Is this a Prorated / Spaced Field?	Yes X No
Name: Terra Drilling, LLC	Target Formation(s): MISSISSIPPIAN	
Well Drilled For: Well Class: Type Equipment:	660	manakahatan at Herry, carantan manakan
<u> </u>	Ground Surface Elevation: 1423	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 180	
Seismic ; # of Holes Other	Depth to bottom of usable water: 180	
Other:	· — — —	
If OWWO: old well information as follows:	Surface Pipe by Alternate: \  \( \subseteq \] \  \subseteq \] \  \text{II} \  \text{Longth of Surface Pipe Planned to be set: \( \frac{200}{200} \)	
	Length of Conductor Pipe (if any): 0	
Operator:		
Well Name:	Projected Total Depth: 5200 SIMPSON	
Original Completion Date: Original Total Depth:	Formation at Total Depth: SIMPSON	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other: TO BE HAULED	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	☐Yes 🔀 No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of the unimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state of the unimum of 20 feet into the state	drilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. ct office on plug length and placement is necessary <i>prior to</i> do r production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate chugged. In all cases, NOTIFY district office prior to any control of the CCC and the case of	T 2 5 2007  WICHITA KS  plugging;  spud date. Il cementing
u laulia	Title: Oflewho	Mense
Date: 10/24/67 Signature of Operator or Agent:	Title: Uplicano	in irway
	Remember to:	19
For KCC Use ONLY	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> </ul>	
API # 15. DO7-23219-0000	- File Completion Form ACO-1 within 120 days of spud date	الأما
Conductor pipe required 0 feet	File acreage attribution plat according to field proration ord	-
Minimum surface pipe required 200	Notify appropriate district office 48 hours prior to workover  Submit plugging report (CR-4) after plugging is completed.	- ,
_ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	<ul> <li>Submit plugging report (CP-4) after plugging is completed</li> <li>Obtain written approval before disposing or injecting salt w</li> </ul>	
Approved by: 4410-25-07	If this permit has expired (See: authorized expiration date)	<b>[</b>
This authorization expires: 4-25-08	check the box below and return to the address below.	p.5000
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired Date:	
	Signature of Operator or Agent:	m
1 0 111		
Spud date: Agent:	digitators of operator of Agent.	Ę



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <i>007-23219-00</i> 00		
Operator: Woolsey Operating Company, LLC	Location of Well: County: Bar	rber
Lease: LOGAN	660	_ feet from X N /  S Line of Section
Well Number: 5-X	1,830	feet from E / X W Line of Section
Field: STRANATHAN	Sec. 19 Twp. 34	S. R. 11 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _E2 W2 _ NE _ NW	Is Section: Regular or	Irregular
	If Section is Irregular, locate Section corner used:	e well from nearest corner boundary.

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

OCT 25 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



### Kansas Corporation Commission Oil & Gas Conservation Division

1013200

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Woolsey Operating Company, LLC		License Number: 33168		
Operator Address: 125 N MARKET STE 1000			WICHITA	KS 67202
Contact Person: DEAN PATTISSON		Phone Number: 316-267-4379		
Lease Name & Well No.: LOGAN 5-X		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_E2 _ W2 _ NE _ NW_	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 34 R. 11 Ear	st West
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section  1,830 Feet from East / West Line of Section	
Workover Pit Haul-Off Pit	Dit annait a			
(If WP Supply API No. or Year Drilled)	Pit capacity: 4,800	(bbis)	Barber	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	<del>-</del>
			(For Emergency Pits and Settling Pit	is only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  CLAYS FROM MUD WILL PROVIDE SEALER	
	L <u> </u>	<del>.</del>		
Pit dimensions (all but working pits):1		<del>30</del> 1)	4	: Steel Pits
	om ground level to de	* *		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining RECEIVED liner integrity, including any special monitoring.		
		MONITOR	UNTIL DRY	
				[]['  / n /(#
				OCT 25 2007
				ONSERVATION DIVISION WIGHTA KS
Distance to nearest water well within one-mile	e of pit		owest fresh water4feet.	ONSERVATION DIVISION
Distance to nearest water well within one-miles 3711 feet Depth of water well	40	Depth to shallo Source of info	west fresh water4feet. mation:	ONSERVATION DIVISION WICHITA, KS
2744	40 feet	Source of informeasu	west fresh water4feet. mation:	ONSERVATION DIVISION
feet Depth of water well _	40 feet	Source of informeasu	west fresh water4feet. mation: ured well owner electric log	ONSERVATION DIVISION WICHITA, KS
	40 feet	Source of informeasu  Drilling, Work  Type of material  Number of work	west fresh water 4 feet. mation: ured well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3	CONSERVATION DIVISION WICHITA, KS  KDWR  S  S  S  S  S  S  S  S  S  S  S  S  S
	40 feet	Source of informeasu  Drilling, Work  Type of material  Number of work	west fresh water4feet. mation: uredwell ownerelectric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized:3 procedure: WHEN DRY, BACKFILL AND	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R
	40 feet	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment	west fresh water 4 feet. mation: ured well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R
	40 feet	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must	west fresh water 4 feet. mation: ured well owner electric log fover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3 procedure: WHEN DRY, BACKFILL AND RESTORE LOCATION be closed within 365 days of spud date.	CONSERVATION DIVISION WICHITA, KS  KDWR  S  S  S  S  S  S  S  S  S  S  S  S  S
	40 feet	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must	west fresh water 4 feet. mation: ured well owner electric log fover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3 procedure: WHEN DRY, BACKFILL AND RESTORE LOCATION be closed within 365 days of spud date.	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R
	40 feet	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes	owest fresh water4	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R
	40 feet	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes	west fresh water 4 feet. mation: ured well owner electric log fover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3 procedure: WHEN DRY, BACKFILL AND RESTORE LOCATION be closed within 365 days of spud date.	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R
	40 feet  I spilled fluids to	Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes	west fresh water 4 feet. mation: ured well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH king pits to be utilized: 3 procedure: WHEN DRY, BACKFILL ANI RESTORE LOCATION be closed within 365 days of spud date.  It of my knowledge and belief.	CONSERVATION DIVISION WICHITA, KS  KDWR  ROWR  R



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 25, 2007

DEAN PATTISSON Woolsey Operating Company, LLC 125 N MARKET STE 1000 WICHITA, KS67202-1729

Re: Drilling Pit Application LOGAN Lease Well No. 5-X NW/4 Sec.19-34S-11W Barber County, Kansas

#### Dear DEAN PATTISSON:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **KEEP PITS away from draw/drainage**.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 25 2007

CONTRACTION DIVISION