For KCC Use:

Effective Date: /0-31-07

District #

SGA? | | Yes | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date October 26, 2007	Spot East
month day year	SW - SE - NE Sec. 14 Twp. 11 S. R. 18 V West
ODER#70D. 15# 30537	2310feet from V N / S Line of Section
UPERATUR: License#	990 feet from ✓ E / W Line of Section
Name: Venture Resources, Inc. Address P.O. Box 101234	Is SECTION ✓ RegularIrregular?
Addless. Deputs CO 90250	
City/State/Zip;	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Ron Mackey	County: Ellis
Phone: (303) 722-2899	Lease Name: Carmichael Well #: 4 Field Name: BEMIS-SHUTTS
CONTRACTOR: License# 33493	
Name: American Eagle Drilling, LLC	Is this a Prorated / Spaced Field?Yes
Tidiro.	raiger i offication(s).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary.
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 1,804.5 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: ✓ Yes No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes Yes
Seismic: # of Holes Other	Depth to bottom of fresh water: 180'
Other	Depth to bottom of usable water: 580 530
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 210'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,550
Original Completion Date:Original Total Depth:	Formation at rotal Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #: 20060346
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et KARSAS CORPORATION COMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill chall be posted on one	UDAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et RANSAS CORPORATION COMMIS OCT 2 6 2007
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill chall be posted on one	UDAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et RANSAS CORPORATION COMMIS OCT 2 6 2007
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et ARSAS CORPORATION COMMIS OCT 2 6 2007 The by circulating cement to the top; in all cases surface pipe stration of the control of the c
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling and the second of the province of the province of the specified below <i>shall be</i> second all unconsolidated materials plus a minimum of 20 feet into the drilling of the second of the	ugging of this well will comply with K.S.A. 55 et RANSAS CORPORATION COMMIS OCT 2 6 2007 ch drilling rig; by circulating cement to the top; in all cases surface pipe straff of firsion in eunderlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to piugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the approved notice of intent to drilling the second of the second	ugging of this well will comply with K.S.A. 55 et RECEIVED OCT 2 6 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall on processor of the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the continuous forms of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	ugging of this well will comply with K.S.A. 55 et RECEIVED OCT 2 6 2007 Ch drilling rig; If by circulating cement to the top; in all cases surface pine shall be finision to underlying formation. WICHITA, KS WICHITA, KS ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the formula of the surface will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ugging of this well will comply with K.S.A. 55 et RECEIVED OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be formation. WICHITA, KS is increased or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the drilling of the approved notice of intent to drilling of the shall be set through all unconsolidated materials plus a minimum of 20 feet into the drilling of the shall be district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the analysis of the shall be completed within 30 days of the spud date or the well shall the shall appropriate district office will be notified before the shall shall the completed within 30 days of the spud date or the well shall the shall	ugging of this well will comply with K.S.A. 55 et RECEIVED OCT 2 6 2007 The drilling rig; If by circulating cement to the top; in all cases surface pine shall be selected in the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the foliowing minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and terms best or	ugging of this well will comply with K.S.A. 55 et SEAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be fine underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the foliowing minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and terms best or	ugging of this well will comply with K.S.A. 55 et SEAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be fine underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the well appropriate district office will be notified before well is either plug of the well appropriate district office will be notified before well is either plug of the well appropriate will be notified before well in the well appropriate well appropriate appropriate will be notified before well appropriate the well appropriate appropriate district office will be notified before well appropriate appropriate district office will be notified before well appropriate appropriate district office will be notified before well appropriate appropriat	ugging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be finision in eunderlying formation. WICHITA, KS WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the first office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of the well shall be officed before well is either plug of t	ugging of this well will comply with K.S.A. 55 et RECEIVED OCT 2 6 2007 The drilling rig; In the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the decrease of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the well is either plug to the well is either plug to the appropriate district office will be notified before well is either plug to the well is either plug to the well is either plug to the well to the well shall in the plug to the well shall be proved to the well shall	ugging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be finision in eunderlying formation. WICHITA, KS WICHITA, KS WICHITA, KS ged or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	ugging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be formulated from situation. WICHITA, KS is the underlying formation. WICHITA, KS is the underlying form to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 26, 2007 Signature of Operator or Agen: Warrant of Conductor pipe required For KCC Use ONLY API # 15 - 251 - 25702 - OCO	ugging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be finision in eunderlying formation. WICHITA, KS WICHITA, KS WICHITA, KS ged or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and	ugging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; The by circulating cement to the top; in all cases surface pine shall be formulated from situation. WICHITA, KS with the initial complete in the second of the strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the description of the description	ugging of this well will comply with K.S.A. 55 et RANSAS CORPORATION COMMIS of drilling rig; the by circulating cement to the top; in all cases surface pipe strail of prision of the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the provided below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 1 hereby certify that the statements made herein are true and to the best of Date: 2 October 26, 2007 3 Signature of Operator or Agent feet 4 Minimum surface pipe required feet 4 Approved by: 5 The approved in the district office prior to spudding of well; 5 The approved in the district office prior to spudding of the spudding o	ugging of this well will comply with K.S.A. 55 et RASAS CORPORATION COMMIS OCT 2 6 2007 ch drilling rig; by circulating cement to the top; in all cases surface pipe stall by SM SION in eunderlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the decision of the approved notice of intent to drill shall be posted on each and the decision of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 26, 2007 Signature of Operator or Agent feet Minimum surface pipe required 2000 Approved by: **Pursuant to Appendix Appendix Approved by: **Pursuant to Appendix Appendix Appendix Append	ugging of this well will comply with K.S.A. 55 et SANSAS CORPORATION COMMIS OCT 2 6 2007 Ch drilling rig; If by circulating cement to the top; in all cases surface pine shall be finision to underlying formation. In all cases surface pine shall be finision to be underlying formation. In all cases surface pine shall be finision to underlying formation. In all cases are prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the provided below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 1 hereby certify that the statements made herein are true and to the best of Date: 2 October 26, 2007 3 Signature of Operator or Agent feet 4 Minimum surface pipe required feet 4 Approved by: 5 The approved in the district office prior to spudding of well; 5 The approved in the district office prior to spudding of the spudding o	ugging of this well will comply with K.S.A. 55 et SAGAS CORPORATION COMMIS OCT 2 6 2007 ch drilling rig; by circulating cement to the top; in all cases surface pipe strail of prision istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the decision of the approved notice of intent to drill shall be posted on each and the decision of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 26, 2007 Signature of Operator or Agent feet Minimum surface pipe required 2000 Approved by: **Pursuant to Appendix Appendix Approved by: **Pursuant to Appendix Appendix Appendix Append	ugging of this well will comply with K.S.A. 55 et KARSAS CORPORATION COMMIS OCT 2 6 2007 The drilling rig; In by circulating cement to the top; in all cases surface pipe shall be followed by circulating cement to the top; in all cases surface pipe shall be followed by circulating cement to the top; in all cases surface pipe shall be followed by circulating cement to the top; in all cases surface pipe shall be followed by circulating cement to the cases are prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 05125702-0000	Location of Weli: County: Effis
Operator: Venture Resources, Inc.	-
Lease: Carmichael	2310 feet from VN/S Line of Section 990 feet from VE/W Line of Section
Well Number: 4 Field: BEMIS-SHUTTS	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SW _ SE _ N	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				•	•	•
				:	•	
		•		•	•	•
	•	•	•			•
					•	•
	•	•	•		: ^	•
	•	•	•	•	· Y	•
ł	•	•	•	•	· [•
		-		•		•
	•					•
	•	· · · ·		•		
	•	· · · · · · · · · · · · · · · · · · ·		•		
	• • •	· · · · · · · · · · · · · · · · · · ·		•		:
	• • •			•		:
	•				:	:
					:	:
					:	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Venture Resources, Inc.			License Number: 30537		
Operator Address: P.O. Box 10123	34, Denver, C	O 80250			
Contact Person: Ron Mackey			Phone Number: (303) 722 - 2899		
Lease Name & Well No.: Carmichael #4			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SE NE -		
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 11 R. 18 ☐ East 🗸 West		
Settling Pit	If Existing, date constructed:		2310 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			990 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	/L&&_X	Filie		
	1,000	(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: mg/î (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸 I	No	Natural clays and muds		
Pit dimensions (all but working pits):	00 Length (fe	et) 50	Width (feet)N/A: Steel Pits		
Depth fi	rom ground level to de	epest point: 6	(feet)		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 18 feet.			
	60 feet		redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	:	Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: Type of material Number of producing wells on lease: Number of working the producing wells on lease in the producing wells on the producing well well well well as the producing well as the produci		Type of materia	naterial utilized in drilling/workover: fresh water chem/gel system		
		Illowest fresh water 18feet. formation: Issuredwell ownerelectric log KDWR Indicates the state of the stat			
		procedure: Haul liquids to SWD			
Does the slope from the tank battery allow all spilled fluids to			refill with original soils RECEIVED De closed within 365 days of spud date. KANSAS CORPORATION OF		
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and belief. OCT 2 6 200		
October 26, 2007 Date	Do	nna	CONSERVATION DIV		
	KCC (OFFICE USE O			
1 -)			t Date: 10/36/07 Lease Inspection: 1 Yes No		
Date Received: 10/20/07 Permit Num			it Date: 10/06/07 Lease Inspection: 1 Yes No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 26, 2007

Mr. Ron Mackey Venture Resources, Inc. PO Box 101234 Denver, CO 80250

RE: Drilling Pit Application Carmichael Lease Well No. 4 NE/4 Sec. 14-11S-18W Ellis County, Kansas

Dear Mr. Mackey:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed without slots, the bottom shall be flat and reasonably level, and if sand is encountered during the construction of the reserve pit or working pits, please call the District Office at (785) 625-0550. The fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Please keep all pits away from any draws.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File