For KCC Use: 10-22-07

Effective Date: 3

SGA? Yes No

Location Correction KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

OCT 17 2007

Form C-1 Secember 2002

December 2002

NOTICE OF INTENT TO DRILL CONSERVATION DI

Must be approved by KCC five (5) days prior to commencing we

October 24, 2007	Spot AS PROPERTY OF THE PROPER
Expected Spud Date	Spot SE SW Sec. 29 Twp. 27 S. R. 19 West
	feet from N / VS Line of Section
OPERATOR: License# Quest Cherokee LLC 33344	660 2250 feet from E / V W Line of Section
Name: Quest Cherokee LLC	Is SECTION Regular Irregular?
Address: 9520 North May Avenue, Suite 300 City/Cate/Zia, Oklahoma City, Oklahoma 73120	
CIIV/SIAIB/ZID.	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho Lease Name: Mih, Alexander D. Well #: 29-1
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	f lac class
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
Namo,	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 982 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Weil Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
VCC DVT #	Will Cores be taken? Yes ✓ No
XWAS: 5W-SW LEGO'FSL, 660'FWL	If Yes, proposed zone:
TC. SC-SE-SG 330'FSL, 2250' FWL	DECEIVED
IS: SE-SE-SW J30'FSL, 2250 FWL AF	FIDAVIT RECEIVED
TS: SE-SE-SW 330'FSL, 22SD FWL AFT The undersigned hereby affirms that the drilling, completion and eventual	
IS: SE-SE-SW J30'FSL, 2250 FWL AF	olugging of this well will comply with K.S.A. 55 dtANSAS CORPORATION COMMISSION
Ts: 5E-5F-5W 330'FSL, 2250 FWL The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well:	olugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A convert the appropriate district of intent to drill shall be posted on e	plugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> .	plugging of this well will comply with K.S.A. 55 首為數為 CORPORATION COMMISSION OCT 29 2007 ach drilling rig; set by circulating cement to the top; in all cases surface 的 医皮肤
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at the posted of the surface of the prior of the prior of the prior of the prior of the posted on e.	Dlugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface the complete the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feel into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	olugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface the content of the top of the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plush in the control of the control	Dlugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007 ach drilling rig; ach drill
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE if COMPLETION, production pipe shall be ceme. Or pursuent to Appendix "B" - Fastern Kansas surface casing order.	Dlugging of this well will comply with K.S.A. 55 MANSAS CORPORATION COMMISSION OCT 2 9 2007 ach drilling rig; ach drill
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE if COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface processors the underlying formation. district office on plug length and placement is necessary prior to plugging; logged or production casing is cemented in; lited from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE if COMPLETION, production pipe shall be ceme. Or pursuent to Appendix "B" - Fastern Kansas surface casing order.	OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface processors the underlying formation. district office on plug length and placement is necessary prior to plugging; logged or production casing is cemented in; lited from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the sest.	OCT 2 9 2007 ach drilling rig:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE if COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	OCT 2 9 2007 ach drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE If COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest Date: October 16, 2007 Signature of Operator or Agent:	OCT 2 9 2007 ach drilling rig:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the sest Date: October 16, 2007	OCT 2 9 2007 ach drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27353-0000	OCT 2 9 2007 ach drilling rig; but by circulating cement to the top; in all cases surface of the underlying formation. district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 f	OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface to prior to plugging; district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to filed proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE If COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	OCT 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface to prior to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; tied from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the sest Date: October 16, 2007	OCT 2 9 2007 ach drilling rig; bet by circulating cement to the top; in all cases surface processory the underlying formation. district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; rigged or production casing is cemented in; rigged or production casing is cemented in; rigged or production and usable water to surface within 120 days of spud date. rigged or production applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and toylog est Date: Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27253-0000 Conductor pipe required	oct 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface parameters on the underlying formation. district office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and the water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27353-0000 Conductor pipe required	oct 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface parameters on the underlying formation. district office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and the underlying formation. district office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and toylog est Date: Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27253-0000 Conductor pipe required	oct 2 9 2007 ach drilling rig; set by circulating cement to the top; in all cases surface to the underlying formation. district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief Title: VP Remember to: - File Drill Plt Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: October 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27353-0000 Conductor pipe required	DCT 2 9 2007 ach drilling rig;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27253-0000	Location of Well: County: Neosho				
Operator: Quest Cherokee LLC	_600 330 feet from N / ✓ S Line of Section				
Lease: Mih, Alexander D.	sser 2250 feet from ☐ E / ✓ W Line of Section				
Well Number: 29-1	Sec. 29 Twp. 27 S. R. 19				
Field: Cherokee Basin CBM					
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular				
QTR / QTR / QTR of acreage: SW SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		-					
			•		•	•	•
		•	•	ļ	•	•	•
		•	•	ĺ		•	•
			, ,				
							_
		•	•		•	•	•
	•	•	•	}		•	
			` .				
				1			
	•	•					
				ĺ			
				' ' '			
			•				
					-		
		-	٠ ٨.	4		•	•
			 	ኯ	-,		
	•						
		,	•				
			•	ĺ			•
					•	•	•
				l	٠		
		• • •		1			
	•		•		•	,	
	•		•	1	:		
/		•			-	•	
	₁ · · ·			' ' '			•
]	•	. 0	ł		,	
	łı			Ì			
	W			i			

RECEIVED KANSAS CORPORATION COMMISSION

OCT 2 9 2007

CONSERVATION DIVISION WICHITA, KS



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA KS

Operator Name: Quest Cherokee LLC		License Number: 33344	· PA					
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklah	ioma 73120				
Contact Person: Richard Marlin			Phone Number: (405)					
Lease Name & Well No.: Mih, Alexander D. #29-1		Pit Location (QQQQ):						
Type of Pit:	Pit is:		<u>sw</u>	. <u>SW</u>				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 27 R.					
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section 2350					
Workover Pit Haul-Off Pit	Pit capacity:		L REPORT ZZJU	East / 🗹 West Line of Section				
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho	County				
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ☑] No	Chloride concentration:	mg/l				
	T		(For Emergency F	Pits and Settling Pits only)				
is the bottom below ground level? Yes Vo	Artificial Liner? ☐ Yes ✓	No	now is the pictured if a plasti	Carrer is not used?				
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet)	N/A: Steel Pits				
Depth fo	rom ground level to de	eepest point:	10 (feet)					
material, thickness and installation procedure	3 .		ncluding any special monitoring Operation lasting app					
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water	feet.				
N/A feet Depth of water well_	feet	measu	iredwell owner	electric logKDWR				
Emergency, Settling and Burn Pits ONLY:	:		over and Haul-Off Pits ONLY	i,				
		ial utilized in drilling/workover: Air Drilled						
		orking pits to be utilized: One						
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill a	nd Cover				
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of sp	oud date.				
i hereby certify that the above state October 16, 2007 Date	ements are true and) . San	t of my knowledge and belief. Malanture of Applicant or Agent	RECEIVED KANSAS CORPORATION COMMISSION OCT 2 9 2007 CONSERVATION DIVISION				
	KCC	OFFICE USE O	NLY 10/84/07	WICHITA, KS				
Date Received: /0/17/07_Permit Num	nber:	Perm		se Inspection: Yes 🖈 No				