

For KCC Use:	11 11-00	
Effective Date: _	11-4-07	
District #3		
SGA? Yes	s ⊠no	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1013422

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of me	Spot Description: SE NW NW NE Sec. 15 Twp. 25 S. R. 17 SE W 4,700 feet from N / S Line of Section 1s SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Woodson Lease Name: Heen Well #: 1-07 Field Name: HUMBOLDT-CHANUTE Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary line (in footage): 510 Ground Surface Elevation: 1054 feet MSL Water well within one-quarter mile: Yes No Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I X II Length of Conductor Pipe (if any): 0 Projected Total Depth: 900 Formation at Total Depth: Shale Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
OPERATOR: License# Name: Leis, John E. Address 1: 111 E MARY ST Address 2: City: YATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Oil	4,700 feet from N / S Line of Section
OPERAIOH: Leis, John E. Address 1: 111 E MARY ST Address 2: City: "ATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Michael Cable Other: Cable Other: # of Holes Other Other: Well Name: Original Total Depth: Seismic : # of Holes Other Original Completion Date: Original Total Depth: Molestom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of method or the statements made herein are true and to the best of method or the well shall be the posterior or the well shall be the poste	Section Sect
Name: Leis, John E. Address 1: 111 E MARY ST Address 2: City: YATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Class: Type Equipment: Wildcat Air Rotary Wildcat Cable Seismic; # of Holes Other Other: If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of method or the set of the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the post of the completed within 30 days of the spud date or the well shall be the post of the completed within 30 days of the spud date or the well shall be the post of the completed within 30 days of the spud date or the well shall be the post of the completed within 30 days of the spud date or the well shall be the post of the completed within 30 days of the spud date or	Lest from E W Line of Section
Address 1: 111 E MARY ST Address 2: City: "ATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Gas	Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side)
Address 2: City: YATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment:	(Note: Locate well on the Section Plat on reverse side) County: Woodson Lease Name: Heen
City: YATES CENTER State: KS Zip: 66783 + 1445 Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas	County: Woodson Lease Name: Heen
Contact Person: John Leis Phone: 620-625-3676 CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment:	Lease Name: Haen Field Name: HUMBOLDT-CHANUTE Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary line (in footage): 510 Ground Surface Elevation: 1054 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
CONTRACTOR: License# 32079 Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Oil	Field Name: HUMBOLDT-CHANUTE Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary line (in footage): 510 Ground Surface Elevation: 1054 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Oil	Is this a Prorated / Spaced Field? Target Formation(s): _Squirrel Nearest Lease or unit boundary line (in footage):
Name: Leis, John E. Well Drilled For: Well Class: Type Equipment: Oil	Target Formation(s): Squirrel Nearest Lease or unit boundary line (in footage): 510 Ground Surface Elevation: 1054 feet MSL Water well within one-quarter mile: Yes No Public water supply well within one mile: Yes No Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I I I I I I Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe (if any): 0 Projected Total Depth: 900 Formation at Total Depth: Shale Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
Well Drilled For: Well Class: Type Equipment: Mud Rotary	Nearest Lease or unit boundary line (in footage): 510 Ground Surface Elevation: 1054 feet MSL Water well within one-quarter mile: Yes No Public water supply well within one mile: Yes No Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I WIII Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe (if any): 0 Projected Total Depth: 900 Formation at Total Depth: Shale Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
Seismic; # of Holes	Ground Surface Elevation: 1054
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Other: Ot	Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Other: Ot	Public water supply well within one mile: Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
Seismic; # of Holes Other Other: Other: Other: Other: Other: Original Cowpletion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Depth to bottom of fresh water: 125 Depth to bottom of usable water: 200 Surface Pipe by Alternate: I
Seismic; # of Holes Other Other: Original Cowwo: old well information as follows: Original Completion Date: Original Total Depth: Original Total Depth: Original Total Depth: Original Total Depth: Other: Original Total Depth: Yes No Yes No If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Depth to bottom of usable water: 200 Surface Pipe by Alternate: I
Other: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
Operator: Well Name: Original Completion Date: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe (if any): 0 Projected Total Depth: 900 Formation at Total Depth: Shake Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Length of Conductor Pipe (if any): 0 Projected Total Depth: 900 Formation at Total Depth: Shake Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Projected Total Depth:900 Formation at Total Depth:Shake Water Source for Drilling Operations:
Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Formation at Total Depth: Shale Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes No
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes No
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	DWR Permit #:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	ii 165, proposed zone.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	BEOEN/ED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	DAVIT RECEIVED KANSAS CORPORATION COMMISSIC
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	ging of this well will comply with K.S.A. FE at any
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my 	
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of m 	OCT 2 9 2007
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my 	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	drilling rig; CONSERVATION DIVISION
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my 	y circulating cement to the top; in all cases surface pipe shalfall HEA, KS
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of m.	of office on plug length and placement is paceasen; arior to alumning:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of my	d or production casing is cemented in:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of m	from below any usable water to surface within 120 DAYS of soud date
hereby certify that the statements made herein are true and to the best of my	3,891-C, which applies to the KCC District 3 area, alternate II cementing
Date: 10 -45-07 Signature of Operator or Agent:	knowledge and belief.
Date: 10 - 3 - 5 + Signature of Operator or Agent:	
	Title: Operator
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 207~ 273/40000	The state of the s
Conductor pipe requiredfeet	- File Completion Form ACO-1 within 120 days of spud date:
Minimum surface pipe required 20 feet per ALT. I	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Approved by: Put 10-3007	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
This authorization expires: 10-30-08	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
(This authorization void if drilling not started within & months of approval date.)	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
12	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
Spud date: Agent:	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

1013422

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27316		
Operator: Leis, John E.	Location of Well: County: Woodson	
Lease: Haen	4,700 feet from N / X S Line of Section	
Well Number: 1-07	2,130 feet from X E / W Line of Section	
Field: HUMBOLDT-CHANUTE	Sec. 15 Twp. 25 S. R. 17 X E W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

RECEIVED
2130 ft.

OCT 2 9 2007

CONSERVATION DIVISION
WICHITA, KS

EXAMPLE

15

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

4700 ft.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1013422

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Leis, John E.			License Number: 32079		
Operator Address: 111 E MARY ST			YATES CENTER KS 66783		
Contact Person: John Leis		Phone Number: 620-625-3676			
Lease Name & Well No.: Haen	1-0)7	Pit Location (QQQQ):		
Type of Pit:	Pit is:	***************************************	SE NW NW NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 15 Twp. 25 R. 17 East West		
Settling Pit Drilling Pit	If Existing, date o	onstructed:	4,700 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,130 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	350	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Native Clay		
Pit dimensions (all but working pits): 15 Length (feet) 10 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point: 6 (feet) No Pit					
l ' '		edures for periodic maintenance and determining			
material, thickness and installation procedure.		liner integrity, i	ncluding any special monitoring. RECEIVED		
			KANSAS CORPORATION COMMISSION		
			OCT 2 9 2007		
Distance to nearest water well within one-mile of pit			west fresh water CONSERVATION DIVISION feet. WICHITA, KS		
N/A feet Depth of water well feet		Source of information: measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh water			
Number of producing wells on lease:		Number of working pits to be utilized:2			
Barrels of fluid produced daily:		Abandonment procedure: dry out and back fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
			12 1 10 11 11 11 11 11 11 11 11 11 11 11 1		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10-2x-02 Pol 51					
Date		S	ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 10/29/07 Permit Number: Permit Date: 10/29/07 Lease Inspection: Yes XINo					