For KCC Use: 11-4-07 Effective Date: 2 District # 2 SGA? X Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 24, 2007	Spot ✓ E	ast
month day year	am 000 0 28 6 T	est
33576	330feet from N / ✓ S Line of Section	
OPERATOR: License# 33576 V Name: David L. Cornish dba Cornish Oil Company	1650 feet from F L / W Line of Section	
8467 SE Peter Road	Is SECTION Regular Irregular?	
Address: Leon, KS 67074 City/State/Zip: Leon, KS 67074	(Note: Locate well on the Section Plat on reverse side)	
Contact Dereon, David Cuttisti	County: Butler	
Phone: (316) 742-3678 or (316) 259-7042	Lease Name: Jones Well #: 1-8	
	Field Name: Womack	
CONTRACTOR: License# 32854	Is this a Prorated / Spaced Field?	No
Name: Gulick Drilling Company, Inc.	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	
	Ground Surface Elevation: 1,301 feet M	_
		No
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable		Nó
Seismic; # of Holes Other	Depth to bottom of fresh water: 100'	
Other	Depth to bottom of usable water: 180	
Outs.	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 2,800' Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other creek	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	* (Note: Apply for Permit with DWR	
KCC DKT #:		No
	Will Cores be taken?	No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: RECEIVED	
KCC DKT #:AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? If Yes, proposed zone: RECEIVED NAME OF THE PROPOSED STATES AND ASSETT OF THE PROPOS	
AFF! The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of welt;	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Jugging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of welt;	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Jugging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface propagations set to underlying formation.	SSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation.	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Augging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe page of set e underlying formation. Strict office on plug length and placement is necessary prior to plugging.	SSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the difference is the plugical of the set	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION of the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	SSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diff. The appropriate district office will be notified before well is either plugication of the property of the state of the complete of the plugication of the property of the plugication of the plugi	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; Tonservation ply/sion a underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.	g;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an information amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the surface pipe as specified before well is either pluging. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of the surfa	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION of the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	g;
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and all unconsolidated materials plus a minimum of 20 feet into the second of the	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Augging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe and the set of the underlying formation. In strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.	g;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case of the spud case or the well shall be the post of the spud case of the spu	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION be underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Tyes V RECEIVED KANSAS CORPORATION COMMIS CONSERVATION DIVISION 1 by circulating cement to the top; in all cases surface pipe in the series.	g;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case or the well shall be the post of the spud case of the spud case or the well shall be the post of the spud case of the spu	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Augging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe and the set of the underlying formation. In strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.	g;
AFF: The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the pluging the completed within 30 days of the spud date or the well shall be the pluging the completed within 30 days of the spud date or the well shall be the pluging the completed within 30 days of the spud date or the well shall be the pluging the completed within 30 days of the spud date or the well shall be the pluging th	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION be underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Tyes V RECEIVED KANSAS CORPORATION COMMIS CONSERVATION DIVISION 1 by circulating cement to the top; in all cases surface pipe in the series.	g;
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the control of the post of the spud date. Signature of Operator or Agent: **Doctober 19, 2007** Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature of Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature Operator or Agent: **Doctober 19, 2007* **Exercise Policy Signature Operator Opera	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and to be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Title: Agent	g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the spud date. Signature of Operator or Agent: **Date:** October 19, 2007 **Signature of Operator or Agent:** October 19, 2007	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe in the set of the confiction of the set of the confiction of the set of the confiction casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cement to the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the drill unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 19, 2007	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Augging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION By circulating cement to the top; in all cases surface pipe in the set of the confice on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. At 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the production of the post of the post of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the post of the post of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - O15 - 23754 - O00	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION In the prior to plugging to expend to the top; in all cases surface prior to plugging to production casing is cemented in; In driving the prior to plugging to the the top of the plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	g;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of welt; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set i	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS Augging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION By circulating cement to the top; in all cases surface pipe in the set of the confice on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. At 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	g;
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O15 - 23754 - O00 Conductor pipe required Minimum surface pipe required Approved by: For ACC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface paperate of set of the underlying formation. Strict office on plug length and placement is necessary prior to pluggling and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O15 23754-0000 Conductor pipe required Return feet per Alt. (1) Year Approved by: Last 10-30-07 This authorization expires: 10-30-08	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION In drilling rig; CONSERVATION COMMISSION In drilling rig; CONSE	g;
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: October 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O15 - 23754 - O00 Conductor pipe required Minimum surface pipe required Approved by: For ACC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface principal conservation of the enderlying formation. In strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please	g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set through all unconsolidated materials plus a minimum of 20 feet into the set	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS agging of this well will comply with K.S.A. 55 et. seq. OCT 1 9 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe at a large of set of the underlying formation. In strict office on plug length and placement is necessary prior to plugging of the underlying formation casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	g;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 015-23754-0000	Location of Well: County: Butler		
Operator: David L. Cornish dba Cornish Oil Company			
Lease: Jones	feet from N / S Line of Section 1650 feet from F E / W Line of Section		
Well Number: 1-8 Field: Wornack	Sec. 8 Twp. 28 S. R. 6 ✓ East Wes		
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular		
QTR / QTR / QTR of acreage: SE _ SW _ SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		
:	: :	
	_	
:		
•		
	•	
	: :	
:		
:		
	· · · · · · · · · · · · · · · · · · ·	
	:	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: David L. Cornish dba Cornish Oil Company		License Number: 33576			
Operator Address: 8467 SE Peter Road, Leon, KS 67074					
Contact Person: David Cornish		Phone Number: (316) 742 - 3678			
Lease Name & Well No.: Jones 1-8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE SW SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 8 Twp. 28 R. 6 ✓ East West		
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	400	(bbls)	Butler County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?		
			native clay		
Pit dimensions (all but working pits):		_	1		
Depth fr	om ground level to de	epest point: 4	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, trickness and installation procedure.					
			ļč		
Distance to pagest water well within one mile of nit		west fresh water 35 feet.			
Source of infor		mation:			
3353 feet Depth of water well 80 feet measu		iredwell owner electric log 😉 KDWR			
			over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: drilling mud			
Number of producing wells on lease: Number of working pits to be utilized: 2					
Barrels of fluid produced daily: Abandonment procedure: air dry and backfill		procedure: air dry and backtill			
Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date.		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
KANSAS CORPORATION COMMISSIO					
October 19, 2007	ω	ouna	Thanda OCT 19 2007		
Date		S	ignature of Applicant or Agent CONSERVATION DIVISION		
KCC OFFICE USE ONLY WICHITA, KS RE 724 RS			NLY WICHITA, KS RF124RS		
Date Received: 10/19/07 Permit Num	ber:	Perm	it Date: 10/30/07 Lease Inspection: 🖪 Yes 🗌 No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 30, 2007

Mr. David Cornish Cornish Oil Company 8467 SE Peter Rd Leon, KS 67074

RE:

Drilling Pit Application Jones Lease Well No. 1-8 SE/4 Sec. 08-28S-06E Butler County, Kansas

Dear Mr. Cornish:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kåthy Hàynes

Environmental Protection and Remediation Department

cc: File