

For KCC Use: Effective Date: District # Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date: 11/15/2007	Spot Description: 70"W of
month day year	
30717	(0/0/0/0/) 2.310 toot from \[\text{N} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
OPERATOR: License#	2,310 feet from N / X S Line of Section 730 feet from X E / W Line of Section
Name: Downing-Netson Oil Co Inc	Is SECTION: Regular Irregular?
Address 1: PO BOX 372	is SECTION: Megular Imegular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Pon Nolson	County: Trego
Phone: 785-622-2610	Lease Name: KELLER-GLASS Well #. 1-9
	Field Name: RIGA NORTHEAST
CONTRACTOR: License#_31548	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): LKC & Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
☑Oil ☐ Enh Rec ☑Infield ☑ Mud Rotary	Ground Surface Elevation: 2204 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 825
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (if any): 0
Operator: Well Name:	Projected Total Depth: 4100
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Oliginal Completion Date Oliginal Total Septifi	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
	(Note: Apply for Fernit With DWT)
KCC DKT#:	
KCC DKT #:	Will Cores be taken?
KCC DK I #:	Will Cores be taken?
	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFF	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OCT 2 9 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSIN IDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS By circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri-	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS By circulating cement to the top; in all cases surface pipe shall be set underlying formation. Indiction of the complete o
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS In circulating cement to the top; in all cases surface pipe shall be set underlying formation. In circ office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #46	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #46	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of minimum of the price of the spud date or the well shall be increased.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and peliet.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the spud all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and perior.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of minimum of the price of the spud date or the well shall be increased.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI BDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS dy circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of minimum of the price of the spud date or the well shall be increased.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING Graph of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Y knowledge and belief. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of must be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 23510 - 00000	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI DOCT 2 9 2007 CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the production of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of the plugge of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum of 20 feet into the shall be 1 hereby certify that the statement of the plugge of the spud date or the well shall be 1 hereby certified between the complete of the product	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: The Driver of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 235 10 - 00000 Conductor pipe required 0 feet per ALT. II XIII	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Y knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Date:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI RECEIVED KANSAS CORPORATION COMMISSI CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Y knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Date:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and befiet. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement hetween the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: Date: Date: Date:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Date:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING RECEIVED KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ye knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: "Title: Title: Titl
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #45 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plate: Detail Of Signature of Operator or Agent: Winterpretation For KCC Use ONLY Signature of Operator or Agent: Image: Image:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSING KANSAS CORPORATION COMMISSING CONSERVATION DIVISION WICHITA, KS By circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22510-0000	
Operator: Downing-Nelson Oil Co Inc	Location of Well: County: Trego
Lease: KELLER-GLASS	2,310 feet from N / N S Line of Section
Well Number: <u>1-9</u>	730 feet from X E / W Line of Section
Field: RIGA NORTHEAST	Sec. 9 Twp. 13 S. R. 21 E X W
Number of Acres attributable to well: OTP/OTP/OTP/OTP of acreage: N2 NE SE	Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR of acreage: N2 - NE - SE	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show located to the nearest lease or unit boundary line.)



2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1013041

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downing Malago Oil Co Inc		License Number: 30717	
Operator Name: Downing-Nelson Oil Co Inc			
Operator Address: PO BOX 372			HAYS KS 67601
Contact Person: Ron Nelson			Phone Number: 785-622-2610
Lease Name & Well No.: KELLER-GI	_ASS 1-9	9	Pit Location (QQQQ):
Type of Pit:	Pit is:		N2 _ NE _ SE
Emergency Pit Burn Pit	Proposed Existing		Sec. 9 Twp. 13 R. 21 East West
Settling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			730 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,000	(bbls)	Trego
Is the nit located in a Sensitive Ground Water	Area? Ves V		Chloride concentration: mg/l
Is the pit located in a Sensitive Ground Water Area? Yes No		7	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	Nio	How is the pit lined if a plastic liner is not used?
Yes No	Yes X	 	Lined with clay soil, native and fresh mud.
Pit dimensions (all but working pits): 70 Length (feet) 70 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:5 (feet) No Pit			
		edures for periodic maintenance and determining ncluding any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION	
			OCT 2 9 2007
			CONSERVATION DIVISION
l , , , , , , , , , , , , , , , , , , ,		west fresh water 30 feet.	
Source of infor 4084 feet Depth of water well 54 feet measu		mation: ured well owner electric log KDWR	
<u> </u>		over and Haul-Off Pits ONLY: al utilized in drilling/workover: 3	
		al utilized in drilling/workover: Fresh Mud	
		procedure: Allow liquid contents to evaporate, let	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		cuttings dry and backfill. be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my/knqwledge and belief.
October 26, 7007 Date MMCA Signature of Applicant or Agent			
Signature of Applicant of Agents			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 10/29/07 Permit Number: Permit Date: 10/29/07 Lease Inspection: Yes XNo			