For KCC Use:

Effective Date:

District #

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	11/4/2007	Spot	✓ East
•	month day year	NW - NW - NW Sec. 17 Twp. 18	S. R. 21 West
OPERATOR: License# 3374	1 /	185 feet from V N /	S Line of Section
Name: Midwest Energy, Inc.			W Line of Section
Adda Commerce Plaza 1 (Center, 7300 W. 110th Street, 7th Floor	is SECTIONRegularIrregular?	
City/State/Zip: Overland Park,	KS 66210	(Note: Locate well on the Section Plat on re	verse side)
Contact Person: Brad Kramer		County: Franklin	·
Phone: 913.693.4605		Lease Name: Needham	Well #: 30
		Field Name: Rantoul	
CONTRACTOR: License# 335	007	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Skyy Drilling, LLC		Target Formation(s): Squirrel	
Well Drilled For:	Well Class: Type Equipment:	Nearest Lease or unit boundary: 185'	
_ /_	/ /	Ground Surface Elevation: N/A	feet MSL
Oil Enh Rec	Infield Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:	Yes V No
OWWO Disposal	Wildcat Cable	Depth to bottom of fresh water: 120'+	
Seismic;# of Hole	es Other	Depth to bottom of usable water: 500	
Other		Surface Pine by Alternate: 1 2	
if OWWO: old well information	as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:		Length of Conductor Pipe required: N/A	
Well Name:		Projected Total Depth: 700'	
	Original Total Depth:	Formation at Total Depth: Squirrel	
	/	Water Source for Drilling Operations:	
Directional, Deviated or Horizo	ntal wellbore? Yes 🗸 No	Weil Farm Pond Other	
If Yes, true vertical depth:		DWR Permit #:	<u> </u>
Bottom Hole Location:		(Note: Apply for Permit with DWR	
KCC DKT #:		Will Cores be taken?	Yes V No
		If Yes, proposed zone:	RECEIVED
	ΔFF	FIDAVIT	SAS CORPORATION COMMISSIO
The undersigned hereby affire	ns that the drilling, completion and eventual t	singging of this well will combly with N.J.A. 33 et. Seu.	
	ns that the drilling, completion and eventual p minimum requirements will be met:	olugging of this well will comply with K.S.A. 35 et. seq.	OCT 3 0 2007
It is agreed that the following	minimum requirements will be met:	nugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following 1. Notify the appropriate of	minimum requirements will be met: district office <i>prior</i> to spudding of well;	ach drilling rig:	CONSERVATION DIVISION
It is agreed that the following 1. Notify the appropriate of the approved of	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be s	ach drilling rig; et by circulating cement to the top; in all cases surface	CONSERVATION DIVISION
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be s ted materials plus a minimum of 20 feet into	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation.	CONSERVATION DIVISION WICHITA KS pipe shall be set
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a	minimum requirements will be met: district office <i>prior</i> to spudding of well; notice of intent to drill shall be posted on each of surface pipe as specified below shall be setted materials plus a minimum of 20 feet into the an agreement between the operator and the	ach drilling rig; ef by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar	CONSERVATION DIVISION WICHITA KS pipe shall be set
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district	minimum requirements will be met: district office <i>prior</i> to spudding of well; notice of intent to drill shall be posted on ea of surface pipe as specified below shall be so ted materials plus a minimum of 20 feet into a an agreement between the operator and the office will be notified before well is either plu	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in;	CONSERVATION DIVISION WICHITA KS pipe shall be sets y prior to plugging;
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill <i>shall be</i> posted on ea of surface pipe as specified below <i>shall be s</i> ted materials plus a minimum of 20 feet into a an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cement ix "B" - Eastern Kansas surface casing order	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area,	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill <i>shall be</i> posted on ea of surface pipe as specified below <i>shall be s</i> ted materials plus a minimum of 20 feet into a an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cement ix "B" - Eastern Kansas surface casing order	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of the approved 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appending must be completed with	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill <i>shall be</i> posted on ea of surface pipe as specified below <i>shall be s</i> ted materials plus a minimum of 20 feet into a an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cement ix "B" - Eastern Kansas surface casing order	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar, gged or production casing is cemented in; tted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of the approved of the well is dry hole, of the appropriate district of an ALTERNATE II CO or pursuant to Append must be completed with the state.	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be s ted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order nin 30 days of the spud date or the well shall ments made herein are true and to the best of	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of the approved of the appropriate district of the well is dry hole, and the appropriate district of the appropriate district of an ALTERNATE II of the appropriate of the appr	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be s ted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order nin 30 days of the spud date or the well shall	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar, gged or production casing is cemented in; tted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of the approved of the well is dry hole, of the appropriate district of an ALTERNATE II CO or pursuant to Append must be completed with the state.	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be s ted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order nin 30 days of the spud date or the well shall ments made herein are true and to the best of	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, at 5. The appropriate district 6. If an ALTERNATE II CO 7 pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill <i>shall be</i> posted on each of surface pipe as specified below <i>shall be s</i> ted materials plus a minimum of 20 feet into the an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent:	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; tted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to D	CONSERVATION DIVISION WICHITA KS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing.
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, at 5. The appropriate district 6. If an ALTERNATE II CO 7 pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY	minimum requirements will be met: district office <i>prior</i> to spudding of well; I notice of intent to drill <i>shall be</i> posted on each of surface pipe as specified below <i>shall be s</i> ted materials plus a minimum of 20 feet into the an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent:	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to I - File Completion Form ACO-1 within 120 days of spi	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing.
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY API # 15 - O S 9 - O	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on each surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemeria: "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent:	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spe - File acreage attribution plat according to field prora	CONSERVATION DIVISION WICHITAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing.
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY API # 15 - 0 5 9 - 6 Conductor pipe required	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent: None feet	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to D - File Completion Form ACO-1 within 120 days of spe - File acreage attribution plat according to field prora - Notify appropriate district office 48 hours prior to wo	CONSERVATION DIVISION WICHITAKS If prior to plugging; Idays of spud date. alternate II cementing Ito any cementing. Onlii; Id date; Ition orders; Irkover or re-entry;
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY API # 15 - Q S 9 - Q Conductor pipe required Minimum surface pipe required	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent: 125267-0000 None feet feet per Alt. 12	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; tted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to D - File Completion Form ACO-1 within 120 days of spi - File acreage attribution plat according to field prora - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com	CONSERVATION DIVISION WICHITA KS If prior to plugging; Idays of spud date. Alternate II cementing Ito any cementing. Drill; Id date; Ition orders; Irkover or re-entry; Ipleted;
It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with I hereby certify that the state Date: 10/29/07 For KCC Use ONLY API # 15 - 0 5 9 - 0 Conductor pipe required Minimum surface pipe required Approved by: ** **LW** 10 3 3 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on ea of surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plu DMPLETION, production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent:	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to I - File Completion Form ACO-1 within 120 days of spe - File acreage attribution plat according to field prora - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com - Obtain written approval before disposing or injecting	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing. Orill; ad date; tion orders; rkover or re-entry; pleted; p salt water.
It is agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and the appropriate of the approved with the state of the approved of the appro	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on each surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plucification. Production pipe shall be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Compared Signature Signature	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to I - File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prora - Notify appropriate district office 48 hours prior to wo - Submit plugging report (CP-4) after plugging is com - Obtain written approval before disposing or injecting - If this permit has expired (See: authorized expiration)	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing. Orill; ad date; tion orders; rkover or re-entry; pleted; g salt water.
It is agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and the appropriate of the approved with the state of the approved of the appro	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on each surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plucification. Production pipe shall be cemerix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent:	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration, check the box below and return to the address below	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing. Orill; ad date; tion orders; rkover or re-entry; pleted; g salt water.
It is agreed that the following 1. Notify the appropriate of the approved of the appropriate district of the well is dry hole, and the appropriate district of the approved with the state of the approved of the approved of the approved of the authorization void if drilling the approved of the approved of the approved of the authorization void if drilling the approved of the approved of the approved of the authorization void if drilling the approved of th	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on east of surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plucific will be notified before well is either plucific will be notified before well is either plucific will be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent: The detail of the province of the per Alt. The detail of the province of approval date. The detail of the province of approval date.	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to D File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below Well Not Drilled - Permit Expired	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing. Orill; ad date; tion orders; rkover or re-entry; pleted; g salt water.
It is agreed that the following 1. Notify the appropriate of the approved of the appropriate district of the well is dry hole, and the appropriate district of the approved with the state of the approved of the approve	minimum requirements will be met: district office prior to spudding of well; I notice of intent to drill shall be posted on east of surface pipe as specified below shall be sted materials plus a minimum of 20 feet into an agreement between the operator and the office will be notified before well is either plucific will be notified before well is either plucific will be notified before well is either plucific will be cemer ix "B" - Eastern Kansas surface casing order in 30 days of the spud date or the well shall ments made herein are true and to the best of Signature of Operator or Agent: Signature of Operator or Agent: The detail of the province of the per Alt. The detail of the province of approval date. The detail of the province of approval date.	ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration, check the box below and return to the address below	CONSERVATION DIVISION WICHTAKS pipe shall be sets y prior to plugging; days of spud date. alternate II cementing to any cementing. Orill; ad date; tion orders; rkover or re-entry; pleted; g salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25267-0000	Location of Well: County: Franklin	
Operator: Midwest Energy, Inc.	185 feet from V N / S Line of Section	
Lease: Needham	430 feet from E / W Line of Section	
Well Number: 30	Sec. 17 Twp. 18 S. R. 21 🗸 East Wes	
Field: Rantoul		
Number of Acres attributable to well:	Is Section: 🗾 Regular or 📗 Irregular	
QTR / QTR / QTR of acreage: NW - NW - NW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

188, EV	· ·	v	
430' AV.			
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
:	<u>:</u> :		
			· · · · · · · · · · · · · · · · · · ·
			· · · · · · · · · · · · · · · · · · ·
			· · ·

RECEIVED KANSAS CORPORATION COMMISSION

OCT 3 0 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Midwest Energy, Inc.			License Number: 33741		
Operator Address: Commerce Plaza 1 Center, 7300 W. 110th St., 7th Floor, Overland Park, KS 66210					
Contact Person: Brad Kramer			Phone Number: (913) 693 -4605		
Lease Name & Well No.: Needham # 30			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE _ NW _ NW _ NW </u>		
Emergency Pit Burn Pit	✓ Proposed		Sec. 17 Twp. 18S R. 21		
Settling Pit Drilling Pit	If Existing, date constructed:		185 Feet from 🗹 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		430 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	Franklin County		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	NI-	How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓		Native Mud		
, -, -	BO Length (fe	_	Width (feet) N/A: Steel Pits		
Depth fo	rom ground level to de	epest point: 3	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:			
N/A / feet Depth of water well _	feet	measu	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Native Mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment	procedure: Air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. SAS CORPORATION COMMISSI			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. OCT 3 0 2007					
		<u> </u>	CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 10/30/07 Permit Number: Permit Date: 10/30/07 Lease Inspection: Yes A No					