For KCC Use:	11-4-07
Effective Date:_	15901
District #	<u> </u>
SGA2 Tives	IV No

## Kansas Corporation Commission Oil & Gas Conservation Division

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	a (5) days prior to commencing well	All blanks must be Filled
Expected Spud Date November 1 2007  month day year  OPERATOR: License* 5039  Name: A G V Corp.  Address: 123 N Main  City/State/Zip: Attica, Ks 67009  Contact Person: Larry G. Mans	Is SECTION X Regular Irregular?  (Note: Locate well on the Section Plat of Barber	S Line of Section U W Line of Section
Phone: 620-254-7222	Lease Name: Spicer	B2
CONTRACTOR: License# 33549  Name: Landmark Drilling LLC	Field Name: Traffas  Is this a Prorated / Spaced Field?  Target Information(s): Mississippi	Yes No
Well Drilled For: Well-Class: Type Equipment;  Oil Finh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary  CWO Disposal Wildcat Cable  Seismic; # of Holes Other	Nearest Lease or unit boundary: 330 Ground Surface Elevation: 1519 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 90 Depth to bottom of usable water: 150 Surface Pipe by Alternate:   1   2	feet MSL  Yes No  Yes No
If OWWO: old well information as follows:  Operator:		
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DV	IR 📳 🗸
KCG DKT #:	Will Cores be taken? If Yes, proposed zone:	Yes XNo
455		
The undersigned hereby affirms that the drilling, completion and eventual p	FIDAVIT	a
It is agreed that the following minimum requirements will be met:	olugging of this wear will comply with 14.5.7. 55 et. se	RECEIVED
Notify the appropriate district office <i>prior</i> to spudding of well;	KANSA	S CORPORATION COMMISSION
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the street properties district office will be notified before well is either plush. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	et by circulating cement to the top; in all cases surfithe underlying formation.  district office on plug length and placement is neces gged or production casing is cemented in;  ted from below any usable water to surface within to ##133,891-C, which applies to the KCC District 3 a	EXECTAMINATION STATES (120 days of spud date. rea, alternate II cementing
I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.	•
Date: 10/29/07 Signature of Operator or Agent:	y & Man Title: So	cretary
For KCC Use ONLY  API # 15 - 007 - 23 22 1-0000  Conductor pipe required None feet  Minimum surface pipe required 200 feet per Alt. 1  Approved by: Put 10 - 30-07  This authorization expires: 10-30-08	Remember to:  - File Drill Pit Application (form CDP-1) with Intent - File Completion Form ACO-1 within 120 days of - File acreage attribution plat according to field p - Notify appropriate district office 48 hours prior to - Submit plugging report (CP-4) after plugging is - Obtain written approval before disposing or inje - If this permit has expired (See: authorized expire	spud date; roration orders; workover or re-entry; completed; cting salt water.
(This authorization void if drilling not started within a months of effective date.)  Soud date:  Agent:	check the box below and return to the address  Well Not Orllled - Permit Expired  Signature of Operator or Agent	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-2322 1-0000	Location of Weil: County:
Operator:	· · · · · · · · · · · · · · · · · · ·
Lease:	feet from N / S Line of Section  feet from E / W Line of Section
Well Number:	SecTwp S. R East Wes
Field:	_
Number of Acres attributable to well:	Is Section: Regular or fregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

: :	: .	:	· · · · · · · · · · · · · · · · · · ·
 · · · · ·	×	•	
 · · · · · ·	· · · · · · · · · · · · · · · · · · ·	:	:
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·
:		/ <del></del>	
 •			
•			•
 :		•	· · · · · · · · · · · · · · · · · · ·
•	:	•	· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: A G V Corp.			License Number: 5039	
Operator Address: 123 N Main Attica, Ks 67009			L	
Contact Person:	Gh., V			
Larry G. Mans Lease Name & Well No.:			Phone Number: (620 ) 254-7222	
Spicer #B2			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE NW .	
Emergency Pit Burn Pit	Proposed		Sec. 24 Twp. 33 R. 11 East West	
Settling Pit Drilling Pit	If Existing, date	constructed:	349 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		2970 Feet from 🔀 East / West Line of Section	
	2000	(bbis)	Barber	
Is the pit located in a Sensitive Ground Water	Area? Tyes	No	Chlorida constati	
is the bottom below ground level?			(For Emergency Pits and Settling Pits only)	
Yes No	Artificial Liner?	Na	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 50				
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		eet)75	- twill otagi Fits	
	om ground level to d	<del></del>		
If the pit is lined give a brief description of the material, thickness and installation procedure.	liner	Describe proced liner integrity, in	dures for periodic maintenance and determining cluding any special monitoring.	
		RECEIVED  KANSAS CORPORATION COMMISSION  OCT 3 9 2007		
			,	
Distance to nearest water well within one-mile	of pit	Depth to shallow	CONSERVATION DIVISION Pest fresh water80feet.	
N / P feet Depth of water well	<b>5</b>	Source of inform	ation:	
Emergency, Settling and Burn Pits ONLY:	reet	measur	ari / wallawasa i i i i i i i i i i i i i i i i i i	
Producing Co			ed X well owner electric log KDWR	
		Drilling, Worko	ver and Haul-Off Pits ONLY:	
	·	Drilling, Workov	ver and Haul-Off Pits ONLY: utilized in drilling/workover: <u>Drilling Mud</u>	
Number of producing wells on lease:		Drilling, Workov Type of material Number of worki	ver and Haul-Off Pits ONLY:  utilized in drilling/workover: <u>Drilling Mud</u> ng pits to be utilized:1	
Number of producing wells on lease:	nilled fluide to	Drilling, Workov Type of material Number of worki Abandonment pr	ver and Haul-Off Pits ONLY:  utilized in drilling/workover: <u>Drilling Mud</u> ng pits to be utilized:1	
Number of producing wells on lease:	pilled fluids to	Drilling, Workov Type of material Number of worki Abandonment pr COVETEC	ver and Haul-Off Pits ONLY: utilized in drilling/workover: <u>Drilling Mud</u> ng pits to be utilized:1	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No		Drilling, Workov Type of material Number of worki Abandonment pr COVETEC Drill pits must be	ver and Haul-Off Pits ONLY:  utilized in drilling/workover:	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit? Yes No		Drilling, Workov Type of material Number of worki Abandonment pr COVETEC Drill pits must be	ver and Haul-Off Pits ONLY:  utilized in drilling/workover:	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No		Drilling, Workov Type of material Number of worki Abandonment pr COVETEC Drill pits must be	ver and Haul-Off Pits ONLY:  utilized in drilling/workover:	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit? Yes No		Drilling, Workov Type of material Number of worki Abandonment pr COVETED Drill pits must be	ver and Haul-Off Pits ONLY:  utilized in drilling/workover:	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit? Yes No  I hereby certify that the above statem	ents are true and o	Drilling, Workov Type of material Number of worki Abandonment pr COVETEC Drill pits must be	utilized in drilling/workover:Drilling_Mud	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  I hereby certify that the above statem  10/28/07  Date	ents are true and o	Drilling, Workov Type of material Number of worki Abandonment pr COVETEC Drill pits must be prect to the best of	utilized in drilling/workover:Drilling_Mud	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 30, 2007

Mr. Larry G. Mans AGV Corp. 123 N. Main Attica, KS 67009

RE: Drilling Pit Application Spicer Lease Well No. B 2 NW/4 Sec. 24-33S-11W Barber County, Kansas

Dear Mr. Mans:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Please keep the pits away from the draw.** 

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

**Environmental Protection and Remediation Department** 

cc: File