For KCC Use:	11-4-07	
Effective Date:	71 / 0 /	
District #	<u>ত</u>	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Selsmic # of Holes Other
County C
Serial County Serial Count
ddress 1: 4252 John Brown Road ddress 2:
ddress 2: typ. Ranoul State: KS Ztp: 66079 + County: Allan Lease Name: Thoohoff Lease Name:
ity: Earnout State: KS Zip: 66079 + County: Allen Thoohoff Well #: 5 Field Name: Loase Name: Name: Name: Loase Name: Loase Name: Loase Name: Loase Name:
Contact Person: Russel Rickerson Lease Name: Thoohoff Well #: 5 Contract Person: Russel Rickerson
Field Name: Iola Is this a Prorated / Spaced Field? Target Formation(s): Tucker Well Drilled For: Well Class: Type Equipment: Water Spaced Field? Target Formation(s): Tucker Water well within one-quarter mile: Yes Yes Yes Water well within one-quarter mile: Yes Yes Yes Water well within one-quarter mile: Yes
Selsmic Field Name: No. Is this a Prorated / Spaced Field? Is this a Prorated Field? Is the Proper field? Is this a Prorated Field? Is the Proper field of Is the Water Subject on the Proper field of Is the Proper f
Target Formation(s): Tucker Well Drilled For: Well Class: Type Equipment: Cround Surface Elevation: Na Nearest Lease or unit boundary line (in footage): 495
Target Formation(s): Tucker Well Drilled For: Well Class: Type Equipment: Composition Composit
Ground Surface Elevation: n/a Ground Surface Pipe to thoutom of usable water: n/a Ground Surface Pipe Depth to bottom of usable water: n/a Ground Surface Pipe Public water supply well within one-quarter mile: Ground Surface Pipe Elevation: n/a Ground Surface Pipe Indicate materials Plus a minimum of 20 feet into the underlying formation. Ground Surface Pipe Elevation
Ground Surface Elevation: \(\text{Na} \) the set by circulating compiler on each artificing riggs. Cable
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Public water supply well within one mile: Yes Yes Other
Disposal Wildcat Cable Cable Depth to bottom of fresh water: 50+ Depth to bottom of fresh water: 100+ Surface Pipe by Alternate: I I Depth to bottom of usable water: 100+ Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Conductor Pipe (if any): none Projected Total Depth: 1,000' Formation at Total Depth: Tucker Water Source for Drilling Operations: Well Name: Original Completion Date: Original Total Depth: Tucker Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Will Cores be taken? Yes If Yes, proposed zone: Well Cores be taken? Yes If Yes, proposed zone: The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Core of the appropriate district office prior to spudding of well; OCT 3 0 2 OCT 3 0 0 OCT 3
Depth to bottom of fresh water: 50+ Depth to bottom of usable water: 100+ Surface Pipe by Alternate: 1
Depth to bottom of usable water: Other:
Surface Pipe by Alternate: Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Conductor Pipe (if any): none Projected Total Depth: Tucker Original Completion Date: Original Total Depth: Formation at Total Depth: Tucker Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Office Drilling Operations: ORCO DRT #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT RECEIVE AFFIDAVIT RECEIVE 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe and surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe and surface pipe as specified below shall be underlying formation. Will Tore to prove the top; in all cases surface pipe and through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
Length of Surface Pipe Planned to be set: 20' Coperator:
Operator:
Well Name: Original Completion Date: Original Total Depth: Original Total Depth: Original Total Depth: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for
Original Completion Date: Original Total Depth: Formation at Total Depth: Tucker Water Source for Drilling Oppwations: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe this property in the complying formation.
Water Source for Drilling Operations: Yes, true vertical depth:
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: CCC DKT #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe that the following difference of the prior to spudding of the underlying formation. WICHITA KS
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION to sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the surface pipe the surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the surface pipe the surface pipe shall surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the surface pipe shall surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe the shall be set by circulating tormation. WICHITA KS
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe this providence of the complexity of
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe this provides through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the top; in all cases surface pipe shall be set by circulating to the shall be set by circulating to the top; in all cases surface pip
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. WICHITA IS:
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the case shall be set by circulating cement to the
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. WICHITA K
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and correctto the best of my knowledge and belief.
/) // , Amout
Date: October 30, 2007 Signature of Operator or Agent: Nama 1 handa Title: Agent
Remember to:
API # 15- CO TO
A MENT I THE ACTE AND
Conductor pipe required feet
Conductor pipe required feet Notify appropriate district office 48 hours prior to workover or re-entry;
Conductor pipe required

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29667-0000			
Operator: Russel Rickerson dba Rickerson Oil Company	Location of Well: County: Allen		
Lease: Thoohoff	495 feet from N / X S Line of Section		
Well Number: 5	1,485 feet from E / X W Line of Section		
Field: lola	Sec. 5 Twp. 24 S. R. 19 E W		
Number of Acres attributable to well: SW _ SE _ SW	Is Section: Regular or Irregular		
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

						· · · · · · · · · · · · · · · · · · ·	
	:	:	:		:	•	
	•	:					•
	:	:	:				
	:	:	:			•	
i	•		•	1	•	•	•
ŀ	•	•	•		•	•	•
	:	:	:				•
	•		•		•		•
	;	:	:				
	•	•	:				
		•				•	
	,				******		
	:	:	:				_
i	•		•		•		•
1	;	:	:				
1	:	:	:	1		:	:
		:	-				
1	•	•	•		•	•	•
		******	********	*******			
				-			
	•	-	<u>:</u>			-	
		:	:				
:		:	•				
		:					
		:	:				
	•		•		•		•
! :	:	: :		:	;		
	:	:			:		
į							
	• • • • • • • •	*******	• • • • • • • • • • • • • • • • • • • •				• • • • • • • •
1							
i :	:			:	:		
1							!
1 :		;					
1			:				
1 :	:	:			:		
1 :			:				
1 :	. :						
1							
l							
1							
				! .			
			•				
1	:	. 1					
1 :		: 1 :					
1						:	
l :	:	: 1 :					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		<u> </u>			
Operator Name: Russel Rickerson dba Rickerson Oil Company			License Number: 30370		
Operator Address: 4252 John Brov	wn Road		Rantoul	KS 66079	
Contact Person: Russel Rickerson			Phone Number: (913) 285-0472		
Lease Name & Well No.: Thoohoff 5		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW SW SE SW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 24 R. 19	East West	
Settling Pit Drilling Pit If Existing, date constructed:			495 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,485 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	200	(bbis)	Allen	County	
Is the pit located in a Sensitive Ground Water	r Area? Yes 🔀		Chloride concentration:		
	سے سے	J	(For Emergency Pits and Set	·	
Is the bottom below ground level?	Artificial Liner? Yes X	√o	How is the pit lined if a plastic liner is native clay	ot used?	
				1	
Pit dimensions (all but working pits):				N/A: Steel Pits	
				No Pit	
, , ,			cedures for periodic maintenance and determining including any special monitoring.		
				<u> </u>	
				١	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		llowest fresh waterfeet.			
,/,		sured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	•	Drilling, Work	over and Haul-Off Pits ONLY:	log KDWR	
		erial utilized in drilling/workover: drilling mud			
		vorking pits to be utilized:1			
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		st be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and co	orrect to the best	of my knowledge and belief.	RECEIVED NSAS CORPORATION COMMIS	
· · · ·	\cap)	Δ	OCT 3 0 2007	
October 30, 2007	ω	Luna	Thanda,	4	
Date		S	ignature of Applicant or Agent	CONSERVATION DIVISION WICHEN 45	
A-1	KCC O	FFICE USE O	NLY Steel Pit RFA	RFAS	
Date Received: 10/30/02 Permit Num	nber:	Permi	it Date: 10/30/07 Lease Inspecti	on: Yes No	
				ا "السا اسبب	