Kansas Corporation Commission
Oil & Gas Conservation Division
WELL COMPLETION

Form ACO-1 September 1999 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30537	API No. 15 - <u>051-25444-0000</u>
Name: Venture Resources, Inc.	County; Ellis
Address: P.O. Box 101234	NE Sec. 14 Twp. 11 S. R. 18 ☐ East ✓ West
City/State/Zip: Denver CO 80250	Sec. 14 Twp. 11 S. R. 18 East West SZNZ NE feet from S / N (circle one) Line of Section 990 FNL
Purchaser: Coffeyville Resources, LLC	1320 feet from E/ W (circle one) Line of Section 1320 FEL
Operator Contact Person: Ron Mackey	Footages Calculated from Nearest Outside Section Corner: Kee w Handout Political
Phone: (_303) _722-2899	(circle one) (NE) SE NW SW
Contractor: Name: American Eagle Drilling, LLC	Lease Name: Deane Well #: 7
License: 33493	Field Name: Bernis-Shutts
Wellsite Geologist: Greg Mackey FEB 2 7 2006	Producing Formation: Arbuckle
	Elevation: Ground: 1864.87 Kelly Bushing: 1869.87
Designate Type of Completion: New Well Re-Entry Workover WICHITA	Total Depth: 3499 Plug Back Total Depth: NA
	Amount of Surface Pipe Set and Cemented at 223 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ✓ Yes ☐ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1743.98 Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1743.98
Operator:	feet depth to Surface w/ 640 sx cmt.
Well Name:	NITUS 100 Timber
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan ALT#フ KJR 5/18/07 (Data must be collected from the Reserve Pit)
Deepening Re-perfConv. to Enhr./SWD	Chloride content 43000 ppm Fluid volume 950 bbls
Plug BackPlug Back Total Depth	Dewatering method used Haul liquids to swd
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: Venture Resources, Inc.
11/22/05 11/29/05 2/21/06	Lease Name: Ridler A-W License No.: 30537
Spud Date or Date Reached TD Completion Date or	Quarter NW Sec. 12 Twp. 11 S. R. 18 East West
Recompletion Date Recompletion Date	County: Ellis Docket No.: 27,752
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. The months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: Topp W. SMITH 2	KCC Office Use ONLY
Title: RESIDENT Date: Date:	Letter of Confidentiality Received
Subscribed and sworn to before me this 21 day of Tebruary	If Denied, Yes Date:
20 Ob	Wireline Log Received
Notary Public: Junda J. Y. Bey	Geologist Report Received UIC Distribution
Date Commission Evolves: 9-31-2006	Ole Distribution

* * / *****

Operator Name: Venture Resources, Inc.				Lease Name: Deane			Well #: 7			
Sec. 14 Twp. 1			✓ West	County	: Ellis					
INSTRUCTIONS: Si tested, time tool oper temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shut s if gas to	in pressures, v surface test, al	whether sh long with f	nut-in pre	ssure reached	static level, hydr	ostatic pressur	es, botto	m hole
Drill Stem Tests Take		Ye	es 📝 No		V L	og Formati	on (Top), Depth	and Datum		Sample
Samples Sent to Ge		□ Ye	s V No		Nam			Top 1130'		Datum +740'
Cores Taken	onogroun our voy	possess	es V No		Anhy Tope			2819'		-949'
Electric Log Run (Submit Copy)		✓ Ye	who were the same of the same		Heel			3041'		-1171'
, , , , , ,					Lans	ing		3084'	-	-1214'
List All E. Logs Run:					BKC			3317'	-	1447'
Dual Induction	n-Neutron Der	nsity			Sim	oson Dol.		3374'		-1504'
					Arbu	ıckle		3384'	-	-1514'
		Repo		RECORD	✓ No	ew Used	etion, etc.		astajumus Mandrida vasta autorida	
Purpose of String	Size Hole Drilled		e Casing t (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	12 1/4	8 5/8	(III O.D.)	20#		223'	Common	160	1	, 2% gel
Production	7 7/8	5 1/2		14#		3493'	ASC	175	2%ge	l,500g wfr2
		<u></u>	ADDITIONAL	CEMENTI	NG / SQI	JEEZE RECORI)			
Purpose: Perforate	Depth Top Bottom	Туре	of Cement	#Sacks	s Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	1744-sur	60/40	640		6% gel. 1/4# flo-					
	DEDEODAT	ION PECOE	2D - Bridge Blue	e Sot/Typo		Acid Ev	acture Shot Come	nt Sauceze Reco	ard	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
4 spf	3411'-3413' CII	3P set @				NA				
4 spf	3382'-3387' RECEIVED)	300gal 15%MCA, sqz w/100sks. Stand. 3382				3382-87
4 spf	3384'-3392'	man on the survey of the surve	FEB	2 7 200)6	200 gals 15% MCA 3384-9				3384-92
					5100 bbl polym			ymer treatment 3384-		
KCC WICHITA					TA					
TUBING RECORD 2	Size 7/8"	Set At 3300'		Packer /	At	Liner Run	Yes ☑ N	ю		
Date of First, Resume 2/21/06	rd Production, SWD or	Enhr.	Producing Met	hod	Flowin	g 📝 Pump	ing Gas l	_ift	ner <i>(Explali</i>	n)
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Wat	er I	3bls.	Gas-Oll Ratio		Gravity
	25		NA		210					28
Disposition of Gas	METHOD OF	COMPLETIO	N			Production Inte	erval			
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole Other (Spec	✓ Per	f. 🔲 I	Dually Comp.	Commingled			

ALLIED CEMENTING CO., INC. 23509 Federal Tax I.D.#

REMIT TO P.O. B RUSS		NSAS 676	65	SERVICE POINT:					
	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
DATE # 11-23-05	14	11	18	12:30AM	2:15AM	5:00 AM	5:20 May		
LEASE Deans	WELL#	7	LOCATION Hans	N. to Hart	FRD PEE	COUNTY Ellic	STATE		
OLD OR NEW (Ci	rcle one)		Sinto	7)=(<i>~</i>			
CONTRACTOR A	merican	Eagle	Rig #3	OWNER					
HOLE SIZE 124	HALL	T.D	. 225'	- CEMENT					
CASING SIZE 8	\$" 20	lb DE	PTH 223'	_ AMOUNT OR	DERED //OS	de Com	3% CC		
TUBING SIZE			PTH	200cl					
DRILL PIPE TOOL			PTH						
PRES. MAX			PTH NIMUM	COMMON	160	@ 8 20	17029		
MEAS. LINE			OE JOINT	POZMIX	/60	_@ <u> </u>	/3929		
CEMENT LEFT IN	CSG.	5'		GEL	_3	@ 4400	4200		
PERFS.		-		CHLORIDE _	5	@ 38 60	19000		
DISPLACEMENT		Bar		ASC		@			
•	EQU	IPMENT	1		APS .	_ @	-		
				* 14	CEIVED	_@	-		
	CEMENT	ER Ste	<u>~e</u>		3 2 7 2006	_ @			
# 3/o/o DULK TRUCK	HELPER	Ctev	1N	Vna:	1.5.00	_			
	DRIVER	Karis			WICHITA	@			
BULK TRUCK	The Property of	000				_ @			
#]	ORIVER			IIIANDI INC	110	_@	2108		
				HANDLINGMILEAGE	168 6\$[SK]mT (268 ² 423 ³ ⁴		
	REN	MARKS:		WILLIAGE	e julius				
_						TOTAL	. 23/6 =		
	() 1		-	SERVI	CE			
Sewent a	d	irculat	E .	**************************************	,224.71	~ _			
				DEPTH OF JO					
				. PUMP TRUCK	CHARGE		470°		
				EXTRA FOOT	AGE 4Z	_ @	57 . h AG		
Thrue 9	au .				46				
17000	24								
. /						(A)			
CHARGE TO:	sture		•	_					
STREET						TOTAL	_880°°		
CITYSTATEZIP			PLUG & FLOAT EQUIPMENT						
				185" 4	Caden Plus	_ @			
				100	Serven 1 145				
To Allied Cementi			NY S. S. Woods .			@			
You are hereby red	quested to	rent cem	nenting equipment			_@			
and furnish cemen	iter and h	elper to a	ssist owner or			_ @			
			ne above work was				40		
done to satisfactio	n and sup	ervision	of owner agent or			TOTAL	_55 [@] _		
CONDITIONS" li			the "TERMS AND			l			
COMDITIONS II	sted off ti	ie reverse	side.						
				TOTAL CHAR	GE				
			1	DISCOUNT		IF PAI	D IN 30 DAYS		
de	1.1/	ariPl							
signature \cancel{B}	sod "	M/M							
					PRINTE	D NAME			

ALLIED CEMENTING CO., INC. 21806 Federal Tax I.D.#

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

		03			RUS	411
DATE 12/13/05-	SEC. TWP.	RANGE 15W	CALLED OUT 9:30 am	ON LOCATION	JOB START	JOB FINISH
LEASE Ocan	WELL# # >	LOCATION Hay				
OR NEW Cir		Rd. 1/2		to River	Ellis	STATE
			E Sinto			
CONTRACTOR	hito's Well	Service	OWNER			
TIPE OF JOB 1	rt Collar Ci	culate Crac	,	1 1 1 1 11	sks	\rightarrow
HOLE SIZE	T.D		_ CEMENT(Ised 640	1 3/63	THE REAL PROPERTY OF THE PARTY
CASING SIZE 5			AMOUNT ORD	ERED 75	0 10	6% Or
TUBING SIZE 2 2 DRILL PIPE		TH	14# F/6		×	
FOOL Port Gla	DEI					
	. 7	TH 1744			/	
MEAS. LINE		IMUM — DE JOINT	COMMON	<u> 384</u>	@ 872	3340
CEMENT LEFT IN	CSG.	E JOIN I	_ POZMIX	256	_@_ <u>478</u> _	7503 50
PERFS.	,		_ GEL _ CHLORIDE	32	_@_ <u>_7</u> \$08	448
DISPLACEMENT	9 661		_ CHLORIDE		_@	-
	EQUIPMENT		FLOGERI	760#	_@ <u>\</u> 7>_	
				780	@	272 00
PUMP TRUCK C	EMENTER Jhu	14			_	
<u>#H</u>	ELPER Fred					
BULK TRUCK				/	@	
#378, 396 D	RIVER Gary	Jody			@	
BULK TRUCK						
# 362 DI	RIVER Brian		HANDLING 78	7 2	@	
			MILEAGE	64/5K/N	@ 7 60	125280
	REMARKS:			- 3 · / - / / /		187929
Testal,	tools @	PSO PSI			TOTAL	8396
Open P	C. Got	Circulation	-	CEDIA	var-	
Mixed	640 sks	Closed		SERVIC	Œ	
- tool tes	ted to	FSO psi	DEPTH OF JOB			
washed (Clean Cam	e out	PUMP TRUCK C	HARGE		7850
-OV Hold	(emrat	Circulated	EXTRA FOOTAG		@	(05 -
			MILEAGE	40	@ 5 22	20000
			MANIFOLD		@	
	i				@	
CHARGE TO:	tout 0	وسيب			@	
STREET					TOTAL	98500
CITY	STATE	7ID				
			PLU	JG & FLOAT I	ZOHIPMENT	4
			RECEN		2QOH MILMI	
			Erna	/CU·		
			FEB 27	2006	@	
To Allied Cementing	Co., Inc.		KOOM	. (@	
You are hereby reque	ested to rent cemer	ting equipment	KCC WIC	HITA	<u>@</u>	
and lurnish cementer	and helper to assi	st owner or			<u> </u>	
contractor to do work	cas is listed. The	hove work was				
done to satisfaction a	and supervision of	owner agent or			ТОТАТ	
contractor. I have rea	ad & understand th	e "TERMS AND				
CONDITIONS" liste	d on the reverse si	de.	TAX			
			TOTAL CHARGE			
		,				
	$/ \Lambda \Lambda \Lambda$		DISCOUNT		— IF PAID I	N 30 DAYS
SIGNATURE J	You Maily		RON M	_		
	/		TON AN	INCIT	ν 	
-				PRINTED	NAME	

ALLIED CEMENTING CO., INC. 25672

REMIT TO P.O. BORUSSI	OX 31 ELL, KAN	ISAS 676	11.5.111	SERVICE POINT:					
DATE 11/29/05	SEC.	TWP.	RANGE / F W	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE Dean &	WELL#	7	LOCATION Hay	N to River	~ / /	COUNTY	STATE		
CONTRACTOR		ia E	2E 'S,	OWNER					
TYPE OF JOB PHOLE SIZE 7 CASING SIZE 5 TUBING SIZE DRILL PIPE	Joduch 1/2 1	DE	F. 3 499 PTH 3495 PTH PTH		DERED 175	- A50 R-2	2%. Ge		
PRES. MAX 126 MEAS. LINE	oller opsi	MI	PTH 1743,98 NIMUM — DE JOINT 42.48	_ COMMON	/	@			
CEMENT LEFT IN PERFS. DISPLACEMENT	CSG.			GEL CHLORIDE	3	@ /4/90 @	4200		
DISTERCEMENT	EQU	IPMENT		ASC	500 500	0	1881 ²⁵ 500°		
	EMENTE IELPER (in E		RECEIVED				
# I BULK TRUCK	ORIVER ORIVER	Dov	, Jody	K(OC WICHITA				
		IARKS:		HANDLING_ MILEAGE	178 69/51/mI	(LE /4º	2848° 448.56 3156.6		
Rat H-le	•	sks	70	- -	SERVIO	TOTAL CE	2/36, -		
Float	~~~	- 1. - 1.	200 ps;	DEPTH OF JOE PUMP TRUCK	CHARGE		/3Z0°ººº		
				EXTRA FOOTA MILEAGE MANIFOLD	AGE	_@ _ <u>5°°</u>	Z10°		
CHARGE TO:	, <i>L</i>	Q.	ė.			@			
STREET		The state of the s				TOTAL	1530 000		
CITY	STA	TE		P	LUG & FLOAT	EQUIPMEN			
			11-30-05	5/2 1 Baske 5/2 Guide J 5/2 AFU I	クリセート	@	14000		
To Allied Cementi: You are hereby requand furnish cemen	uested to ter and he	rent cem lper to as	ssist owner or	51/2 Purt Co 5/2 7 Turbo Co	Mar	@	1750°° 420°°		
contractor to do we done to satisfaction contractor. I have a CONDITIONS" lip	and superead & ur	ervision on derstand	of owner agent or the "TERMS AND	TAX		TOTAL	Z705°°		
The	nks.	/		TOTAL CHARG		-	O IN 30 DAYS		
SIGNATURE		7/	The same of the sa		DD TATEDTY				
					PRINTE	D NAME			