

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-051-01513-00-00
Spot: SESENE Sec/Twnshp/Rgc: 31-12S-19W
3270 feet from S Section Line, 330 feet from E Section Line
Lease Name: SCHOENTHALER Well #: 1
County: ELLIS Total Vertical Depth: 3821 feet

Operator License No.: 31521
Op Name: KENMARK CORPORATION
Address: PO BOX 572
HAYS, KS 67601

| String | Size | Depth (ft) | Pulled (ft) | Comment |
|--------|-------|------------|-------------|---------------|
| PROD | 4.5 | 3704 | 0 | w/160 sxs cmt |
| SURF | 8.625 | 201 | 0 | w/150 sxs cmt |

\$ 124.18

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 06/15/1997 9:00 AM
Plug Co. License No.: 32028 Plug Co. Name: CHITO'S WELL SERVICE, LLC
Proposal Rcvd. from: MARK KILIAN Company: KENMARK CORPORATION Phone: (785) 628-3422

Proposed Plugging Method: This plugging report was never turned in by Roger Moses. Statements in parenthesis are his notes about the plugging. (The well has collapsed casing. The rig over the hole hit a bridge at 775'. Plan is to drill using a power swivel and open up the hole to Anhydrite.)

Plugging Proposal Received By: HERB DEINES WitnessType: COMPLETE (100%)
Date/Time Plugging Completed: 06/15/1997 4:00 PM KCC Agent: ROGER MOSES

Actual Plugging Report:

(Rigged up over the hole and hit a bridge at 775'. Drilled with a mill to 1550' and could mill no further.)
Apparently the operator pulled the tubing to retrieve the mill. When they re-entered the hole, they again stacked out at 750'. This all took place around June 15, 1997. Apparently, there was some disagreement as to how this well was ultimately going to be plugged, i.e., plugging depth so the plugging was put on hold. According to a cement ticket from Allied Cementing Company #9309, dated 10/21/1997 the well was plugged through one inch tubing from a depth of 750' with 105 sxs common cement and squeezed with 1000# pressure with 30 sxs common cement. This confirms the unfinished report from Roger Moses. His notes state the following: (Plugged at 750' with 105 sacks of common cement. Tied onto 4 1/2" casing and squeezed with 30 sxs. There was 1000# of pressure on squeeze.)

Perfs:

INVOICED
DATE 8/22/07
INV. NO. 2008060307

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 22 2007
CONSERVATION DIVISION
WICHITA, KS

Remarks: ALLIED CEMENTING COMPANY, HERTEL TANK-WATER.

Plugged through: TBG

District: 04

HO Signed *Bruce Basyp*
(TECHNICIAN)

AUG 20 2007

PPT

ALLIED CEMENTING CO., INC. 9309

TO: PO BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Russell

| | | | | | | | |
|-------------------------|--------|---------------------------------------|-------|----------------------------|-----------------------------|------------------|----------------------------|
| DATE: <i>10/2/07</i> | SEC | TWP | RANGE | CALLED OUT: <i>2:30 PM</i> | ON LOCATION: <i>3:30 PM</i> | JOB START | JOB FINISH: <i>6:00 PM</i> |
| LEASE: <i>Schuyler</i> | WELL # | LOCATION: <i>Shuyler 2022 & D</i> | | | COUNTY: <i>Ellis</i> | STATE: <i>Ks</i> | |
| OLD OR NEW (Circle one) | | | | | | | |

| | | |
|-----------------------------------|------------|-------------------------------------|
| CONTRACTOR: <i>Ch... Williams</i> | | OWNER |
| TYPE OF JOB: <i>Plug</i> | | |
| HOLE SIZE | TD | CEMENT |
| CASING SIZE | DEPTH | AMOUNT ORDERED |
| TUBING SIZE: <i>1"</i> | DEPTH | <i>200 lbs 4000 4 1/2" Flo Seal</i> |
| DRILL PIPE | DEPTH | <i>Used</i> |
| TOOL | DEPTH | |
| PRES. MAX | MINIMUM | COMMON: <i>135 @ 6.35 857.25</i> |
| MEAS. LINE | SHOE JOINT | POZMIX @ |
| CEMENT LEFT IN CSG | | GEL @ |
| PERFS | | CHLORIDE @ |
| DISPLACEMENT | | <i>Flowed 1 34# @ 1.15 39.15</i> |

| | | |
|--------------|-----------------------|---------------------------------------|
| EQUIPMENT | | |
| PUMP TRUCK | CEMENTER: <i>Bill</i> | |
| # <i>221</i> | HELPER: <i>Ron D</i> | HANDLING @ <i>1.05 210.00</i> |
| BULK TRUCK | | MILEAGE: <i>44 / Sh / Mile 100.00</i> |
| # | DRIVER | |
| BULK TRUCK | | |
| # <i>213</i> | DRIVER: <i>Darin</i> | TOTAL: <i>1206.55</i> |

| | |
|---|----------------------------------|
| REMARKS: | SERVICE |
| <i>Run 1" to 75' Com w/ 105' rd</i> | DEPTH OF JOB |
| <i>Com 4" flo. Casing to surface</i> | PUMP TRUCK CHARGE: <i>450.00</i> |
| <i>Pump down 42 w/ 30' Com + 4 1/2"</i> | EXTRA FOOTAGE @ |
| <i>plug to 100' Shut In</i> | MILEAGE: <i>11 @ 2.85 31.35</i> |
| | PLUG @ |
| | |
| | TOTAL: <i>481.35</i> |

CHARGE TO: *Ken Munk*
 STREET: *Box 572*
 CITY: *Hays* STATE: *Kansas* ZIP: *67601*

FLOAT EQUIPMENT

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 22 2007
 CONSERVATION DIVISION
 WICHITA, KS

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE _____ PRINTED NAME: *ATTEN: Richard Williams*

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAY

9/1/07