### STATE OF KANSAS STATE CORPORATION COMMISSION

15-163-02758-00-00

# Give Information Completely Make Required Affidavit Mall'or Deliver Report to: Conservation Division State Corporation Commission

#### WELL PLUGGING RECORD

800 Bitting Building Wichita, Kansas	*************						
NORTH	Location as "N	E/CNW¼SW¼"	or footage fro	om lines <u>Cen</u>	ter of NE N Co.	NA	
					(i)		
	Office Address	Bartlesvi	lle, Okl	ahoma	*******************************	************	**********
					y hole		
i i	Plugging comm	enced	3/3	/52		*******************	19
			• • •	,			
	Reason for aba	indonment of well			ry		
	If a producing well is abandoned, date of last production						
					r its agents befor		
Locate well correctly on above Section Plat	menced?		ve.	S			
ame of Conservation Agent who sup	ervised plugging of th	is well M	r. Eldon	Petty			**********
oducing formation			58 Botton	n3578	Total Depth of W	ell3.578.	***********
now depth and thickness of all water	r, oil and gas formatio	ns.					
OIL, GAS OR WATER RECORI	os				C	CASING R	ECORI
Formation	Content	From	То	Size	Put In	Pulled	Out
				8-5/8	2901		)
	1	1		•			
***************************************							
***************************************			1				
			ı				
			i .	l .			
feet for each plu		ud to 290!	set wood	l plug, 15	sx cement.		
roducing it into the hole. If ceme	g set. Filled with m	ud to 290!	set wood	l plug, 15	sx cement.		***************************************
troducing it into the hole. If cemerative feet for each plus	g set. Filled with m	ud to 290!, et wood plu	set wood	l plug, 15. cement to	sx cement, surface		***************************************
troducing it into the hole. If ceme	g set.  Filled with m mud to 351, se	ud to 290!, et wood plu	set wood	l plug, 15. cement to	sx cement, surface		*************
troducing it into the hole. If ceme	g set.  Filled with m mud to 351, se	ud to 290!, et wood plu	set wood	l plug, 15. cement to	sx cement, surface		*************
troducing it into the hole. If ceme	g set.  Filled with m mud to 35!, se	ud to 290!, et wood plu	set wood	l plug, 15 cement to	sx cement, surface		***************************************
me of Plugging Contractor.	g set.  Filled with m mud to 351, set.  (If additional Rine Drilling	ud to 290!, et wood plu	set wood g, 10 sx.	l plug, 15. cement to	sx cement, surface	5.2	
troducing it into the hole. If cemerate feet for each plug	g set.  Filled with m mud to 351, set.  (If additional Rine Drilling	ud to 290!, et wood plu	set wood g, 10 sx.	l plug, 15. cement to	sx cement, surface	5.2	
troducing it into the hole. If cemerate feet for each plug	g set.  Filled with m mud to 351, set.  (If additional Rine Drilling	ud to 290!, et wood plu	set wood g, 10 sx.	l plug, 15. cement to	sx cement, surface	5.2	
troducing it into the hole. If cemerate feet for each plug	g set.  Filled with m mud to 351, set.  (If additional Rine Drilling	ud to 290!, et wood plu	set wood g, 10 sx.	l plug, 15. cement to	sx cement, surface	5.2	
troducing it into the hole. If cemerater feet for each plug	g set.  Filled with m mud to 35', set.  (If additional Rine Drilling 520 Central B	description is necessar  Co.  uilding, Wi	set wood  g, 10 sx.	this sheet)	sx cement, surface	5.2	
me of Plugging Contractor	g set.  Filled with m mud to 35', set.  (If additional Rine Drilling 520 Central B	description is necessar.  Co.  uilding, Wi.	y, use BACK of	this sheet)	sx cement, surface	50	
me of Plugging Contractor	Filled with mm mud to 351, see Gradditional Rine Drilling 520 Central Branch Countral Roman Countral Roman R	description is necessar  Co.  uilding, Wi	y, use BACK of chita, Ka	this sheet)	sx cement, surface L\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	above-desc	ribed
ame of Plugging Contractor	Filled with mm mud to 351, see Gradditional Rine Drilling 520 Central Branch Countral Roman Countral Roman R	description is necessar  Co.  uilding, Wi	y, use BACK of chita, Ka	this sheet)  ansas  er) or (b)  d matters herei	sx cement, surface  L4/2/  ss. hoperator of the n contained and the	above-desc	ribed v
ame of Plugging Contractor	Filled with m mud to 35!, see and to 35!, see are true and corrections.	description is necessar  Co.  uilding, Wi  TY OF BARTO  (employed)  ge of the facts, stock. So help me ( (Signature)	y, use BACK of chita, Ka	this sheet)	sx cement, surface  L4/2/  ss. hoperator of the n contained and the	above-desc	ribed v
troducing it into the hole. If cemeral feet for each plugger feet feet for each plugger feet feet for each plugger feet feet feet feet feet feet feet fe	Filled with m mud to 35!, see and to 35!, see are true and corrections.	description is necessar  Co.  uilding, Wi.  TY OF BARTO  (employed)  ge of the facts, stoct. So help me Co.	y, use BACK of chita, Ka	this sheet)  ansas  er) or (b)  d matters herei	sx cement, surface  L4/2/  ss. hoperator of the n contained and the	above-desc	ribed v
troducing it into the hole. If cemeral feet for each plugging feet for each plugging contractor.  The of Plugging Contractor.  The of Kansas.  The of Kansas.	Filled with m mud to 35!, see and to 35!, see are true and corrections.	description is necessar  Co.  uilding, Wi  TY OF BARTO  (employed)  ge of the facts, stock. So help me ( (Signature)	y, use BACK of chita, Ka	this sheet)  ansas  er) or (b)  d matters herei	sx cement, surface  L4/2/  ss. hoperator of the n contained and the	above-describe log of t	ribed

FILE SEC 23 T 9 R 19W

## WELL RECORD 15-163-02758-00-00

Company	Farm
Location See See See See See See See See See Se	
Elevation 299 (2091 00.) County	
Drlg. CommContractor_	
Drlg. Comp. Acid	
T. DInitial Prod	

S-5/8" © 280' cen. w	/ 175 ex census
and 6 shale	
elale à challe	1460
enle à molle	1620
	2060
enie b line stroks	
1490 & 91430	
lime & shale	

Drill stem test 3480-3501, open 1 hr., recovered 30' alightly oll-end and; 5. H. P. Of in 15 mins.

55% 55% T. D.

Schlumberger et 3568.

Line

**satt** 

line

line & duale

lino à shale

Heebne Dodge Lancin Simpe Bros. Arbeek Penst: Total	i Artmoklo 10	3262° 3280° 3392° 3592° 3593° 2593° 209 3378°
	100 t	

00

7-7/6" retary bole.

1,500

25000

PLUGGING

237 9 190

248 191

#### FIELD PURCHASE ORDER Cities Service Cis co.

Nº 425272

1	•		
	#Field Warehouse Order Number	Date 3/14/52	
	Issued to State Corporation Com	Date	
	City The Recar		
ı		State An and a second	
ı	Material to be used for		

THIS COPY TO BE RETAINED BY VENDOR.
VENDOR TO SHOW THIS FIELD ORDER NUMBER ON INVOICE WHICH IS TO BE DELIVERED TO
OFFICE, PURCHASING DEPARTMENT. ACCOUNT NO.\_ QUANTITY SIZE DESCRIPTION PRICE 00

**USE CITIES SERVICE PRODUCTS**