

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5285Name: The Dane G. Hansen TrustAddress P. O. Box 187City/State/Zip Logan, Kansas 67646

Purchaser: _____

Operator Contact Person: Dane G. BalesPhone (913) 689-4816Contractor: Name: Blue Goose Drilling Co., Inc.License: 5104Wellsite Geologist: J. E. Jespersen

Designate Type of Completion

☒ New Well ☐ Re-Entry ☐ Workover☐ Oil ☐ SWD ☐ SIOW ☐ Temp. Abd.☐ Gas ☐ ENHR ☐ SIGW☒ Dry ☐ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

☐ Deepening ☐ Re-perf. ☐ Conv. to Inj/SWD☐ Plug Back ☐ PBSD☐ Commingled ☐ Docket No. _____☐ Dual Completion ☐ Docket No. _____☐ Other (SWD or Inj?) ☐ Docket No. _____Spud Date 11/7/94 Date Reached TD 11/14/94 Completion Date _____API NO. 15- 065-22749 **ORIGINAL**County ~~Kenyon~~ Graham CountyNW - SE - SW - 5 Sec. 8 Twp. 21 Rge. X E990 Feet from (S)N (circle one) Line of Section3630 Feet from (E)W (circle one) Line of SectionFootages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)Lease Name Kenyon Well # 1Field Name Luck Northeast

Producing Formation _____

Elevation: Ground 2053 KB 2060Total Depth 3585 PBSD _____Amount of Surface Pipe Set and Cemented at 262' FeetMultiple Stage Cementing Collar Used? ☐ Yes ☐ No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DFA 12-19-95 JK
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls

Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

Operator Name _____

Lease Name _____ License No. _____

Quarter _____ Sec. _____ Twp. _____ S Rng. _____ E/W

County _____ Docket No. _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Dane G. BalesTitle Manager Date 12/3/94Subscribed and sworn to before me this 13 day of December, 19 94.Notary Public Betty Jane BittelDate Commission Expires July 17, 1996

BETTY JANE BITTEL
State of Kansas
My Appt. Exp. July 17, 1996

12-15-94

K.C.C. OFFICE USE ONLY RECEIVED

F ☐ Letter of Confidentiality Attached

C ☐ Wireline Log Received

C ☒ Geologist Report Received

Distribution

☒ KCC ☐ SWD/Rep ☐ NGPA

☐ KGS ☐ Plug ☐ Other (Specify) _____

DEC 15 1994

SIDE TWO

Operator Name The Dane G. Hansen Trust Lease Name Kenyon Well # 1
 Sec. 5 Twp. 8 Rge. 21 ☐ East ☒ West
 County _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken ☒ Yes ☐ No
 (Attach Additional Sheets.)

Samples Sent to Geological Survey ☐ Yes ☐ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☐ Yes ☒ No
 (Submit Copy.)

List All E.Logs Run:

☐ Log Formation (Top), Depth and Datums ☒ Sample

Name	Top	Datum
Anhydrite	1640	+420
B/Anhydrite	1670	+390
Topeka	3026	-966
Heebner	3241	-1181
Toronto	3262	-1202
Lansing	3276	-1216
Muncie Creek	3393	-1333
B/KC	3478	-1418
B/Penn Cong	3548	-1511
RTD	3585	-1525

CASING RECORD

☒ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"		262	60/40 Poz	165	3% CC; 2% Gel

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
☐ Perforate				
☐ Protect Casing				
☐ Plug Back TD				
☐ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run	☐ Yes ☐ No
Date of First, Resumed Production, SWD or Inj.				Producing Method	☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas:

☐ Vented ☐ Sold ☐ Used on Lease
 (If vented, submit ACO-18.)

METHOD OF COMPLETION

☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled
☐ Other (Specify) _____

Production Interval

15-065-22749-00-00

Kenyon #1 - NW SE SW, 5-8-21, Graham County, Kansas

ORIGINAL

API #15-065-22749

DST #1 - 3270-3285. 15-45-60-45. Rec. 60' GIP; 15' Free Oil & 75' MCW.
SIP's 1032/963. FP's 69-69/81-81.

DST #2 - 3324-40. 15-45-90-45. Rec. 5' SOCM; 60' WCM. SIP's 870/754.
FP's 46-46/58-58.

DST #3 - 3348-80. 15-45-60-45. Rec. 60' GIP; 10' Oil; 90' OCWM; 305' VSOCMW;
SIP's 823/823. FP's 92-162/266-464. 610' VSOCW

DST #4 - 3438-3470. 15-45-30-45. Rec. 10' OCM. SIP's 580/580. FP's 58-58/69-69.

DST #5 - 3578-85. 15-30-Pkr. Failed. Rec. 180' Mud. SIP's 41/Failed.
FP's 19-19/NT-Failed.

15-005-22749-00-00

Phone 913-483-2627, Russell, KS

Phone 913-625-5516, Hays, KS

Phone 316-886-5926, Medicine Lodge, KS

Phone 316-793-5861, Great Bend, KS

Phone 913-672-3471, Oakley, KS

Phone 913-798-3843, Ness City, KS

ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

8378

ORIGINAL

New

Date 11-13-94	Sec. 5	Twp. S 8	Range E 21	Called Out 10:45 PM	On Location 12:45 AM	Job Start 2:45 AM	Finish 9:15 AM																																																																															
Lease KENYON	Well No. #1	Location BOGUE IN 1/4 W 1/4 N			County GRAHAM	State KANSAS																																																																																
Contractor Blue Goose Drllg. Rig #				Owner																																																																																		
Type Job				To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.																																																																																		
Hole Size 7 7/8	T.D. 3585'			Charge To D G HANSEN TRUST																																																																																		
Csg. 8 5/8 SURFACE	Depth 3			Street Box 248																																																																																		
Tbg. Size	Depth			City Zogon State Kansas																																																																																		
Drill Pipe 4 1/2 X-H	Depth 3560'			The above was done to satisfaction and supervision of owner agent or contractor.																																																																																		
Tool	Depth			Purchase Order No. X																																																																																		
Cement Left in Csg.	Shoe Joint			CEMENT																																																																																		
Press Max.	Minimum																																																																																					
Meas Line	Displace																																																																																					
Perf.																																																																																						
EQUIPMENT																																																																																						
Pumptrk # 177	No.	Cementer	<i>[Signature]</i>																																																																																			
		Helper																																																																																				
Pumptrk # 160	No.	Cementer																																																																																				
		Helper																																																																																				
Bulktrk # 160		Driver	<i>Paul</i>																																																																																			
Bulktrk		Driver																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="3">DEPTH of Job</td> <td colspan="2">Consisting of</td> <td colspan="2">Amount Ordered</td> </tr> <tr> <td>Reference:</td> <td>Pump Truck CHRG</td> <td>525.00</td> <td>Common</td> <td>129 @ 5.75</td> <td colspan="2">741.25</td> </tr> <tr> <td></td> <td>225 Per Mile</td> <td>60.75</td> <td>Poz. Mix</td> <td>86 @ 3.00</td> <td colspan="2">258.00</td> </tr> <tr> <td>1-8 5/8</td> <td>WIPER PLUG</td> <td>21.00</td> <td>Gel.</td> <td>11 @ 9.00</td> <td colspan="2">99.00</td> </tr> <tr> <td></td> <td>Sub Total</td> <td></td> <td>Chloride</td> <td></td> <td colspan="2"></td> </tr> <tr> <td></td> <td>Tax</td> <td></td> <td>Quickset</td> <td></td> <td colspan="2"></td> </tr> <tr> <td></td> <td>Total</td> <td>606.75</td> <td>Desal</td> <td>54 @ 1.10</td> <td colspan="2">59.40</td> </tr> <tr> <td colspan="3" rowspan="3"> Remarks: 25 SK @ 3500 25 SK @ 1660 100 SK @ 900' 40 SK @ 300' 10 SK @ 40' & Plug 15 SK @ RAT HOLE </td> <td colspan="2">Handling</td> <td colspan="2">215.00</td> </tr> <tr> <td colspan="2">Mileage</td> <td colspan="2">232.20</td> </tr> <tr> <td colspan="2">Sub Total</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td colspan="2">Total</td> <td colspan="2">1608.85</td> </tr> <tr> <td colspan="3"></td> <td colspan="5">Floating Equipment</td> </tr> </table>								DEPTH of Job			Consisting of		Amount Ordered		Reference:	Pump Truck CHRG	525.00	Common	129 @ 5.75	741.25			225 Per Mile	60.75	Poz. Mix	86 @ 3.00	258.00		1-8 5/8	WIPER PLUG	21.00	Gel.	11 @ 9.00	99.00			Sub Total		Chloride					Tax		Quickset					Total	606.75	Desal	54 @ 1.10	59.40		Remarks: 25 SK @ 3500 25 SK @ 1660 100 SK @ 900' 40 SK @ 300' 10 SK @ 40' & Plug 15 SK @ RAT HOLE			Handling		215.00		Mileage		232.20		Sub Total							Total		1608.85					Floating Equipment				
DEPTH of Job			Consisting of		Amount Ordered																																																																																	
Reference:	Pump Truck CHRG	525.00	Common	129 @ 5.75	741.25																																																																																	
	225 Per Mile	60.75	Poz. Mix	86 @ 3.00	258.00																																																																																	
1-8 5/8	WIPER PLUG	21.00	Gel.	11 @ 9.00	99.00																																																																																	
	Sub Total		Chloride																																																																																			
	Tax		Quickset																																																																																			
	Total	606.75	Desal	54 @ 1.10	59.40																																																																																	
Remarks: 25 SK @ 3500 25 SK @ 1660 100 SK @ 900' 40 SK @ 300' 10 SK @ 40' & Plug 15 SK @ RAT HOLE			Handling		215.00																																																																																	
			Mileage		232.20																																																																																	
			Sub Total																																																																																			
			Total		1608.85																																																																																	
			Floating Equipment																																																																																			

RECEIVED
NOV 21 1994
AG

Phone 913-483-2627, Russell, KS
Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS
Phone 913-672-3471, Oakley, KS

Phone 316-886-5926, Medicine Lodge, KS
Phone 913-798-3843, Ness City, KS

ALLIED CEMENTING CO., INC.

8367

Home Office P. O. Box 31

Russell, Kansas 67665

ORIGINAL

NEW

Date <u>11-8-94</u>	Sec. <u>5</u>	Twp. <u>8</u>	Range <u>21</u>	Called Out <u>9:00pm</u>	On Location <u>10:30pm</u>	Job Start	Finish <u>2:00AM</u>
Lease <u>Kenyon</u>	Well No. <u>1</u>	Location <u>2 1/2 W Bogue</u>			County <u>Graham</u>	State <u>KAN</u>	
Contractor <u>Blue Goose Drlg</u>				Owner <u>Ms M</u>			
Type Job <u>Surface</u>				To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.			
Hole Size <u>12 1/4</u>	T.D. <u>264</u>			Charge To <u>The Dane B. Hansen Trust</u>			
Csg. <u>8 5/8</u>	Depth <u>264</u>			Street <u>P.O. Box 187</u>			
Tbg. Size	Depth			City <u>Logan</u> State <u>Kansas</u> <u>67648</u>			
Drill Pipe <u>4 1/2</u>	Depth			The above was done to satisfaction and supervision of owner agent or contractor.			
Tool	Depth			Purchase Order No.			
Cement Left in Csg. <u>15</u>	Shoe Joint			X <u>[Signature]</u>			
Press Max.	Minimum			CEMENT			
Meas Line	Displace <u>15 3/4</u>			Amount Ordered <u>165 rls 60/40 390cc 20% Gel</u>			
Perf.				Consisting of			

EQUIPMENT

No.	Cementer	
Pumptrk <u>177</u>	Helper	<u>Bill L</u>
No.	Cementer	<u>Glen G</u>
Pumptrk	Helper	
	Driver	
Bulktrk <u>282</u>		<u>Paul D</u>
Bulktrk	Driver	

DEPTH of Job

Reference:	<u>pump truck</u>	<u>430.00</u>
	<u>225 p/m</u>	<u>27m</u>
	<u>Plug</u>	<u>60.75</u>
		<u>43.00</u>
	Sub Total	<u>533.75</u>
	Tax	
	Total	

Remarks:

Ran 6 hrs 8 5/8 c 264
Cement w 165 rls 60/40 3-2
pump plug w 15 3/4 bbls
Cement did circulate

Handling	<u>1.00</u>	<u>165.00</u>
Mileage <u>27m</u>	<u>.04</u>	<u>178.20</u>
	Sub Total	<u>1262.45</u>
	Total	
Floating Equipment		

RECEIVED

NOV 16 1994

AG

Thanks