


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

15-163-00673-00-01
WELL PLUGGING RECORD



Locate well correctly on above
Section Plat

Rooks County. Sec. 5 Twp. 10S Rge. 18W (E) (W)
Location as "NE/CNW/SW" or footage from lines SE SE
Lease Owner K. & E. Drilling, Inc.
Lease Name Williams Well No. 2
Office Address 1006 Central Building - Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) _____
Date well completed 2-13-55 (This was a clean out job on an old hole)
Application for plugging filed June 18, 1956 19____
Application for plugging approved June 19, 1956 19____
Plugging commenced July 1 19 56
Plugging completed July 5 19 56
Reason for abandonment of well or producing formation
was not producing commercial quantities of oil

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3773 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|-----------|---------|------|----|---|--------|------------|
| | | | | 8-5/8" | 162' | None |
| | | | | 4-1/2" | 3770' | 1795' |
| | | | | Hole was plugged back to 3746' and casing perforated from 3385' to 3389'. | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled the hole with sand from 3746' to 3340' and ran 2 sacks of cement. Mudded the hole with 10 sacks of jell mud to 1608, set a 10' rock bridge and ran 15 sacks of cement. Mudded the hole to 35', set a 10' rock bridge and ran 10 sacks of cement which filled to the base of the cellar. Plugging completed.

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
Dale Silcott (employee of owner) or (~~owner or operator~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.
(Signature) K & E DRILLING, INC. by Dale Silcott
1006 Central Bldg. (Address)

SUBSCRIBED AND SWORN TO before me this 10th day of July, 19 56



June 25, 1960

James [Signature]
Notary Public.

PLUGGING
FILE SEC 5 T. 10 R. 18W
BOOK PAGE 72 LINE 13

09-12-1956

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
508 East Murdock, Wichita, Kansas

15-163-00673-00-01

Company- BARNETT OIL
Farm- Williams

No. 1


SEC. 5
SE SE SE

T. 10

R. 18W

Total Depth. 3767'
Comm. 3-19-54 Comp. 4-2-54
Shot or Treated.
Contractor.
Issued. 5-15-54

County Rocks
KANSAS



CASING:
8 5/8" 162' w/125 sx oom.

Elevation. 2185

Production. Dry

Figures Indicate Bottom of Formations.

| | |
|-------------------|------|
| surface clay | 20 |
| pest rock | 30 |
| sand | 70 |
| shale | 90 |
| river sand | 130 |
| shale | 162 |
| shale | 315 |
| shale-shells | 1015 |
| limo | 1050 |
| shale | 1120 |
| sand | 1230 |
| shale-shells | 1590 |
| anhydrite | 1625 |
| shale-shells | 2175 |
| shale-lime-shells | 2285 |
| shale-limo | 2470 |
| limo | 2550 |
| shale-limo | 2765 |
| limo | 2875 |
| lime-shale | 3240 |
| limo | 3640 |
| lime-shale | 3685 |
| limo | 3767 |
| Total Depth | |

| | |
|----------------------|------|
| TOPS: Scout | |
| Topoka | 3147 |
| Toronto | 3381 |
| Lansing | 3405 |
| 1st Simpson dolomite | 3710 |
| 2nd Simpson dolomite | 3725 |
| Arbucklo | 3747 |

06-20-1954

PLUGGING
FILE SEC. 5 T. 10 R. 18W
BOOK PAGE 72 LINE 13