


15-163-00629-00-00

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 North Market, Insurance Bldg.
Wichita, Kansas

Rooks County. Sec. 6 Twp. 10 Rge. 18 (E) W (W)
Location as "NE/CNW&SW&" or footage from lines CN/2 NE NW
Lease Owner R.A. Comeau
Lease Name Williams #1 Well No. _____
Office Address Plainville Ks.
Character of Well (completed as Oil, Gas or Dry Hole) _____
Date well completed _____ 19____
Application for plugging filed _____ 19____
Application for plugging approved _____ 19____
Plugging commenced 4-30-59 _____ 19____
Plugging completed 5-6-59 _____ 19____
Reason for abandonment of well or producing formation _____



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3760 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|-----------|---------|------|----|--------|--------|------------|
| | | | | 8-5/8" | 160' | none |
| | | | | 5-1/2" | 3483' | 3152' |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Checked the hole to 3465' and found it open. Filled w/sand to 3400' and dumped 4 sacks of cement with bailer. Pulled 5 1/2" casing, to 550' and circulated pipe with 20 sacks of gel mud and pumped in 20 sacks of cement at 550'. Pulled pipe to 150' and pumped in 20 more sacks of cement. ~~XXXXXXXXXX~~ Pulled rest of casing, cleared hole and bailed mud to 40', set rock bridge and ran 10 sacks of cement to base of cellar.

PLUGGING COMPLETED

RECEIVED
STATE CORPORATION COMMISSION

MAY 14 1959
05-14-1959
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF KANSAS COUNTY OF RICE, ss.
I, Noel J. Knight (employee of owner) or (~~owner~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel J. Knight
Chase, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 11th day of May, 19 59

Thomas V. Dwyer
Notary Public.

My commission expires 9-27-62

PLUGGING
FILE SEC 6 T. 10 R. 18W
BOOK PAGE 33 LINE 37

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY

503 East Murdock,

Wichita, Kansas

COPY

15-163-00629-00-00

Company- GRAHAM-MESSMAN-RINEHART OIL CO.

SEC. 6 T. 10 R. 18W

Farm- Williams

No. 1

CN/2 NE NW

Total Depth. 3760

Comm. 5-17-53

Comp. 6-19-53


Shot or Treated.

Contractor, G-M-R Drilling Co.

Issued. 8-15-53

County Rocks

KANSAS



Elevation. 2202 KB

Production. 288 BO, 13 BW

CASING:

8 5/8 @ 160' w/ 100 sx cem.

5 1/2 @ 3483' w/ 50 sx cem.

Figures Indicate Bottom of Formations.

| | |
|---------------------|------|
| clay | 75 |
| sand | 120 |
| sand & clay | 150 |
| shale | 710 |
| sand & shale | 735 |
| shale & red bed | 850 |
| sand & shells | 960 |
| shale | 1080 |
| sand | 1320 |
| shale & shells | 1595 |
| anhydrite | 1635 |
| shale & red bed | 1895 |
| shale & shells | 2335 |
| shale | 2480 |
| shale & shells | 2800 |
| lime & shale | 3225 |
| lime | 3370 |
| lime & shale | 3420 |
| lime | 3640 |
| conglomerate | 3691 |
| cherty conglomerate | 3723 |
| conglomerate | 3760 |
| Total Depth | |

TOPS:

| | |
|---------------------|------|
| Anhydrite | 1595 |
| Topeka | 3155 |
| Heebner | 3369 |
| Toronto | 3390 |
| Lansing | 3409 |
| Cherty conglomerate | 3647 |
| Simpson | 3727 |
| Arbuckle | 3750 |

RECEIVED
STATE CORPORATION COMMISSION
04-25-1959
APR 25 1959
CONSERVATION DIVISION
WICHITA, KANSAS

PLUGGING
FILE SEC. 6 T. 10 R. 18W
BOOK PAGE 33 LINE 37