

For KCC Use:	11
Effective Date: _	11501
District #4	
SGA? Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

4.447.0002	
Expected Spud Date: 11/17/2007	Spot Description:
month day year	<u>S2 NE NE Sec. 27 Twp. 5 S. R. 29</u> EXW
30606	(O/O/O/O) 990 feet from X N / S Line of Section
OPERATOR: License#	660 feet from E / W Line of Section
Address 1: 250 N WATER STE 300	Is SECTION: Regular Irregular?
Address 1: 250 N WATER OTE 500	<u> </u>
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Shauna Gunzelman	County: Decatur
Phone: 316-267-3241	Lease Name: Tex Well #: 1-27 Field Name: Wildcat
30606	<b>□</b>
CONTRACTOR: License#30606  Name: Murfin Drilling Co., Inc.	
Name:	Target Formation(s): Lansing Kansasa City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660  Ground Surface Flevation: 2789 feet MSL
X Oil Enh Rec Infield X Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes No
Disposal Wildcat Cable	····
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 150
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI IIII
<b>_</b> ,	Length of Surface Pipe Planned to be set: 300
Operator:	Longin of Conductor 1 po (ii dily).
Well Name:	Projected Total Depth: 4200  Formation at Total Depth: Marmaton
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other: haul
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plud-	ging of this well will comply with K.S.A. 55 et. seg.
	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq.  OCT 3 1 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	OCT 3 1 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	OCT 3 1 2007  Arilling rig; CONSERVATION DAY SACON
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the orange.	OCT 3 1 2007  trilling rig;  conservation DN SON circulating cement to the top; in all cases surface pipe shaffsesset ☼ underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the text.  4. If the well is dry hole, an agreement between the operator and the distriction.	Irilling rig;  conservation on several conservation of the top; in all cases surface pipe shalf
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill approved in the state of th</li></ol>	trilling rig;  conservation by some variating cement to the top; in all cases surface pipe shall seek to the top; in all cases surface
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the seco	drilling rig;  **CONSERVATION DIVISION  **Circulating cement to the top; in all cases surface pipe **shall cases**  **Underlying formation.  **Conservation Division  **Con
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the se	drilling rig;  conservation Division  recrulating cement to the top; in all cases surface pipe shall see it is  underlying formation.  ct office on plug length and placement is necessary prior to plugging;  d or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state.	trilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shaffsessive underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be publicated.	trilling rig;  conservation Division  circulating cement to the top; in all cases surface pipe shaffsessive underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and to the best of my	trilling rig;  conservation Division  circulating cement to the top; in all cases surface pipe shaffsessive underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will surface the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the plugge.  I hereby certify that the statements made herein are true and to the best of my the statements made herein are true and to the best of my the statements.	drilling rig;  conservation of the conservatio
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the district of the spud date or the well shall be placed.  Signature of Operator or Agent:  **District Completed Signature of Operator or Agent:**  Signature of Operator or Agent:**  **District Completed Signature of Operator or Agent:	drilling rig;  Conservation of the conservatio
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my.  Signature of Operator or Agent:  Signature of Operator or Agent:	drilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall select to diffee on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.  Exhaustant  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be uncertainty the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my.  1 hereby certify that the statements made herein are true and to the best of my.  2 Signature of Operator or Agent:  3 Signature of Operator or Agent:  4 Por KCC Use ONLY  API # 15 - 239 - 21030 - COOO	drilling rig;  Conservation of the conservatio
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my.  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 039 - 21030-0000  Conductor pipe required 0 feet	Arilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall select to underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.  knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my.  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 039 - 21030-0000  Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. I I III	Arilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shalls see to underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.  knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my.  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 039 - 21030-0000  Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. I I III	Arilling rig;  Conservation Division  or circulating cement to the top; in all cases surface pipe shaffs set is underlying formation.  In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the other of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be propriated to the spud date or the well shall be propriated to the best of my the propriate of the intention of the propriate of the propria	Arilling rig;  Conservation Division  or circulating cement to the top; in all cases surface pipe shall select to underlying formation.  In office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate It cementing shugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intended of the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my Date:    Date: 10/30/07	Arilling rig;  Conservation Division  or circulating cement to the top; in all cases surface pipe shall be set to circulating formation.  In office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the int	Arilling rig;  Conservation Division  or circulating cement to the top; in all cases surface pipe shafficest  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.  It knowledge and belief.  When the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the int	Arilling rig;  Conservation Division  or circulating cement to the top; in all cases surface pipe shall conservation Division  or office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Side Two



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-2/030-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Tex	990 feet from N / S Line of Section
Well Number: 1-27	660 feet from X E / W Line of Section
Field: Wildcat	Sec. <u>27 Twp. 5</u> S. R. <u>29</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1013547

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.		License Number: 30606					
Operator Address: 250 N WATER STE 300				WICHITA	KS	67202	
Contact Person: Shauna Gunzelman		Phone Number:	316-267-3241				
Lease Name & Well No.: Tex	Lease Name & Well No.: Tex 1-27		Pit Location (QQQQ):				
Type of Pit:	Pit is:		S2 NE NE				
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 5 R. 29 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		990 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	Pit capacity:		Feet from East / West Line of Section			
(II vvr Supply Arrivo. or real Dimed)	600	- "				County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l					
Is the bottom below ground level?	Artificial Liner?			(For Emergency Pits and Settling Pits only) pit lined if a plastic liner is not used?			
Yes No	Yes X			Bentonite and solids from drilling operations self seal pits			
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet)		N/A: Steel	Pits	
Depth fr	om ground level to de	eepest point:	(feet)		No Pit		
1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		edures for periodic maintenance and determining					
material, the most and motalities procedure	•	liner integrity, including any special monitoring.  RECEIVED					
		KANSAS CORPORATION COMMISS					
					OCT 3 1	2007	
Source of			Depth to shallowest fresh water 24 feet. CONSERVATION DIVISION WICHITA, KS				
979 feet Depth of water well 155 feet			measured well owner electric log KDWR				
		cover and Haul-Off Pits ONLY:					
<b>I</b>		erial utilized in drilling/workover: Bentonite					
			f working pits to be utilized: 4 nent procedure: Allow pits to evaporate until dry then				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		backfill when conditions allow  Drill pits must be closed within 365 days of spud date.					
						I hereby certify that the above statements are true and correct to the best of my knowledge and belief.	
10/30/2007 Date		rauns	Juntua ignature of Applicant	a a Gui	t fab	genita	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: /0/31/07 Permit Num	ber:	Permi	it Date: 10/3//	<b>b)</b> Lease Inspection	: Yes	⊠No	