For KCC Effective		11-607	
District #	•	7	
SGA?	X Yes	☐ No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot East East East East
monur day year	
OPERATOR: License# 5123	1980 feet from N / V S Line of Section
Name: Pickrell Drilling Co. Inc.	Teet from VE / W Line of Section
Address: 100 S. Main, Suite 505	Is SECTION Regular Irregular?
City/State/Zip: Wichita, Kansas 67202-3738	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Larry J. Richardson	County: Harper
316-262-8427	Lease Name: Asper "A" Well #: 3
Phone:	Field Name: Spivey-Grabs
CONTRACTOR: License# 5123	rm r
Name: Company Tools	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian Yes V No
Nallie.	220'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of third boundary.
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary	Ground Surface Elevation: 1578' est feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OMMO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
	Depth to bottom of fresh water:
	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 🗸 1 🔲 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
·	Projected Total Depth: 4450'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual oil	ugging of this well will comply with K.S.A. 55 et. seq.
The didensigned hereby allithis that the driving, completion and eventual pr	agging of the work will comply with receive to the total
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	AUG 3 0 2007
 Notify the appropriate district office prior to spudding of well; 	AUG 3 0 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface his warm necession
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	AUG 3 0 2007 th drilling rig; the by circulating cement to the top; in all cases surface hip ryang horselon with taken and the content of th
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the driven and the driven are specified. 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface hip ryalin berusion witchita, ks the underlying formation. Strict office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the does not suppropriate district office will be notified before well is either plug 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface pipe yalin berusion with the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fitth the well is dry hole, an agreement between the operator and the domain of the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface pipe yang beyon the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fitth the well is dry hole, an agreement between the operator and the domain of the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface pipe yalin berusion with the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the surface of the spropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface production witchita, ks strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fitth the well is dry hole, an agreement between the operator and the domain of the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	AUG 3 0 2007 th drilling rig; t by circulating cement to the top; in all cases surface present to present the underlying formation. In the underlying formation is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The many length is to the case of the c
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the series of the surface and the description of the surface and the description of the surface and the description of the surface casing order must be completed within 30 days of the spud date or the well shall be the description of the surface casing order must be completed within 30 days of the spud date or the well shall be the description of the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the well shall be described by the surface casing order must be completed within 30 days of the spud date or the surface casing order must be completed within 30 days of the spud d	AUG 3 0 2007 th drilling rig; the by circulating cement to the top; in all cases surface by the state of the surface within pression within the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of 	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface by Wichita, Ks the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface by WICHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Hemember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the state of the stat	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface provided by with house on with the construction of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Geologist **Femember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface provided by with house on with the construction of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Geologist **Femember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the complete of the plant of the	AUG 3 0 2007 th drilling rig; It by circulating cement to the top; in all cases surface interval of pression to the underlying formation. It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation. It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation is underlying for the plugging; It is underlying formation. It is underlying formation. It is underlying formation is underlying for the plugging; It is underlying formation. It is underlying for a underlying for a underlying for a
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be described by the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be completed. Signature of Operator or agent: For KCC Use ONLY API # 15 - O77 - 21600-0000 Conductor pipe required feet	AUG 3 0 2007 th drilling rig; they circulating cement to the top; in all cases surface program of the underlying formation. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the sec	AUG 3 0 2007 th drilling rig; the pricrelating cement to the top; in all cases surface program of the underlying formation. The underlying formation or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Geologist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the sec	AUG 3 0 2007 th drilling rig; the by circulating cement to the top; in all cases surface present to the top; in all cases surface present to the top; in all cases surface present to the concentration. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Geologist Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the sec	AUG 3 0 2007 th drilling rig; the by circulating cement to the top; in all cases surface present the provision of the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Geologist Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spundation of the plug of the spundation of the plug of the spundation of the well shall be cement. I hereby certify that the statements made herein are true and to the best of the plug of the spundation of the spundation of the plug of the spundation of the spundation of the plug of the spundation	AUG 3 0 2007 th drilling rig; the by circulating cement to the top; in all cases surface present to the top; in all cases surface present to the top; in all cases surface present to the concentration. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Geologist Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the sec	AUG 3 0 2007 th drilling rig; the pricrelating cement to the top; in all cases surface programments on the underlying formation. It is underlying formation casing is cemented in; and form below any usable water to surface within 120 days of spud date. It is underlying formation in the cases, NOTIFY district office prior to any cementing. It is underlying formation in the cases, NOTIFY district office prior to any cementing. It is underlying formation in the cases, NOTIFY district office prior to any cementing. It is underlying formation in the cases, NOTIFY district office prior to any cementing. It is underlying formation in the cases, NOTIFY district office prior to any cementing. It is underlying formation in the cases of th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spundation of the plug of the spundation of the plug of the spundation of the well shall be cement. I hereby certify that the statements made herein are true and to the best of the plug of the spundation of the spundation of the plug of the spundation of the spundation of the plug of the spundation	AUG 3 0 2007 The drilling rig; It by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by the content of the content of the content of the case of
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface and the description of the surface and the description of the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the province of the surface of the surface of the description of the surface pipe required. For KCC Use ONLY API # 15 - 077 - 21600 - 000 feet per Alt 1	AUG 3 0 2007 The drilling rig; It by circulating cement to the top; in all cases surface present the second reconstruction. It is the complete to the top; in all cases surface present the second reconstruction of the complete to the case of the second reconstruction casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 077-21600-0000	Location of Well: County: Harper
Operator: Pickrell Drilling Co. Inc.	
Lease: Asper "A"	1980 feet from N / S Line of Section 660 feet from F E / W Line of Section
Well Number: 3	Sec. 30 Twp. 31 S. R. 8 East ✓ Wes
Field: Spivey-Grabs Number of Acres attributable to well: QTR / QTR / QTR of acreage: C _ NE _ SE	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 		,	
: :			RECEIVED KANSAS CORPORATION COMMIS
 · · · · · · · · · · · · · · · · · · ·	: :	: :	AUG 3 0 2007
 ·	·	: : :	CONSERVATION DIVISION WICHITA, KS
 	• • • • • • • •		
 	30		EXAMPLE : :
	: : :	: : : • • • • • • • • • • • • • • • • •	1980
 	·		
: :	: :	1980'	
 · · · · · · · · · · · · · · · · · · ·			
· · ·		: <u> </u>	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Pickrell Drilling Co. Inc.			License Number: 5123
			hita, Kansas 67202-3738
Contact Person: Mike Kern			Phone Number: (620) 793 - 5742
Lease Name & Well No.: #3 Asper "A"			Pit Location (QQQQ):
		C NE SE	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 30 Twp. 31 R. 8 ☐ East ✓ West
Settling Pit 📝 Drilling Pit	If Existing, date constructed: Pit capacity:		1980 Feet from North / V South Line of Section
Workover Pit Haul-Off Pit			660 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	1780	(bbls)	Harper County
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l
•			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓	No ————————————————————————————————————	Bentonite Sealer
Pit dimensions (all but working pits):50	0 ft Length (fe	eet) 50 ft	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	epest point: 4'	aver. (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	dures for periodic maintenance and determination COMMISSION cluding any special monitoring ANSAS CORPORATION AUG 3 0 2007
			CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile	e of pit		west fresh water
Distance to nearest water well within one-mile	·	Source of infor	west fresh water
	20feet	Source of infor	west fresh water
	feet	Source of infor measu Drilling, Work	west fresh water
	feet	Source of informeasu Drilling, Worke Type of materia	west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY:
	feet	Source of informeasu Drilling, Worke Type of material Number of wor	west fresh water
	20 feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry.	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	20 feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment dry. Drill pits must to the best	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state August 30, 2007	J spilled fluids to	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment dry. Drill pits must to the best	west fresh water

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 31, 2007

Larry Richardson Pickrell Drilling Co., Inc. 100 S Main, Ste 505 Wichita KS 67202-3738

Re: Drilling Pit Application

Asper A Lease Well No. 3

SE/4 30-31S-08W Harper County, Kansas

raipo: Cours, viers

Dear Mr. Richardson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Form CDP-5 (August 2004), Exploration and Production Waste Transfer, must be filed within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms//

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Soselle Rains

Department of Environmental Protection and Remediation

cc: Jeff Klock

File