For KCC Use:	11-607
Effective Date:	<u> </u>
District #	<u>3</u>
SGA2 TVac	∏ _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: November 5 2007 month day year		
monin day year	Spot Description: NW SE NE Sec. 5 Twp. 33	S. R. 16 XE W
31106		
OPERALOR: License#	750 feet from X	
Name: Harper, Jay dba Harper Oll Co.		E / W Line of Section
Address 1: 1599 east 5200 St.	ls SECTION: X Regular I Irregular?	
Address 2:	(Note: Locate well on the Section Plat of	on reverse side)
City: Cherryvale State: Kaneas Zip: 67335 + 3611	County: Montgomery	
Contact Person: Jay Harper Phone: 520-336-2368	Lease Name: Atlas	Well #: B23
Titorie.	Field Name: Brewster	
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?	Yes No
Name: McPherson Drilling	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 17	во 🖊
	Ground Surface Elevation: 780	feet MSL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Donth to bottom of fresh water: 50	
Selsmic; # of Holes Other	Depth to bottom of usable water: 59-160	
Other:	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20ft.	
	Length of Conductor Pipe (if any):	
Operator:	1005	
Well Name: Original Total Depth: Original Total Depth:	Formation at Total Depth: Arbuckle	
Original Completion Date Original Total Deput	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DV	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
	· · · · · · · · · · · · · · · · · · ·	RECEIVED
ΔFFI	DAVIT KANS	SAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug		
It is agreed that the following minimum requirements will be met:		OCT 2 4 200°
it is agreed that the lonowing finding requirements will be met.		(11 3 7 (11))
		OCT 3 1 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	trilling rig:	
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Irilling rig; v circulating cement to the top; in all cases surface p	CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the order. 	r circulating cement to the top; in all cases surface p underlying formation.	CONSERVATION DIVISION ipe shalliblisetks
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the text. If the well is dry hole, an agreement between the operator and the district. 	r circulating cement to the top; in all cases surface p underlying formation. ct office on plug length and placement is necessary.	CONSERVATION DIVISION ipe shalliblisetks
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the unit is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. 	r circulating cement to the top; in all cases surface p underlying formation. ct office on plug length and placement is necessary and or production casing is cemented in;	CONSERVATION DIVISION ipe shall Guiset KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	r circulating cement to the top; in all cases surface p underlying formation. ct office on plug length and placement is necessary, d or production casing is cemented in; from below any usable water to surface within 120 E	CONSERVATION DIVISION ipe shall busht ks prior to plugging; DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be proved in the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: 	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 E 3.891-C, which applies to the KCC District 3 area, al	CONSERVATION DIVISION ipe shall Geliser KS prior to plugging; DAYS of spud date. ternate II cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall be posted on each of the shall be provided in the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary, dor production casing is cemented in; from below any usable water to surface within 120 E 3,891-C, which applies to the KCC District 3 area, allugged. In all cases, NOTIFY district office prior to	CONSERVATION DIVISION ipe shall Geliser KS prior to plugging; DAYS of spud date. ternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be proved in the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: 	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary, d or production casing is cemented in; from below any usable water to surface within 120 E 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior test of my knowledge and belief.	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date. ternate II cementing o any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of 10/31/2007.	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary, dor production casing is cemented in; from below any usable water to surface within 120 E 3,891-C, which applies to the KCC District 3 area, allugged. In all cases, NOTIFY district office prior to stop my knowledge and belief.	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date. ternate II cementing o any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall be posted on each of the shall be provided in the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 E 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Owne	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date. ternate II cementing o any cementing.
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the content of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the spud date or the spud date or the	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary, dor production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compare Comp	CONSERVATION DIVISION ipe shall buildet KS prior to plugging; PAYS of spud date. ternate II cementing of any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the complete of the complete of the operator of Agent: Date: 10/31/2007 Signature of Operator of Agent: For KCC Use ONLY	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 E 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Council	CONSERVATION DIVISION ipe shall Gelisht KS prior to plugging; DAYS of spud date. ternate II cementing o any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the complete of the complete of the complete of the complete of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the complete	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Council Co	CONSERVATION DIVISION ipe shall Suiset KS prior to plugging; DAYS of spud date. ternate II cementing or any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the complete of the complete of the operator of Agent: Date: 10/31/2007	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Owne	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing o any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the complete of the complete of the operator of Agent: Date: 10/31/2007	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to:	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing or any cementing. Orbit; Do Dritt; Doub date; ation orders; vorkover or re-entry;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent and the intent and the posted on each of the intent and	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to:	CONSERVATION DIVISION ipe shall is blister its prior to plugging; DAYS of spud date. ternate il comenting or any cementing. Deritt; Do Dritt; Doud date; ation orders; profested (within 60 days);
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the intent	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to:	CONSERVATION DIVISION ipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing or any cementing. Oritit; Do Dritt; Do Dritt; Double date; ation orders; vorkover or re-entry; mpleted (within 60 days); ng salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent and the approved notice of intent to drill shall be posted on each of the intent and the approved notice of intent to drill shall be posted on each of the intent and the approved by: 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the observable of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the best of the statements and herein are true and correct to the best of the statements and herein are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the statements are true and correct to the statement of the stateme	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to:	CONSERVATION DIVISION ipe shall builbut KS prior to plugging; DAYS of spud date. ternate II cementing or any cementing. DO Drill; DO Drill;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best of the spud statements. For KCC Use ONLY API # 15 - 12 5 - 3 1 4 6 8 - 0000 Conductor pipe required	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specified acreage attribution plat according to field promoved. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is concluded. If this permit has expired (See: authorized expiration check the box below and return to the address below.	CONSERVATION DIVISION tipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing or any cementing. Or Drill; oud date; ation orders; workover or re-entry; mpleted (within 60 days); ang salt water. on date) please ow.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other will be well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the best of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statement of the statement o	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to: File Drill Pit Application (form CDP-1) with Intent to Fite Completion Form ACO-1 within 120 days of specified acreage attribution plat according to field promoved to the Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is concluded in the permit has expired (See: authorized expiration check the box below and return to the address belief Well Not Drilled - Permit Expired Date:	CONSERVATION DIVISION tipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing or any cementing. Or Drill; oud date; ation orders; workover or re-entry; mpleted (within 60 days); ang salt water. on date) please ow.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best of the spud statements. For KCC Use ONLY API # 15 - 12 5 - 3 1 4 6 8 - 0000 Conductor pipe required	r circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120 L 3,891-C, which applies to the KCC District 3 area, allougged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Compared to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specified acreage attribution plat according to field promoved. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is concluded. If this permit has expired (See: authorized expiration check the box below and return to the address below.	CONSERVATION DIVISION tipe shall Selisat KS prior to plugging; DAYS of spud date, ternate II cementing or any cementing. Or Drill; Do Drill; Do Drill; Double date; ation orders; vorkover or re-entry; mpleted (within 60 days); ng salt water. Double date; and date) please Own.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31468-0000 Operator: Harper, Jay dba Harper Oll Co.	Location of Well: County: Montgomery	
Lease: Atlas	1,780 feet from N / S Line of Section	
Well Number: B23 Field: Brewster	750 feet from	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - NE -	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OCT 3 1 2007 OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PPPNSERVATION DIVISION WICHITA KS

(Submit in Duplicate License Number: 31106 Operator Name: Harper, Jay dba Harper Oil Co. Operator Address: 1599 east 5200 St. Cherryvale Kansas 67335 Phone Number: 620-336-2368 Contact Person: Jay Harper Lease Name & Well No.: Atlas **B23** Pit Location (QQQQ): SE ΝE Type of Pit: Pit is: 5 Two 33 R 16 East Proposed Existing Emergency Pit **Bum Pit** If Existing, date constructed: **Drilling Pit** Settling Pit Feet from North / South Line of Section 740 Workover Pit Haul-Off Pit Feet from East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 100 Montgomery (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? Clay 10 N/A: Steel Pits Pit dimensions (all but working pits): Length (feet) Width (feet) 3 Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Depth to shallowest fresh water Distance to nearest water well within one-mile of pit feet. Source of information: feet Depth of water well _ measured well owner **KDWR** feet electric log Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: Type of material utilized in drilling/workover: drill cuttings Producing Formation: Number of producing wells on lease: Number of working pits to be utilized: Abandonment procedure: pump out contents, then fill in Barrels of fluid produced daily: _ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 10-31-2007 §ignature o∦Applicant or Agent KCC OFFICE USE ONLY Steel Pit RFAC RFAS 10/31/01 10/31/07 Lease Inspection: Yes No Permit Number:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202