# For KCC Use: Effective Date: District # SGA2 Ves VNo

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: November 7, 2007	Spot Description: Approximately 160' South and 290' West of:		
month day year	NW NE SE - Sec. 36 Twp. 6 S. R. 24 TEXW		
32819	(Q/Q/Q/Q/Q) 2,150 feet from N / X S Line of Section		
OPERATOR: License#	1,280 feet from $\times$ E / $\times$ U Line of Section		
Name: Baird Oil Company, LLC	ts SECTION: Regular Irregular?		
Address 1: P.O. Box 428 Address 2: 113 W. Main Street	<b>—</b>		
Address 2:	(Note: Locate well on the Section Plat on reverse side)		
Contact Person; Andrew C. Noone	County: Graham		
Phone: 785-689-7456	Lease Name: McAmoil Well #: 1-36 Well #: 1-36		
22575	rield Name.		
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?		
Name: W W Drilling, LLC	Target Formation(s): _LKC/ Arbuckle		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1280'		
XOII / Enh Rec Infield X Mud Rotary	Ground Surface Elevation: 2509 feet MSL		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic ; # of Holes Other	Deptil to boltoni or nesir water.		
Other:	Depth to bottom of usable water: 1200		
	Surface Pipe by Alternate: III XII		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 270' 280 minimum		
Operator:	Length of Conductor Pipe (if any): NA		
Well Name:	Projected Total Depth: 4000'		
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle		
·	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken?		
	If Yes, proposed zone:		
	RECEIVED		
AFFI	DAVIT KANSAS CORPORATION COMMISSION		
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.		
It is agreed that the following minimum requirements will be met:	OCT 3 1 2007		
Notify the appropriate district office <i>prior</i> to spudding of well;			
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each of</li> </ol>	Irilling rig: COMSTMATER CONSTR		
3. The minimum amount of surface pipe as specified below shall be set by	3. The minimum amount of surface pipe as specified below <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b>		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.			
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.		
4. If the well is dry hole, an agreement between the operator and the distri	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i>		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> </ol>	underlying formation. ct office on plug length and placement is necessary <b>prior to plugging;</b> ed or production casing is cemented in;		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	underlying formation.  ct office on plug length and placement is necessary <b>prior to plugging;</b> d or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	underlying formation.  ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.		
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the beautiful or the statements.</li> </ol>	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the contract to the statements made herein are true and correct to the best of the product of the spud date.	underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Agent  Title:		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the bedate:  October 30, 2007  Signature of Operator or Agent:	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  The st of my knowledge and belief.  Agent  Remember to:		
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because October 30, 2007  Signature of Operator or Agent:  For KCC Use ONLY	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 at of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because.  Cottober 30, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 23370000	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 at of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because.  October 30, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 233 70 0000  Conductor pipe required  Feet	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 at of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because.  October 30, 2007. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 233 70 0000  Conductor pipe required.	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In all cases, NOTIFY district office prior to any cementing.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP, 4) after plugging is completed (within 60 days):		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because of the contract of the point of the contract of the contract of the point of the contract of the co	underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because.  1. Description of Operator or Agent:  2. Description of Operator or Agent:  3. Description of Operator or Agent:  4. Description of Operator or Agent:  5. Description of Operator or Agent:  6. Description of Operator or Agent:  6. Description of Operator or Agent:	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because of October 30, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSS - 233 70 0000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I VIII  Approved by:   Mark IF-FOR  This authorization expires: IF-FOR	underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because.  1. Description of Operator or Agent:  2. Description of Operator or Agent:  3. Description of Operator or Agent:  4. Description of Operator or Agent:  5. Description of Operator or Agent:  6. Description of Operator or Agent:  6. Description of Operator or Agent:	underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief.  Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the because of October 30, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSS - 233 70 0000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I VIII  Approved by:   Mark IF-FOR  This authorization expires: IF-FOR	underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  Agent  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23370-0000		
Operator: Baird Oil Company, LLC	Location of Well: County: Graham	
Lease: McAmoil	2,150 feet from N / X S Line of Section	
Well Number: 1-36	1,280 feet from $\boxtimes$ E / $\square$ W Line of Section	
Field: Wildcat	Sec. <u>36 Twp. 6 S. R. <sup>24</sup> E X W</u>	
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  NW - NE - SE -	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED
KANSAS CORPORATION COMMISSION

OCT 3 1 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate			
Operator Name: Baird Oil Company, LLC	License Number: 32819		
Operator Address: P.O. Box 428	113 W. Main Street Logar	n KS 67646	
Contact Person: Andrew C. Noone	Phone Number: 785-68	9-7456	
Lease Name & Well No.: McAmoil	Pit Location (QQQQ):		
Type of Pit:    Emergency Pit	Sec. 36 Twp. 6 R. 2  onstructed: 2,150 Feet from N	lorth / South Line of Section  ast / West Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes  Is the bottom below ground level? Artificial Liner?	No Chloride concentration:	and Settling Pits only)	
Pit dimensions (all but working pits): 50 Length  Depth from ground level to  If the pit is lined give a brief description of the liner material, thickness and installation procedure.	eet) 50 Width (feet)	N/A: Steel Pits  No Pit  and determining RECETVED ISAS CORPORATION COMMISSION  OCT 3 1 2007  CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit  4079 5000 feet Depth of water well 60 feet  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  I hereby certify that the above statements are true and	Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Drill Number of working pits to be utilized:  Abandonment procedure: Contents allowed backfill pits and respectively.  Drill pits must be closed within 365 days of spuce.	to airdry and then estore to original state.	
October 30, 2007 Date    Compared			