For KCC Use:

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot Y East
month day year	NW - NW - SW Sec. 3 Twp. 16 S. R. 21 West
61/2	2275 feet from N / XS Line of Section
OPERATOR: License# 6142	4690 feet from X E / W Line of Section
14005 11 007 1 0	Is SECTION X Regularirregular?
Address: 16205 West 287th St.	
orty/State/Zip: Paola, Kansas 66071	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: Coughenour Weli #: 2W-07 Field Name: Paola-Rantoul
CONTRACTOR: License# Company Tools 6142	ried value.
lame:	Is this a Prorated / Spaced Field?
ane.	Target Information(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 365
Oil X Enn Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100
Other	Depth to belleth of deadle water.
	Surface Pipe by Alternate: 1 X 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	700
Weil Name:	7.10]00100 1010 200111
Original Completion Date:Original Total Depth:	•
irectional, Deviated or Horizontal wellbore? Yes X No	Water Source for Drilling Operations:
Yes, true vertical depth:	Taliff Glid Other
ostom Hole Location:	DWR Permit #:
·	(Note: Apply for Permit with DWR)
·	Will Cores be taken?
CC DKT #:	Will Cores be taken? If Yes, proposed zone: PROCENCE
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVED Slugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMP
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: **IDAVIT** RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq **KANSAS CORPORATION COMP NOV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pipensembly is not the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual puls agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the design of the well is dry hole, an agreement between the operator and the control of the surface of the surface will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: **PDAVIT** RECEIVED NOV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pipensembly formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual points agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: **RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq.** **NOV 0 1 2007* The individual of this well will comply with K.S.A. 55 et. seq.** **NOV 0 1 2007* The individual of this well will comply with K.S.A. 55 et. seq.** **NOV 0 1 2007* The individual of this well will comply with K.S.A. 55 et. seq.** **NOV 0 1 2007* **WICHTA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. ** #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. **In all cases, NOTIFY district office prior to any cementing.** **In India
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constituent of the set of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Showing this well will comply with K.S.A. 55 et. seq. **RECEIVED** NOV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pipensembly is not with the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title:** **Title:*
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution of the statement of the properties of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the certification. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pigons and plugging; In the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In the Kemember to: Title: Remember to:
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution of the statement of the properties of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the certification. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pipensement of plugging; the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; greated from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the member to: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual points agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the confidence of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the confidence of the conf	Will Cores be taken? If Yes, proposed zone: RECEIVED Slugging of this well will comply with K.S.A. 55 et. seq. NOV 0 1 2007 The total drilling rig; Let by circulating cement to the top; in all cases surface pisons and plugging; with the underlying formation. WICHTA, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFF the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the surface pipe in notified before well is either plus of the appropriate district office will be notified before well is either plus of the analytic and the composition of the plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constitution of the constitution of the plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constitution of the constitution of the plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constitution of the constitution of the constitution of the plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constitution of the c	Will Cores be taken? If Yes, proposed zone: **RECEIVED** **Proposed zone: **NOV 0 1 2007* The inch drilling rig; If the underlying formation. If the underlying formation casing is cemented in; If the drom below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. If the Completion Form ACO-1 within 120 days of spud date; If the Completion Form ACO-1 within 120 days of spud date; If the acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the an ALTERNATE II COMPLETION, production pipe shall be deemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constitution of the statements of the constitution of the consti	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 1 2007 The individual comply with K.S.A. 55 et. seq. NOV 0 1 2007 The underlying formation. WICHTA, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the second	If Yes, proposed zone: **RECEIVED** **Proposed zone: **NoV 0 1 2007* **The plugging of this well will comply with K.S.A. 55 et. seq.** **NoV 0 1 2007* **The plugging of this well will comply with K.S.A. 55 et. seq.** **NoV 0 1 2007* **The plugging of this well will comply with K.S.A. 55 et. seq.** **NoV 0 1 2007* **The plugging of this well will comply with K.S.A. 55 et. seq.** **NoV 0 1 2007* **WICHITA, KS **WIC
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constituent of the surface pipe shall be cement of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the properties of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the statements of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall be set the spud date of the sp	Will Cores be taken? If Yes, proposed zone: **RECEIVED** **RECEIVED** **NOV 0 1 2007* The drilling rig; **et by circulating cement to the top; in all cases surface pipensativation Division witch underlying formation. **district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. **#133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. **If the Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water. **If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface pipe shall be cement of appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the state of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the state of th	Will Cores be taken? If Yes, proposed zone: RECEIVED RECIVED ROV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pigolustawards blvision with the underlying formation. Wichtra, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; Let from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constituent of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the s	Will Cores be taken? If Yes, proposed zone: **RECEIVED** **RECEIVED** **NOV 0 1 2007* The drilling rig; **et by circulating cement to the top; in all cases surface pipensetwance Division the underlying formation. **WICHITA, KS** district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; **read from below any usable water to surface within 120 days of spud date. **#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. **Title:** **Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired*
AFF The undersigned hereby affirms that the drilling, completion and eventual per tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be demended to the performance of the completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the provided that the statements made herein are true and to the best of the composition of the pipe required. For KCC Use ONLY API # 15 - OS9 - 25275-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED RECIVED ROV 0 1 2007 The drilling rig; Let by circulating cement to the top; in all cases surface pigolustawards blvision with the underlying formation. Wichtra, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; Let from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25275-0000	Location of Well: County:
Operator:	
Lease:	feet fromE /W Line of Section
Well Number:	
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (Co-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Company, Inc.		License Number: 6142
Operator Address: 16205 W. 287tl	n St. Paola, Kan	
Contact Person: Lester Town		Phone Number: (913) 294 2125
Lease Name & Well No.: Coughenour 2W-07		Pit Location (QQQQ):
Type of Pit: Emergency Pit Workover Pit Settling Pit Drilling Pit Burn Pit Haul-Off Pit (if WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): 8	Artificial Liner? Yes X No	2275 Feet from North / South Line of Section 4690 Feet from X East / West Line of Section Franklin County Chloride consentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Pits not lined unless not holding fluid
If the pit is lined give a brief description of the I material, thickness and installation procedure. Distance to nearest water well within one-mile	of pit ass Depth to Source o	procedures for periodic maintenance and determining grity, including any special monitoring.
feet Depth of water well		measuredwell owner electric log KDWR
		Workover and Haul-Off Pits ONLY: naterial utilized in drilling/workover: <u>fresh water</u>
		of working pits to be utilized: 2
		ment procedure: Pits filled as soon a well
Does the slope from the tank battery allow all slow into the pit? Yes No	pilled fluids tois c	ompleted must be closed within 365 days of spud date.
! hereby certify that the above statem 10-30-07 Date	nents are true and correct to th	RECEIVED KANSAS CORPORATION COMM NOV 0 1 2007 Signature of Applicant or Agent CONSERVATION DIVISION: TVICHITA IN:
Date Received: 11/1/07 Permit Numb	KCC OFFICE US	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.