# For KCC Use: //-/07 Effective Date: //-/07 District # X Use

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Must be approved by KCC five (	
Expected Spud Date: November 10, 2007  month day year	Spot Description:  NE _ SW _ NW _ NE _ Sec 15 _ Twp 21 _ S. R 20 _ XE _ W  (2020)
OPERATOR: License#	1,370 teet from N / X S Line of Section
Name: Roger Kent dba RJ Enterprises	leet nom Z Z / Z W Zine or conton
Address 1: 1203 East 4th Avenue	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Garnett State: KS Zip: 66032 +	County: Anderson
Contact Person: Roger Kent	Lease Name: Ware Well #: 4-1
Phone: (785) 448-6963 or (785) 448-7725	Field Name: Bush City Shoestring
CONTRACTOR: License# 3728 V	Is this a Prorated / Spaced Field?
Name: Roger Kent dba RJ Enterprises	Target Formation(s): Squirrel
Well Drilled For: / Well Class: , Type Equipment:	Nearest Lease or unit boundary line (in footage): 495
	Ground Surface Elevation: n/a feet MSL
Oil X Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 125'+
Other.	
If OWWO: old well information as follows:	Length of Conductor Pipe (if any): none
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 900'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
<b>___</b>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken?
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSIN
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Artilling rig;  CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	RECEIVED KANSAS CORPORATION COMMISSIN ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  drilling rig; conservation division circulating cement to the top; in all cases surface pipe shall 65/56/KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the original surface.	RECEIVED KANSAS CORPORATION COMMISSIN ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  drilling rig; conservation division recirculating cement to the top; in all cases surface pipe shall bushes underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugges.  The appropriate district office will be notified before well is either plugges.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall by set office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall buseries underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSING ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig;  CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall GBI Set Ks underlying formation. and office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; conservation Division or circulating cement to the top; in all cases surface pipe shall bushes underlying formation. Act office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Conservation Division or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Conservation Division or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Title:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIVED KANSAS CORPORATION COMMISSING ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arrilling rig: CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation. At office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best pater.  November 5, 2007  Signature of Operator or Agent:  For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Conservation Division or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing olugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIVED KANSAS CORPORATION COMMISSIN ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig;  conservation division circulating cement to the top; in all cases surface pipe shall busterks underlying formation. at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the element of the	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIVED KANSAS CORPORATION COMMISSING ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Conservation Division or circulating cement to the top; in all cases surface pipe shall business underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit all usains report (CPR4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the best of the complete of the complete of the placed.  For KCC Use ONLY  API # 15 - OO3 - 244772-0000  Conductor pipe required feet  Minimum surface pipe required feet per ALT.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best poate:  November 5, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15OO3 24472OOO  Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district office will be appropriate district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best intention of the intention of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation.  At office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best poate:  November 5, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15OO3 24472OOO  Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be serve sunderlying formation. At office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district office will be appropriate district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best intention of the intention of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  NOV 0 5 2007  Conservation Division or circulating cement to the top; in all cases surface pipe shall be set ks underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 003-24472-0000	
Operator: Roger Kent dba RJ Enterprises	Location of Well: County: Anderson
Lease: Ware	4,370 feet from N / S Line of Section
Well Number: 4-I	2,145 feet from E / W Line of Section
Field: Bush City Shoestring	Sec. 15 Twp. 21 S. R. 20 🔀 E 🔲 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  NE - SW - NW - NE	is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Roger Kent dba RJ Enterprises		License Number: 3728	
Operator Address: 1203 East 4th A	venue		Garnett KS 66032
Contact Person: Roger Kent			Phone Number: (785) 448-6963 or (785) 448-7725
Lease Name & Well No.: Ware	4-1		Pit Location (QQQQ):
Type of Pit:	Pit is:		NE _ SW _ NW _ NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 21 R. 20 East West
Settling Pit Drilling Pit	If Existing, date constructed:		4,370 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			2,145 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 500	(bbls)	Anderson
ts the pit located in a Sensitive Ground Water	Area? Tyes		Chloride concentration: mg/l
is the pit located in a densitive Ground Water	VICE: 100 1X	.]	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes XI	No	native clay
Pit dimensions (all but working pits):	25 Length (fe	et) 10	Width (feet) N/A: Steel Pits
	rom ground level to de	epest point:	6 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.
Distance to nearest water well within one-mile	e of pit		owest fresh waterfeet.
Source of info  N/A feet Depth of water well feet measurements		mation: ured well owner electric log KDWR	
1.00		Drilling, Work	cover and Haul-Off Pits ONLY:
		al utilized in drilling/workover: drilling mud	
i		rking pits to be utilized: 2	
		procedure: air dry and backfill	
Does the slope from the tank battery allow at flow into the pit? Yes No	l spilled fluids to	Drill pits must	be closed within 365 days of spud date.  RECEIVED
I hereby certify that the above state	ements are true and o	correct to the bes	
November 5, 2007 Date	W.	nna	NOV 0 5 2007  Manda CONSERVATION DIVISION WICHTA TO
WICHIIA KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 11/5/07 Permit Nur	nber:	Pern	nit Date: 11/5/07 Lease Inspection: Yes KNo



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.