For KCC Use: 11-10-07 Effective Date: 3 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

mast be approved by Nee me		
Expected Spud Date: November 10, 2007	Spot Description:	AMERICA .
month day year	NW - SE - NW - NE Sec. 15 Twp. 21 S. R. 20 XE]w
OPERATOR: License# 3728	(0.00/0/0) 4,370 feet from N / X S Line of Se	ction
Name: Roger Kent dba RJ Enterprises	1,815 teet from E / W Line of Se	ction
Address 1: 1203 East 4th Avenue	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Gamett State: KS Zip: 66032 +	County: Anderson	
Contact Person: Roger Kent	Lease Name: Ware Well #: 8-1	
Phone: (785) 448-6963 or (785) 448-7725	Field Name: Bush City Shoestring	
CONTRACTOR: License# 3728	ts this a Prorated / Spaced Field?	No
Name: Roger Kent dba RJ Enterprises	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 825	
Oil X Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: n/a feet t	I SL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'+	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: I I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 900'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
	RECEIVED	
	FIDAVIT KANSAS CORPORATION C	OMMISSIC
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	\ -
It is agreed that the following minimum requirements will be met:	NOV 0 5 20	3/
 Notify the appropriate district office prior to spudding of well; 	COMPENSATION	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATION DIV	SION
 I he minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 	by circulating cement to the top; in all cases surface pipe shall be seliTA. KS	
4. If the well is dry hole, an agreement between the operator and the distri		
5. The appropriate district office will be notified before well is either plugge		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented		
	33,891-C, which applies to the KCC District 3 area, alternate II cementing	
must be completed within 30 days of the spud date or the well shall be	, 50	
I hereby certify that the statements made herein are true and correct to the be	est of my knowledge, and belief.	
Date: November 5, 2007 Signature of Operator or Agent:	na thanda Title: Agent	
Signature or Operator of Agent. (ASS 2 - 20)	TRIC.	· -
For KCC Hee ONLY	Remember to:	苏
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	on on
API # 15 - 003 - 24476-0000	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; 	O.
API # 15 - 003 - 2 4 4 7 6 - 0000 Conductor pipe required None feet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; 	15 21
API # 15 003-24476-0000	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; 	5 21
API # 15 - 003 - 2 4476-0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 	O.
API # 15 OO3 - 2 4 4 7 6 OOOO Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. I 11 Approved by: 11 5 0 7	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	5 21
API # 15 - 003 - 2 4476-0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 	5 21 20
API # 15 - OO3 - 2 4476-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. I VII Approved by: Full 11-5-07 This authorization expires: 11-5-08	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: 	5 21
API # 15 - OO3 - 2 4476-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT. I VII Approved by: Full 11-5-07 This authorization expires: 11-5-08	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	5 21 20

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24476-0000	
Operator: Roger Kent dba RJ Enterprises	Location of Well: County: Anderson
Lease: Ware	4,370 feet from N / X S Line of Section
Well Number: 8-1	1,815 feet from X E / W Line of Section
Field: Bush City Shoestring	Sec. 15 Twp. 21 S. R. 20 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - NW - NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·			The state of the s	
Operator Name: Roger Kent dba RJ Enterprises		License Number: 3728		
Operator Address: 1203 East 4th A	venue	,	Garnett KS 6603	
Contact Person: Roger Kent			Phone Number: (785) 448-6963 or (785) 448-772	
Lease Name & Well No.: Ware 8-I		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SE NW NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 21 R. 20 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		4,370 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,815 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	500	(bbls)	Anderson	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level?			(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes XI	No	native clay	
Pit dimensions (all but working pits):2	5 Length (fe	et) 10	Width (feet) N/A: Steel Pits	
	om ground level to de	epest point:	6 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining including any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.		
Emergency, Settling and Burn Pits ONLY: Drilling, Work		over and Haul-Off Pits ONLY:		
Producing Formation: Type of material		al utilized in drilling/workover: drilling mud		
, -		rking pits to be utilized:2		
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date. RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
November 5, 2007 Date	Q.	onno	NOV 0 5 2007 CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 11/5/07 Permit Num	ber:	Permi	it Date: "/5/07 Lease Inspection: Yes \\No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.