For KCC Use:	11-11-07
Effective Date:	// // //
District #	
SGA? Yes	₹ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

NTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well	·IIIea
November 12 2007		
xpected Spud Date		East
month day year		Vest
PERATOR: License# 9684	990 feet from N / S Line of Section	
nma. M S Drilling	reet from V E / W Line of Section	ו
P. Q. Box 87	Is SECTION Regular Irregular?	
tv/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
antact Person, Mark Smill	County: Crawford	
one: 620-449-2200	Lease Name: Little Well # 26-48	
	Field Name: wildcat	
ONTRACTOR: License#	Is this a Prorated / Spaced Field?	∕ No
nme: M S Drilling	Target Formation(s): Miss Chat	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 550	
	Ground Surface Elevation:feet	_ `
	Water well within one-quarter mile:	_No
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic; # of Holes Other	Depth to bottom of fresh water:	
Other Other	Depth to bottom of usable water: 2 100	
VIIIVI	Surface Pipe by Alternate: 1 2 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator: N/A	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 850 Formation of Total Depth: Miss	
Original Completion Date:Original Total Depth:	roimation at lotal Depth	
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
- -	wen Family Office	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes	Ž]Na
CC DKT #:	Unique and I	INO
	If Yes, proposed zone:RECEIV	ED
AFF	FIDAVIT KANSAS CORPORATIO	N COMMIS
ne undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.	
is agreed that the following minimum requirements will be met:	NOV 0 5 ;	2007
Notify the appropriate district office <i>prior</i> to spudding of well;		
2. A copy of the approved notice of intent to drill shall be posted on ea	ach drilling rig; CONSERVATION	
3. The minimum amount of surface pipe as specified below shall be s	et by circulating cement to the top; in all cases surface pipe shall be is at	KS
through all unconsolidated materials plus a minimum of 20 feet into the second the secon	the underlying formation. district office on plug length and placement is necessary <i>prior to pluggi</i> n	ıa.
 fr the well is dry noie, an agreement between the operator and the terms. The appropriate district office will be notified before well is either plus 	gged or production casing is cemented in:	· S ',
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	ited from below any usable water to surface within 120 days of spud date	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	r #133,891-C, which applies to the KCC District 3 area, alternate II cemer	nting
	be blugged. In all cases, NOTIFY district office prior to any cementing	•
nereby certify that the statements made herein are true and to the best o	of my knowledge and belief.	
interior	Att trans Tecles Title:	
ate: /(/[[] Signature of Operator or Agent:	(Contract of the contract of	
/ /	Remember to:	
For KCC Use ONLY	File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15 - 037 -21947-0000	- File Completion Form ACO-1 within 120 days of spud date;	N
Conductor pipe required None feet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 	0
Minimum surface pipe required 20 feet per Alt. 12	Submit plugging report (CP-4) after plugging is completed;	1
	Obtain written approval before disposing or injecting salt water.	0
Approved by: Putf 1/- 6-07 This authorization expires: /1-6-08	- If this permit has expired (See: authorized expiration date) please	2
1100 221110 1100 1100 1100 1100 1100 11	check the box below and return to the address below.	
(This authorization void if drilling not started within months of approval date.)	Well Not Drilled - Permit Expired	
/2. Spud date:Agent:	Signature of Operator or Agent:	2,
rigoriti.	Date:	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 037-21947-0000	Location of Well: County: Crawford
Operator: M S Drilling	990 feet from N / V S Line of Section
Lease: Little	2145 feet from VE / W Line of Section
Well Number: 26-48	Sec26Twp28S. R21
Field: wildcat	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔝 Irregular
QTR / QTR / QTR of acreage: E2NW - SW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

26
26
26
26
26
26
26
26
26
26
26 0 2145
26 0 2145
0 2145
0 2145
0 2145
0 2145
0 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
0: 2145
202
0.00
1 (2)(4)
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
$+$ // $^{\omega}$
1 1 1
·

RECEIVED KANSAS CORPORATION COMMISSION

NOV 0 5 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: M S Drilling			License Number: 9684	
Operator Address: P. O. Box 87	St. Paul, KS	66771		
Contact Person: Mark Smith			Phone Number: (620) 449 - 2200	
Lease Name & Well No.: Little 26-48			Pit Location (QQQQ):	
Type of Pit:	Pit is:		E2 NW SE	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 26 Twp. 28 R. 21	
Settling Pit	If Existing, date co	onstructed:	990 Feet from North / 🗹 South Line of Section	n
Workover Pit Haul-Off Pit	Pit capacity:		2145 Feet from 🗹 East / 🗌 West Line of Section	n
(If WP Supply API No. or Year Drilled)	80	(bbls)	Crawford Count	у
Is the pit located in a Sensitive Ground Water	Area? Yes	} No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸 I	No	native clay	
Pit dimensions (all but working pits):	25 Length (fe	eet)3	Width (feet) N/A: Steel Pits	
Danith for		epest point: 6	(feet)	
Depth ii	rom ground level to de			_
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce	dures for periodic maintenance and determining RECEIV	-7
If the pit is lined give a brief description of the	liner	Describe proce	ncluding any special monitoring. KANSAS CORPORATIO	N COMMISSI
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	• • • • • • • • • • • • • • • • • • • •	N COMMISSI
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	ncluding any special monitoring. KANSAS CORPORATIO	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner 9.	Describe proce liner integrity, in n/a Depth to shallo	NOV 0.5 CONSERVATION WICHITA,	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a	e liner e. e of pit	Describe proce liner integrity, in n/a Depth to shallo Source of infor	NOV 0.5 CONSERVATION WICHITA,	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile	e liner e. e of pit n/a feet	Describe proce liner integrity, in n/a Depth to shallo Source of infor measu	NOV 0.5 CONSERVATION WICHITA, mation:	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile	e liner e of pit n/a feet	Describe proce liner integrity, in n/a Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION WICHITA, west fresh water	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e liner e. e of pit n/a feet	Describe proce liner integrity, is n/a Depth to shallo Source of infor measu Drilling, Worke Type of material Number of wor	NOV 0.5 CONSERVATION WEST fresh water ? feet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR king pits to be utilized: 1	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile feetDepth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e liner e of pit n/a feet	Describe proce liner integrity, is n/a Depth to shallo Source of infor measu Drilling, Worke Type of material Number of wor	NOV 0.5 CONSERVATION WICHITA, west fresh water 2 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e liner e of pit n/a feet	Describe proceliner integrity, in n/a Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment	NOV 0.5 CONSERVATION WEST fresh water ? feet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR king pits to be utilized: 1	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e liner e of pit n/a feet I spilled fluids to	Describe proceliner integrity, it n/a Depth to shallo Source of informeasu Drilling, Worket Type of materia Number of wor Abandonment Drill pits must to	NOV 0.5 CONSERVATION WICHITA, West fresh water 2 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry over closed within 365 days of spud date.	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e of pit n/a feet I spilled fluids to	Describe proceliner integrity, it n/a Depth to shallo Source of informeasu Drilling, Worket Type of materia Number of wor Abandonment Drill pits must to	NOV 0.5 CONSERVATION WICHITA, West fresh water 2 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry over closed within 365 days of spud date.	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e of pit n/a feet I spilled fluids to	Describe proceliner integrity, in n/a Depth to shallo Source of informeasu Drilling, Worket Type of material Number of wor Abandonment Drill pits must the correct to the best	NOV 0.5 CONSERVATION WICHITA, west fresh water ?feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry oe closed within 365 days of spud date.	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e of pit n/a feet I spilled fluids to	Describe proceliner integrity, in n/a Depth to shallo Source of informeasu Drilling, Worket Type of material Number of wor Abandonment Drill pits must the correct to the best	NOV 0.5 CONSERVATION WICHITA, West fresh water 2 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry over closed within 365 days of spud date.	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e of pit n/a feet I spilled fluids to ements are true and o	Describe proceliner integrity, in n/a Depth to shallo Source of informeasu Drilling, Worket Type of material Number of wor Abandonment Drill pits must the correct to the best	NOV 0.5 CONSERVATION WICHITA, west fresh water ? feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry pe closed within 365 days of spud date. at of my knowledge and belief. All All All All All All All All All Al	n dommissi 2007 Division
If the pit is lined give a brief description of the material, thickness and installation procedure n/a Distance to nearest water well within one-mile n/a feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 10/2 2/0 7 Date	e liner e of pit n/a feet I spilled fluids to ements are true and c	Describe proceliner integrity, in n/a Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be correct to the best Source of informeasu Drill pits must be correct to the best Source of informeasu of informea	NOV 0.5 CONSERVATION WICHITA, west fresh water ? feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR king pits to be utilized: 1 procedure: backfill when dry pe closed within 365 days of spud date. at of my knowledge and belief. All All All All All All All All All Al	n dommissi 2007 Division