## For KCC Use: Effective Date:

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 11, 2007  month day year	Spot Description: 50 ft W and 144 ft S  SW NE SE Sec. 22 Twp. 23 S	. R. 4 XE W
5721	(0/0/0/0) 1,506 sec. — (wp. — S	
OPERATOR: License#	1,040 feet from E	
Name: Glacier Petroleum, Inc.	Is SECTION: Regular Irregular?	W Line of Section
Address 1: P.O. Box 577 Emporia, KS 66801-0577	<del>_</del>	
Address 2:  City: Emporia State: KS Zip: 66801 + 0577	(Note: Locate well on the Section Plat on rev	verse side)
Contact Person: J.C. Hawes	County: Butler	A
Phone: 620-342-1148	Lease Name: Harvey-Hagan	Well #: 4
	Field Name: Clifford	
CONTRACTOR: License# 30141	Is this a Prorated / Spaced Field?	Yes No
Name: Summit Drilling Company	Target Formation(s): Lansing	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1040 ft	
◯ Oil ☐ Enti Rec ☐ Infield ☐ Mud Rotary	Ground Surface Elevation: 1401	feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes Yes
Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100 ft	
Other:	Depth to bottom of usable water: 180 ft	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 ft	4 (1)
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1900 ft	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Lansing	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Water Source for Drilling Operations:  Well Farm Pond Other: Purchased  DWR Permit #:	•
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	☐Yes XNo
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	RECEIVED CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	N	NOV 0 8 2007
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe as underlying formation.  First office on plug length and placement is necessary prious of or production casing is cemented in;  If from below any usable water to surface within 120 DAYS  33,891-C, which applies to the KCC District 3 area, altern	or to plugging; Sof spud date. nate II cementing
I hereby certify that the statements made herein are true and correct to the	//	<b>.</b>
Date: 11/09/2007 Signature of Operator or Agent:	Title: Presider	
	Remember to:	22
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Dri	
API # 15. 015-23755 0000	- File Completion Form ACO-1 within 120 days of spud	I N 1
Conductor pipe required None feet	File acreage attribution plat according to field proration     Notify appropriate district office 48 hours prior to works	
Minimum surface pipe required 200 feet per ALT.	Submit plugging report (CP-4) after plugging is complete.	ated (within 60 days):
Approved by: Futt 1+8-07	Obtain written approval before disposing or injecting sa	42
עניה עווי איי	- If this permit has expired (See: authorized expiration d	
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)	check the box below and return to the address below.	$\square$
(1105 authorization voto it uniting that started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:	
Spud date: Agent:	Signature of Operator or Agent:	Ş

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 015-23755-000	<b>.</b>
Operator: Glacier Petroleum, Inc.	Location of Well: County: Butler
Lease: Harvey-Hagan	1,506 feet from N / X S Line of Section
Well Number: 4	1,040 feet from X E / W Line of Section
Field: Clifford	Sec. 22 Twp. 23 S. R. 4 🔀 E 🗌 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: _ SW _ NE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location to the nearest lease or unit boundary line.)

				·			
					:		
					:		:
			'		•	•	`
:	:	:			;	:	
		:			:		
					:		:
							.
	:	:			:	:	:
				I	:	:	:
					:	•	:
	•	•	-		•	•	·
İ	:	:	:		:	:	:
:		:			:	:	: 1
į.		:		_	:	:	:
!	:	:		2	:	;	:
,				. Z }	:		:
				_	:		:
		:	:		;	:	
					:	•	
				I		. H-1	940 → Z#4
		:		İ	•	:	
	:	:	:		:		<u> </u>
	:	:	:	i I		- • -	
					· · · · · · · · · · · · · · · · · · ·		را دیجھو سیسر
ļ		:	:		: 1	:	<del></del>
	:		:	!	•	:	; /
	:	:		!	150		
•		:		1		6	:
					. 1	-	.
	:	:	:		i	:	<u> </u>
		:	:	İ		;	:
	:	:	:		ાં પ	,	:
		•	·		· Y	•	

RECEIVED KANSAS CORPORATION COMMISSION

NOV 0 8 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Pit Location (QQQQ):   Approx	Operator Name: Glacier Petroleum, Inc.			License Number: 5721	
Pit Location (QQQQ):   Approx	Operator Address: P.O. Box 577 Em	poria, KS 6680	1-0577	Emporia KS 66801	
See   Pit	Contact Person: J.C. Hawes			Phone Number: 620-342-1148	
Emergency Pit   Burn Pit   Existing   If E	Lease Name & Well No.: Harvey-Hag	an 4		Pit Location (QQQQ):	
Settling Pit	Type of Pit:	9		Approx _ SW _ NE _ SE	
Settling Pit	Emergency Pit Burn Pit			Sec. 22 Twp. 23 R. 4 East West	
Workover Pit	Settling Pit Drilling Pit			1 506	
Supply API No. or Year Drillady   Supply API No. or Year Drillady API No. or Year Drillady   Supply API No	Workover Pit Haul-Off Pit	Dit conneitu	<u> </u>	1 040 = =	
Signature of Applicant or Agent  Signature of Applicant or Agent  Signature of Applicant or Agent  Signature of Applicant or Agent  Signature of Applicant or Agent  NOV 0 8 2007  CONSERVATION DIVIS DN  Chloride concentration:	(If WP Supply API No. or Year Drilled)	, ,	(bbls)	Butler	
CFor Emergency Pits and Sattling Pits only)	Is the pit located in a Sensitive Ground Water	Area? Yes 🔀			
Pit dimensions (all but working pits): 50				(For Emergency Pits and Settling Pits only)	
Depth from ground level to deepest point: 5 (feet) No Pit  The pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 45 feet.  Source of information: electric log KDWR  Demandered well owner electric log KDWR  Demandered well owner electric log KDWR  Demandered well owner of producing wells on lease:  Producing Formation: Number of producing wells on lease: Number of working pits to be utilized: 0  Abandonment procedure: Dry and Backfill Reserve Pit, Steel Working Pits  Dieses the slope from the tank battery allow all spilled fluids to low into the pit? Yes No  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  NOV 9 8 2007  CONSERVATION DIVISION  Signature of Applicant or Agent	Is the bottom below ground level?		No	1	
Depth from ground level to deepest point:					
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 45 feet.  Source of information:    Depth to shallowest fresh water 45 feet.					
Distance to nearest water well within one-mile of pit    1315   feet   Depth of water well   45   feet			, , 	(losy)	
1315   feet   Depth of water well   45   feet   Source of information:   measured   well owner   electric log   KDWR	- · · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
1315   feet   Depth of water well   45   feet   Depth of water well   Well owner   Depth of water well   Depth of water well   Well owner   Depth of water well   Depth of water well   Depth of well owner   Depth of water well   Depth of					
1315   feet   Depth of water well   45   feet   Source of information:   measured   well owner   electric log   KDWR					
1315   feet   Depth of water well   45   feet   Source of information:   measured   well owner   electric log   KDWR				2	
1315   feet   Depth of water well   45   feet   measured   well owner   electric log   KDWR   Emergency, Settling and Burn Pits ONLY:   Type of material utilized in drilling/workover: Fresh Mud (Bentonite)   Producing wells on lease:   Number of working pits to be utilized:   O   Number of working pits to be utilized:   Dry and Backfill Reserve Pit, Steel   Working Pits	Distance to nearest water well within one-mile of pit Depth to shallor		owest fresh water 45 feet.		
Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Mud (Bentonite)  Number of producing wells on lease:  Does the slope from the tank battery allow all spilled fluids to low into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Drill pits must be closed within 365 days of spud date.  NOV 0 8 2007  Signature of Applicant or Agent  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Mud (Bentonite)  Number of working pits to be utilized:  O  Abandonment procedure: Dry and Backfill Reserve Pit, Steel  Working Pits  Drill pits must be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION COMMISSION  NOV 0 8 2007  CONSERVATION DIVISION  Signature of Applicant or Agent	Source of info				
Type of material utilized in drilling/workover: Fresh Mud (Bentonite)  Number of producing wells on lease:  District of producing wells on lease:  Number of producing wells on lease:  District of fluid produced daily:  District of fluid produced daily:  District of fluid produced daily:  District of material utilized in drilling/workover:  Fresh Mud (Bentonite)  O  Abandonment procedure:  Dry and Backfill Reserve Pit, Steel  Working Pits  Drill pits must be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION COMMISSION  NOV 0 8 2007  CONSERVATION DIVISION  Signature of Applicant or Agent  Wichita, KS	leet Depth of water well leet measu		<b>w</b>		
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to low into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Number of working pits to be utilized:  Dry and Backfill Reserve Pit, Steel  Working Pits  Drill pits must be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION COMMISSI  NOV 0 8 2007  CONSERVATION DIVISION  Signature of Applicant or Agent  WICHITA, KS	· · · - · · · · · · · · · · · · ·		163		
Abandonment procedure: Dry and Backfill Reserve Pit, Steel Working Pits  Dry and Backfill Reserve Pit, Steel Working Pits  Drill pits must be closed within 365 days of spud date.  RECEIVED KANSAS CORPORATION COMMISSI  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  NOV 0 8 2007  CONSERVATION DIVISION Signature of Applicant or Agent  Wichita, Ks	l l				
Does the slope from the tank battery allow all spilled fluids to low into the pit? Yes No			Day and Doolyfill Doognya Dit Otacl		
In hereby certify that the above statements are true and correct to the best of my knowledge and belief.    1			Working Pits		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  NOV 0 8 2007    11/09/07   CONSERVATION DIVISION					
11/09/07 Date  CONSERVATION DIVISION Signature of Applicant or Agent WICHITA, KS	I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.	
Date Signature of Applicant or Agent WICHITA, KS				NOV 0 8 2007	
			-	CONSERVATION DIVISION	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS	Date	······································	- / S	Signature of Applicant or Agent WICHITA, KS	
	KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 11/8/07 Permit Number: Permit Date: 11/8/07 Lease Inspection: Yes 🕻 No	Date Received: 11/8/07 Permit Num	her:	Darm	iit Date: 11/8/07 Lease Inspection: Vas IIINo	