For KCC Us	·· //_/U_//	
District #	/	
SGA?]Yes ⊠No	

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	
Expected Spud Date 11/20/2007	Spot Eas
month day year	SE SE NW Sec. 34 Twp. 31S S. R. 30 Wes
33392	2310' feet from ✓ N / S Line of Section
OPERATOR: License# 33392 V Name: KEITH F. WALKER OIL & GAS COMPANY, L.L.C.	2310' Feet from E / V W Line of Section
103 West Boyd Street	is SECTIONRegularIrregular?
City/State/Zip: Norman, OK 73069	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Alan L. Stacy	County: Meade
Phone: 405.701.0676	Lease Name: Jagger Dean Well #: 34 #1
	Field Name:
CONTRACTOR: License# 33630	Is this a Prorated / Spaced Field?
Name: Titan Drilling	Target Formation(s): Chester
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2763' feet MS
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 540
Other	Dopin to Boxen or Leading in the second in t
	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 1700'
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 6200'
Well Name:Original Total Depth:	Formation at Total Depth: Chester
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	✓ ✓ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #: Applying for Permit /
6 U 11 (1 U	
	(Note: Apply for Permit with DWR
	Will Cores be taken?
Bottom Hole Location: KCC DKT #:	
KCC DKT #:	Will Cores be taken?
KCC DKT #:AFF	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the strict office will be notified before well is either plug and all the strict office will be notified before well is either plug and the strict office will be notified before well is either plug and the strict office will be strictly production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idiged or production casing is cemented in; Idiged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idiged or production casing is cemented in; Idiged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the complete of the set of the	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In definition of this well will comply with K.S.A. 55 et. seq. In definition of this well will comply with K.S.A. 55 et. seq. In definition of this well will comply with K.S.A. 55 et. seq. In definition of this well will comply with K.S.A. 55 et. seq. In definition of this well will comply with K.S.A. 55 et. seq. In all cases surface pipe shall be set the underlying formation. Illustrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foliation of the well is either plus for the appropriate district office will be notified before well is either plus for the materials of the set of the specific prior of the specific prior of the statement of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specific prior	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In the plugged or production casing is cemented in; In the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ittle: Engineer Tech. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; In the plugged or production casing is cemented in; In the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ittle: Engineer Tech. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the figure of the well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cernent Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 11/6/2007	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying formation. Jugging of this well will comply with K.S.A. 55 et. seq. In all cases surface pipe shall be set to be underlying formation. Jugged or production casing is cemented in; Jugged or production defended in; Jugged or production casing is cemented in; Jugged or produ
AFF The undersigned hereby affirms that the drilling, completion and eventual processing processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eat and through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the construction of the state well is either plugible. If an ALTERNATE is COMPLETION, production pipe shall be demonstrated by the completed within 30 days of the spudication of the well shall is the completed within 30 days of the spudication of the well shall. I hereby certify that the statements made herein are true and to the best of the processing processing that the statements made herein are true and to the best of the processing processing processing that the statements of the processing processing processing that the statements of the processing processing processing processing that the statements of the processing pr	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ittle: Engineer Tech. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please applied the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the complete and unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the complete of the state of the well is either plug to the appropriate district office will be notified before well is either plug to the support of the state of the spud date of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: This authorization expires: This authorization void if drilling not started within months of approval date.)	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Tech. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual procession of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear and through all unconsolidated materials plus a minimum of 20 feet into the state will be well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district o	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ittle: Engineer Tech. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please applied the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 119-21189-000	Location of Well: County: Meade
Operator: KEITH F. WALKER OIL & GAS COMPANY, L.L.C.	2310'feet from ✓N /S Line of Section
Lease: Jagger Dean	2310' feet from E / 🗸 W Line of Section
Well Number: 34 #1	Sec. 34 Twp. 31S S. R. 30 East ✓ Wes
Field:	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE _ SE _ NW	Is Section: Regular or Irregular
GITTI GITTI GI GOLGGOOG	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

										_					-					
1			•													•		•		
1																				
1					•			•						•				•		
1																				
1																		•		
1																				
1																				
Ι.		-				 				. '										
1										1										
1																				
1																				
i			•		•									•		•		•		
1																				
i			•		•			•						•				•		
																		•		
1.						 														
1																				
1																				
1																				
1																				
1																				
1											l									
1											l									
1			•		•						l			•		•		•		
1											l									
١.						 														
														•		٠				
L																				
•																				
i																				
í																				
1			•		•											•		•		
-									_		-	_	_			 	 	 _	_	_
\vdash													_			 	 		_	_
厂							•		_								 			
									_		•							•		
											•									
											-									
											-									
											· .	•								
	•	•																•		
	•		:		:	 						•		:		 :		•		
	•		:		:	 						•		:		 :		•		
	•					 	٠				•	•		•	•			•	•	
	•	•				 	٠				•	•		•	•			•		
	•	•				 	٠				•	•		•	•				•	
	•	•				 	٠				•	•		•	•				•	
	•	•				 	٠				•	•		•	•				•	
		•				 	٠							•	•			•		
		•				 	٠							•	•			· · ·		
		•				 		•			•			•		 				
		•				 		•						•		 		· · · · · · · · · · · · · · · · · · ·		
		•				 		•						•		 				
		•				 		•			•			•		 				
	•	•				 		•								 	 •			
		•				 		•			•					 	 •	· · · · · · · · · · · · · · · · · · ·		
		•				 		•			•					 	 •			
	•	•				 		•								 	 •			
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		
		•				 		•								 	 •			
		•				 		•								 	 •			
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		
		•				 		•								 	 •			
		•				 		•								 	 •	• • • • • • • • • • • • • • • • • • • •		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, RECEIVED KANSAS CORPORATION COMMISSION 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for NOVells, 9 2007 CG-8 for gas wells) CG-8 for gas wells).

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Keith F. Walker Oi	l & Gas Comp	any, L.L.C.	License Number: 33392				
Operator Address: 103 West Boy	yd Street, N	lorman, C	OK 73069				
Contact Person: Alan Stacy			Phone Number: (405) 701 - 0676				
Lease Name & Well No.: Jagger De	an 34 #1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>SE _ SE _ NW</u>				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 34 Twp. 31S R 30 East V West				
Settling Pit	If Existing, date co	onstructed:	2310' Feet from 🗸 North / 🗌 South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		2310' Feet from East / 🗸 West Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	Meade County				
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	1			
Yes No	Yes V	No	Compaction				
Pit dimensions (all but working pits):	Length (fe	net) 125	Width (feet) N/A: Steel Pits	-			
, it aminonous (all sat fronting pito)	om ground level to de	,01)	(feet)				
If the pit is lined give a brief description of the			dures for periodic maintenance and determining	1			
material, thickness and installation procedure) .	liner integrity, in	ncluding any special monitoring.				
				5			
				119			
Distance to nearest water well within one-mile	of nit	Denth to shallo	west fresh water/7\subsectionfeet.	5719-21189			
	·	Source of infor	mation:	1/8			
38 /8 _feet Depth of water well			redwell owner electric log (2) KDWR	a			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	2			
Producing Formation: Number of producing wells on lease:			al utilized in drilling/workover: Mud king pits to be utilized: 1	B			
Barrels of fluid produced daily:		Abandonment procedure: Evaporate & Backfill					
Does the slope from the tank battery allow all	spilled fluids to						
flow into the pit? Yes No		Drill pits must I	ne closed within 365 days of spud date.				
I hereby certify that the above state	ments are true and o	correct to the bes	•	1			
			NOV 0 9 2	2007			
11/6/2007		mer Juni	CONSERVATION CONSERVATION WICHITA				
Date		<u> </u>	ignature of Applicant of Agent WCHIA.	']' ד			
	KCC (OFFICE USE O	NLY				
Date Received: 11/9/67 Permit Num	ber:	Perm	it Date: 11/9/67 Lease Inspection: Yes (No				