For KCC Use:	11-14:07
Effective Date:	717901
District #	<u> </u>
SGA? Yes	<b>V</b> No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

November 15, 2007   Nove	Must be approved by KCC five	(5) days prior to commencing well
Section   Sect	Expected Soud Date: November 15, 2007	Spot Description:
Section   Sect		SE NW SE NE Sec 20 Turn 24 S.R.16 THE W
Address 1: Des 220   Address 1: Des 220   Address 2: Des 220   Address 3: Des 220   Address	5983 /	
Name:	OPERAIOH: License#	RECTION AND CHECKERS
Notes Locate well on the Section Plet or revenue side)		leet from Kie / W che of Section
County Webschool County Vebsch J. Leas Phone. #35-286-0127  CONTRACTOR: Licenses 32079  Med Diffed For: Web Class: Type Equipment: Grad Gas Storage Pool Ext. Michael Pool Ext. Gable  Med Diffed For: Web Class: Type Equipment: Grad Gas Storage Pool Ext. Michael Cable  Disposal Wildows Disposal Wildows    Type Equipment: Gable Pool Ext.   Type Equipment: Gable   Typ	Address 1: Box 223	Is SECTION: Regular I I I I I I I I I I I I I I I I I I I
Contact Person. "Vidor. J Les Plonce. 913-256-3127  CONTRACTOR: Liceraes 20279  Name: Jone E. Les  Well Deliber for: Well Class: Type Equipment:  Well Deliber for: Well Class: Type Equipment:  Sesismic: a of Holes   Other Other: a of Holes   Other   Othe	Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Pascon: Votes		County Woodson
Field Name: _done E. Lais:   Type Epiphment:   The Well Diffeed For:   Well Class:   Type Epiphment:   The Well Class:   Type Epiphment:   The Well Diffeed For:   Well Class:   Type Epiphment:   The Well Class:   T	Contact Person: Victor J. Leis	Lease Name: Stockebrand Well # 8
In this a Prorated Spaced Field?   Index   International Spaced Field?   International Spaced	Phone: 913-285-0127	Ciold Name. Vernon
Name:	CONTRACTOR, Finance 32079	
Neerest Lease or unit boundary ine (in toolage); 755   Set Missel Cases   Set Missel Ca	OO)1117001011. LICENSON	
Ground Surface Elevation: 1062	ISORPG.	
Water well within one-quarter mile:   Gas   Storage   Storage   Proof Ert   Mildcat   Mar Rotary   Mar Rotary	Well Drilled For: Well Class: Type Equipment:	
Seismic   # of Holes   Other	XON / Figh Rec X Infield / X Mud Rotary	
Disposal   Milocat   Cable   Cable   Other		
Depth to bottom of treats water: 20   Depth to bottom of treats water: 150   Depth to bottom of surface Pipe Branned to be set: 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to bottom of surface Pipe as each 40   Depth to Bottom to		
Depth to bottom of usable water. 150  Surface Pipe Nathernatic.		
Surface Pipe by Alternate:   Xil   Length of Surface Pipe Planned to be set: 40'		Depth to bottom of usable water: 150'
Conversion of the confidence		Surface Pine by Alternate:
Coperator: Na Well Name: Original Completion Date: Well Key It we vertical depth:    Well Completion Date:   Well Not Date:   W	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Honzontal wellbore?   Yes   No	n/a	Length of Conductor Pine (if and): Na
Original Completion Date: Original Total Depth: Squirmal Water Source for Drilling Operations: Water Source for Source on Source Source Operation Source Source Operation Source Source Operation Source Source Operation S		
Water Source for Drilling Operations:  Water Source for D		
If yes, true vertical depth:    DWR Permit #:   DWR Permit #:	Original Completion Date: Original Total Depth:	
If Yes, true vertical depth:    Bottom Hole Location:   (Note: Apply for Permit with DWR)   Ves   No	Directional Designed on Marinestal mullborn?	
Will Cores be taken?  If Yes, proposed zone:		Well Karm Pond Dther:
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 test into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any used water to surface within 120 DAYS of spud date. Or pursuant to Appendix TB*-Eastern Kansas surface casing order \$133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  1 hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  For KCC Use ONLY API # 15 - 2 7 - 2 7 3 3 1 - 0000 Minimum surface pipe required		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 test into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office wile notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix 18* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Pate:		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling;  5. The appropriate district office will be after plugged or production or production are surface within 120 DAYS of spud date.  Or pursuant to Appendix 187 - Eastern Kansas surface casing order \$133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases. NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Pate: 11/2/97 Signature of Operator or Agent:  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized appriation dates (PANAS GORPORATION.COMPTS)  Signature of Operator or Agent:  Well Not Drilled - Permit Expired Date: ANDAS GORPORATION.COMPTS  Signature of Operator or Agent:  Signature of Operator or Agent:  Well Not Drilled - Permit Expired Date: ANDAS GORPORATION.COMPTS	KCC DK1 #:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix 187 - Eastern Kansas surface casing order 1833,891-C, which applies to the KCO District 3 area, afternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: 11 2 7 Signature of Operator or Agent: File Completion form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120		If Yes, proposed zone: n/a
For KCC Use ONLY  API # 15 - 2 07 - 2 7331-0000  Conductor pipe required	It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the seco	drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  In other cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY  API # 15 - 2 07 - 2 7331-0000  Conductor pipe required	Date: 11/2/07 Signature of Operator or Appart	M- Jow Tolle Act.
For KCC Use ONLY  API # 15 - 2 07 - 2 7331-0000  Conductor pipe required	Date. Organica of Operation of Agent.	
API # 15 - 2 07 - 2 7331-0000  Conductor pipe required	F MOO Hoo ONLY	
Conductor pipe required	1 10 KUU USB UNILT	
Conductor pipe required		- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe required	Conductor pipe requiredfeet	
Approved by: 11-9-07  This authorization expires: 11-9-08  (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  RECEIVED Well Not Drilled - Permit Expired Date: KANSAS CORPORATION COMMISS.	· //^/	Submit observed (CPA) after observed is completed (within 60 days):
This authorization expires: 11-9-08  (This authorization void if drilling not started within 12 months of approval date.)  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  RECEIVED  Well Not Drilled - Permit Expired  Date: KANSAS CORPORATION COMMISS  Signature of Operator or Agent:	initiation surface paper required	Obtain written approval before disposition or injection salt water
This authorization expires: 77 20 check the box below and return to the address below. RECEIVED Well Not Drilled - Permit Expired Date: KANSAS CORPORATION COMPLETS  Signature of Operator or Agent:		
(This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date: KANSAS CORPORATION COMMISS Signature of Operator or Agent:	(100 mm mark mark)	, , , , , , , , , , , , , , , , , , , ,
	(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date: KANSAS CORPORATION COMMISS
	Spud date: Agent:	Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27331-0000			
Operator: Victor J. Leis	Location of Well: County: Woodson		
Lease: Stockebrand	· · · · · · · · · · · · · · · · · · ·		
Well Number: 8	1,680 feet from N / S Line of Section 735 feet from E / W Line of Section		
Field: Vemon	Sec. 20 Twp. 24 S. R. 16 X E W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

PLAT
ow location of the well and shade attributable acreage for pro

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Victor J. Leis		License Number: 5983			
Operator Address: Box 223, Yates Center, KS 66783					
Contact Person: Victor J. Leis		Phone Number: ( 913 ) 285 - 0127			
Lease Name & Well No.: Stockebrand	d #8		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW SE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 24 R. 16		
Settling Pit Trilling Pit	If Existing, date constructed:		1680 Feet from 🗹 North / 🗌 South Line of Section		
<b>₩orkover Pit</b> Haul-Off Pit	Pit capacity:		735 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water Area? Yes V No		No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	Clay soil		
Pit dimensions (all but working pits):	i Length (fe	eet) 8	Width (feet)N/A: Steel Pits		
	om ground level to de	_	(feet)		
material, thickness and installation procedure.		liner integrity, i	edures for periodic maintenance and determining ncluding any special monitoring.		
n/a		n/a			
Distance to nearest water well within one-mile of pit Depth to sl		Depth to shallo	owest fresh water 20' feet.		
So		Source of infor	Source of information:		
n/afeet	n/a feet	<del> </del>	measured well owner electric log KDWR		
			Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh water		
•		1	lumber of working pits to be utilized: 2		
			Abandonment procedure: Pump dry and cover.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
11/2/07 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 11/9/07 Permit Num	ber:	Perm	RECEIVED  KANSAS CORPORATION COMMISSION it Date: ///9/07 Lease Inspection: Yes A No		