

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

November 40, 2007	
xpected Spud Date: November 18, 2007 month day year	Spot Description:
•	C SW SE Sec. 36 Twp. 14 S. R. 21 XE W
ERATOR: License# 5682 /	(a/a/a/a) 660 feet from N / X S Line of Section
me: Hughes Drilling Company	1,980 feet from E / W Line of Section
dress 1: 122 North Main	Is SECTION: Regular Inregular?
dress 2:	(Note: Locate well on the Section Plat on reverse side)
y: Wellsville State: KS Zip: 66092 +	Johnson
ntact Person: Carl (Clay) Hughes	County: Grisson Lease Name: Braun Well #: 27
one: (913) 963-9127	Gardner
	Field Name:
NTRACTOR: License# 5682 me: Hughes Drilling Company	Is this a Prorated / Spaced Field? Postposition No
me:	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 200+
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
On a service of	Length of Conductor Pipe (if any): none
Operator:	Projected Total Depth: 925 ft.
Well Name:Original Total Depth:	Formation at Total Depth: Bartlesville
Original Completion Date:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	
es, true vertical depth:	<u> </u>
ttom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
	(Note: Apply for Permit with DVVA
at a Lars to we	Type VNe
// U() #	Will Cores be taken?
O DNI TO	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED
AF	If Yes, proposed zone: RECEIVED FIDAVIT KANSAS CORPORATION COMMIS
AF	If Yes, proposed zone: RECEIVED FIDAVIT KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq.
AF : e undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: RECEIVED FIDAVIT KANSAS CORPORATION COMMIS
AF: le undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007
AF: e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION
AF: e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Sept A. KS
AFi e undersigned hereby affirms that the drilling, completion and eventual plus s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Septa. KS the underlying formation.
AFi e undersigned hereby affirms that the drilling, completion and eventual plus s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Septa. KS the underlying formation. It ict office on plug length and placement is necessary prior to plugging;
AFi e undersigned hereby affirms that the drilling, completion and eventual plus s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Senta. KS le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFine undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Sept TA. KS te underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
AFi e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SATTA. KS re underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Sept TA. KS be underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the s	FIDAVIT RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SAITA. KS the underlying formation. trict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. the plugged and belief.
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the same and the same and the same as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the same all unconsolidated materials plus a minimum of 20 feet into the same and the same appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the terms.	FIDAVIT RECEIVED KANSAS CORPORATION COMMIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SHTA. KS the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Conservation commits.
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the same and	FIDAVIT RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SAITA. KS the underlying formation. trict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Agent Title:
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the same and the same and the same as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the same and the same and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the test. November 13, 2007 Signature of Operator or Agent.	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be SATTA. KS the underlying formation. It trict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
A Figure 2 and 2 a	FIDAVIT RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION the production casing is cement to the top; in all cases surface pipe shall be SATA. KS are underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a specified below shall be posted within 30 days of the spud date or the well shall be search through all unconsolidated materials plus a specified below shall be posted within 30 days of the spud date or the well shall be search through all unconsolidated materials plus a specified below shall be posted within 30 days of the spud date or the well shall be search through all unconsolidated materials plus a specified below shall be posted t	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe shall be SATTA. KS the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SATA. KS the underlying formation. trict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disense through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disense through a proportion of the set of the	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION IN DRILLING REPORT TO PROPERTY OF The plugging right of the plugging right report (CP 4) print report
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the spudding and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the term of the complete of the statements of the spud date or the well shall be applied to the statement of the spud date or the well shall be applied to the statement of the spud date or the well shall be applied to the statement of the spud date or the well shall be applied to the statement of the spud date or the well shall be applied to the statement of the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or the well shall be applied to the spud date or th	RECEIVED KANSAS CORPORATION COMMIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION to production casing is cement to the top; in all cases surface pipe shall be Surfa. KS the underlying formation. United office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate il cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug; 6. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the late: November 13, 2007 Signature of Operator or Agent For KCC Use ONLY API # 15 - O9/-23204-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I III	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be SATA. KS the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet minimum of 20 feet well is either plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the state. November 13, 2007 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O9/-23204-0000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Sept TA. KS the underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet minimum of 20 feet well is either plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the state. November 13, 2007 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O9/-23204-0000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by GUTA. KS be underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFine undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	FIDAVIT KANSAS CORPORATION COMMIS ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 In drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be Salta. KS re underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 09/-23204-0000 Operator: Hughes Drilling Company	Location of Well: County: Johnson
Lease: Braun	660feet from N / 🔀 S Line of Section
Well Number: 27	1,980 feet from X E / W Line of Section
Field: Gardner	Sec. 36 Twp. 14 S. R. 21 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _C Sw SE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					:		•
· ·		:				:	1
}	:	• :		l .	:	:	:
		:			•	:	÷
1		: :			:	:	:
		:				:	
1							

1 .						_	
;		:			•	:	
1	:	: :			:	:	:
					•	ï	•
	:	: :			:	:	:
l					•		•
1							
1	:	: ;			:	:	:
	•	• •			:		•
1	•	; :			:	:	:
1	•			i	:		•
1	:	: :		1	:	:	7
1	•				•	•	•
1	•	•			•		•
1		:			;	:	:
1	•				•		•
1		:			:	;	:
1	•				•	•	•
	-	•			•	•	•
					·	·	•
						·	<u> </u>
						·	:
							:
							:
			 -	 			:
							: :

			•••••				
			•••••				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hughes Drilling Company			License Number: 5682		
Operator Address: 122 North Main	, <u>, , , , , , , , , , , , , , , , , , </u>		Wellsville KS 66092		
Contact Person: Carl (Clay) Hughes			Phone Number: (913) 963-9127		
Lease Name & Well No.: Braun 27			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 14 R. 21 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			1,980 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 120	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l		
		7	(For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
			sealed with bentonite gel		
Pit dimensions (all but working pits):	b Length (fe	eet)8	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the			dures for periodic maintenance and determining		
material, thickness and installation procedure	7.	inter attegrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit	•	west fresh water (Öfeet.		
Source of info					
			over and Haul-Off Pits ONLY:		
		ial utilized in drilling/workover: drilling mud			
		king pits to be utilized:2			
		procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to					
· ·		pe closed within 365 days of spud date. RECEIVED			
I hereby certify that the above statements are true and correct to the besi			KANSAS CORPORATION COM t of my knowledge and belief.		
		<u> </u>	NOV 1 3 2007		
November 13, 2007		Jenna	Manda HARA		
November 13, 2007 Date			ignature of Applicant or Agent		
	· · · · · · · · · · · · · · · · · · ·		printing printing printing		
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 11 3 07 Permit Num	ber:	Perm	it Date: いしょうしゅつ Lease Inspection: Yes VNo		
· · ·					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202