For KCC Use: Effective Date:_ District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date	Spot	East
month day year	N= 6 14 21 🗔	West
33741	655 feet from N / S Line of Section	n
ERATOR: License#_33741 /me: Midwest Energy, Inc.	370feet from VE / W Line of Section	n
Commerce Plaza 1 Center, 7300 W, 110th Street, 7th Floor	Is SECTION Regular Irregular?	
dress: Overland Park, KS 66210	(Note: Locate well on the Section Plat on reverse side)	
y/State/2/p: ntact Person: Brad Kramer	County. Douglas	
one: 913.693.4605	Lease Name: Thoren Well #: 60	
	Field Name: Little Wakarusa	
ONTRACTOR: License# 31280	Is this a Prorated / Spaced Field?	✓ No
me: Birk Petroleum	Target Formation(s): Squirrel	
	Nearest Lease or unit boundary: 370'	
Well Drilled For: Well Class: Type Equipment:		MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	✓ No,
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 250+	
Other	Surface Bine by Alternate: 1 4 2	
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 700'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	
CC DKT #:	_ Will Cores be taken?	✓ No
	If Yes, proposed zone:	
. .	RECEIN KANSAS CORPORATIO	VED
Δι		UN COM
	al plugging of this well will comply with K.S.A. 55 et. seg.	
ne undersigned hereby affirms that the drilling, completion and eventua	al plugging of this well will comply with K.S.A. 55 et. seq.	2007
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	al plugging of this well will comply with K.S.A. 55 et. seq.	2007
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	al plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 7	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on	al plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 7 each drilling rig;	Divisio
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet intent to drill shall unconsolidated materials plus a minimum of 20 feet intent to drill shall unconsolidated materials plus a minimum of 20 feet intent to drill shall be shall be through all unconsolidated materials plus a minimum of 20 feet intent to drill shall be shall	al plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 7 each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation.	Divisio Ks
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. e district office on plug length and placement is necessary prior to plugg.	Divisio Ks
 undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either to 	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the property to the underlying formation. e district office on plug length and placement is necessary prior to pluggiougged or production casing is cemented in;	i DIVISIC Ks ing;
 e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem 	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. e district office on plug length and placement is necessary prior to pluggiplugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.	l DIVISIO Ks ing; te.
 e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and int 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or 	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. e district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate II ceme	DIVISIONS (Control of the Control of
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus an alternate in COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. The district office on plug length and placement is necessary prior to plugger plugged or production casing is cemented in; The rented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate it cemeral be plugged. In all cases, NOTIFY district office prior to any cementing	DIVISIONS (Control of the Control of
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production and the statements made herein are true and to the best production and the statements made herein are true and to the statements are true and to the s	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the rise to the underlying formation. The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; The enterty in all cases surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate it cemeratel be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief.	DIVISIONS (Control of the Control of
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production of the statements made herein are true and to the best production and the statements made herein are true and to the statements are true and to the s	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. The district office on plug length and placement is necessary prior to plugger plugged or production casing is cemented in; The rented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate it cemeral be plugged. In all cases, NOTIFY district office prior to any cementing	DIVISIONS (Control of the Control of
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud statements of the spud statements of the specific statements.	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the set to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent	DIVISIONS (Control of the Control of
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the set to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; elented from below any usable water to surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to:	DIVISIONS (Control of the Control of
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of the statement of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be certified before. Signature of Operator or Agent: For KCC Use ONLY	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall the set to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	Division Ks ing; te. enting
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of the statement of the statement of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 045 - 21356 - 0000	each drilling rig; each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall the set to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; elented from below any usable water to surface within 120 days of spud dated #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to:	DIVISIONS (Control of the Control of
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either por pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best stee: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/35/20000 Conductor pipe required feet	each drilling rig; each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date and is be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry	DIVISIONS IN THE PROPERTY IN T
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and int 5. The appropriate district office will be notified before well is either plus an alternation of the second or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best stee: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 045 - 21356 - 0000 Conductor pipe required Nore feet	each drilling rig; each d	DIVISIONS IN THE PROPERTY IN T
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the form that is the strict office will be notified before well is either prior of pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well show the series certify that the statements made herein are true and to the best ate: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OYS - 2/356-0000 Conductor pipe required	each drilling rig; each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date and is be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry	DIVISIONS IN THE PROPERTY IN T
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either prior or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/3 56-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	each drilling rig; each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; the ented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemeral be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	DIVISIONS IN THE PROPERTY IN T
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either point of the propriate district office will be notified before well is either point of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OYS - 2/356-0000 Conductor pipe required None feet Minimum surface pipe required feet feet feet feet feet feet feet fe	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. The district office on plug length and placement is necessary prior to plugger plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the prior to any cementing is of my knowledge and belief. The enterty of the plugged of the plugged of the plugged of the plugged or production orders; The enterty of the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DIVISIONS IN THE PROPERTY IN T
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either por pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best site: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OYS - 2/3 Slo - ODO Conductor pipe required None feet Minimum surface pipe required feet per Alt.	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the right to the underlying formation. The district office on plug length and placement is necessary prior to plugger plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the plugged or production casing is cemented in; The enterty of the prior to any cementing is of my knowledge and belief. The enterty of the plugged of the plugged of the plugged of the plugged or production orders; The enterty of the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DIVISIONS IN THE PROPERTY IN T
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either prior or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within shall be completed at the statements made herein are true and to the best ate: 11/6/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/3 5/6-0000 Conductor pipe required	each drilling rig; each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall the set to the underlying formation. The district office on plug length and placement is necessary prior to plugger plugged or production casing is cemented in; The ented from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemeral be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. Title: Agent Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DIVISIONS IN THE PROPERTY IN T

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21356-0000	Location of Well: County: Douglas
Operator: Midwest Energy, Inc.	655 feet from VN / S Line of Section
Lease: Thoren	370 feet from VE / W Line of Section
Well Number: 60	Sec. 6 Twp. 14 S. R. 21 ✓ East West
Field: Little Wakarusa	Is Section: 🗸 Regular or 📗 Irregular
Number of Acres attributable to well:	is Section.
QTR / QTR / QTR of acreage: NE - NE - NE	tf Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

<u>, (</u>							
· - 622	ها -						
RECEIVED KANSAS CORPORATION CO	. 0-	 					
NOV 0 7 200		 					
ONSERVATION DIVI		 •					
EXAMPLE		• ·					
				•	•		
1980		 					
3390'	· · · · · ·					· · · ·	
		 •				· · · ·	
SEWARD CO.	• •				• • •	•	

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Midwest Energy,	, Inc.	License Number: 33741				
Operator Address: Commerce Plaza 1 Center, 7300 W. 110th St., 7th Floor, Overland Park, KS 66210						
Contact Person: Brad Kramer		Phone Number: (913) 693 - 4605				
Lease Name & Well No.: Thoren #6	0	Pit Location (QQQQ):				
Type of Pit:	Pit is:		SW _ NE _ NE _ NE			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 6 Twp. 14 R. 21			
Settling Pit Prilling Pit			655 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:					
(If WP Supply API No. or Year Drilled)	120 (bbls)		Douglas County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes 🗸	No	Native Mud			
Pit dimensions (all but working pits):8Width (feet)8Width (feet)8 N/A: Steel Pits Depth from ground level to deepest point: 3(feet)						
			λς			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of info	west fresh waterfeet. rmation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native Mud			
N/A feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY	: :	Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Native Mud				
Number of producing wells on lease:		Number of working pits to be utilized: 2				
Barrels of fluid produced daily:		Abandonment procedure: Air dry and backfill				
Does the slope from the tank battery allow al flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISS OF				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 0 7 2007						
Date Signature of Applicant or Agent WICHITA						
KCC OFFICE USE ONLY						
Date Received: 11/7/07 Permit Number: Permit Date: 11/7/07 Lease Inspection: Yes No						



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.